<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Oil Conservation Division

1220 South St. Francis Dr. office Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tan	ik covered by a "general plan"? Yes 🔀 No or below-grade tank 🗌 Closure of a pit or below-gra	
Operator: BP America Production Company Telephor Address: 200 Energy Ct, Farmington, NM 87401	ne: <u>(505)326-9200</u> e-mail address:	
Facility or well name: FLORANCE C LS \$5 API#:	80-045-07167 U/L or Qtr/Qtr H	Sec 30 T ZRN R BW
County: San Juan Latitude		
Surface Owner: Federal State Private Indian		- -
Pit Type: Drilling Production Disposal Workover Emergency Lined Unlined Liner type: Synthetic Thicknessmil Clay Pit Volumebbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet 100 feet or more	(10 points) DEC 2005 O points DEC 2005
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) OIL CONS. DIV. 2
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit' your are burying in place) onsite offsite offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No offsite sample results and a diagram of sample locations and excavated Additional Comments:	Yes If yes, show depth below ground surface	lescription of remedial action taken including
See Attached Documentation		
I hereby certify that the information above is true and complete to the best		
has been/will be constructed or closed according to NMOCD guideline Date:	ure	of the pit or tank contaminate ground water or
Approval: Printed Name/Title Printed Name/Title	Signature Bal Dell	Date: DEC 1 6 2005

		BLAG	G ENGI	NEERING	INC			01756
CLIENT: BP	م ا			OMFIELD	•	LOC	ATION NO:	B1256
CLIENT: 101			505) 632		, 14181 074	į	R NO:	11228
FIELD REF	ORT:	PIT CL	OSURE	VERIFI	CATIO	N PAGE	E No:\	of
LOCATION: NAME:	FLORANO	E C L	SWELL#:	5 TYPE	BLOW			3-8-03
QUAD/UNIT: H SE	c: 30 TW	IP: ZBN RNG	: 8W PM: 1	UM CNTY: S.	ST: NM		ONIMENTAL	3-8-03
QTR/FOOTAGE:) 7	35/2/890/	5 5	EINE CONTR	RACTOR: SIER	ed (CALVIA	SPECI	ALIST:	JUB
EXCAVATION A	PPROX	<u><i>NA</i></u> FT. x	<u> </u>	x _ NA FT	DEEP. CL	JBIC YARD	AGE: _	
DISPOSAL FACILITY LAND USE: RAZ		NA m	71 1	REMEDIA	_	DD: FORMATI	CLUSIE	AS 15 C/MV
FIELD NOTES &				(IMATELY 6				
DEPTH TO GROUNDWAT				>1000				
NMOCD RANKING SCORE			CLOSURE STD:	5000 PF	PM			
SOIL AND EXC	AVATION	DESCRIPT	ION:		OVM CALIB.			RF = 0.52
					TIME: 090	25 am/pm	DATE:	_
SOIL TYPE: SAND S	SILTY SAND /		LAY / CLAY /	GRAVEL / OTH	ER BED	rock s	·.s. 6	24
COHESION (ALL OTHERS			COHESIVE / CO	HESIVE / HIGHLY	COHESIVE			
CONSISTENCY (NON CO								
PLASTICITY (CLAYS): NO					HIGHLY PLASTI	IC		
DENSITY (COHESIVE CLA MOISTURE) DRY ASLIGH	•						عای	2 ED
DISCOLORATION/STAINI				RSATURATED				
HC ODOR DETECTED: Y								
SAMPLE TYPE: GRAB		OF PTS.	TO TANK	. TANK R	= ANDVEN =+	P.T. R	ACKELL	ご 入
ADDITIONAL COMMENTS	FOR	WORKOV			10E 70 77		D PLIC	R P.Y.
вотот	No	EVIDER	KE of	Impacts				
2011			V _{FII}	ELD 418.1 CALC	ULATIONS			
SCALE	AMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
0 FT								
1 PIT PE	RIMETE	R		<u></u>		PITE	ROFIL	E
N		PRIOR		VM				
(PIT		ADING	_			
1		2'86	SAMPLE	FIELD HEADSPACE (ppm)				
	V _	1	1@ 4	0.0	<u>:</u>			
1	1	1 70	3@					
1	(We II	4 @ 5 @					
	5	>			7 ~	OT A	1PPLICAB	re-
6	3					. , , ,		
	+				-			
	(\ ,			_			
		TREMON	IARS	AMDI EQ	4			
U BU TOUS								
		-1	PA CA	5560	-	•		
.D. = PIT DEPRESSION; B.								
TRAVEL NOTES:		O / T / C			0/0/		1020	
	CALLOUT: _	3/1/03		_ ONSITE: _	0/8/0	<u> </u>	1030	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow #1 @ 4'	Date Reported:	08-11-03
Laboratory Number:	26283	Date Sampled:	08-08-03
Chain of Custody No:	11228	Date Received:	08-08-03
Sample Matrix:	Soil	Date Extracted:	08-11-03
Preservative:	Cool	Date Analyzed:	08-11-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Florance C LS #5.

Analyst C. Oglina

Mistine M Wasters Review