<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144 June 1, 2004

1220 South St. Francis Dr. Santa Fe, NM 87505

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

| Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank | | | |
|--|---|---|---|
| Operator: BP AMERICA PROD. CO. Address: 200 ENERGY COURT. FARMINGTON. Facility or well name: DAY #1 County: SAN JUAN Latitude 36.74220 Longitude 10 | NM 87410 API#: 30-045- 08563 U/L or Qtr/Q | | |
| Pit Type: Drilling Production Disposal BLOW Workover Emergency Lined Unlined Liner type: Synthetic Thickness mil Clay Pit Volume bbl | Below-grade tank Volume:bblType of fluid: Construction material: Double-walled, withteak extection? Yes If | explain why not. | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more | (20 points) (10 points) (0 points) | 0 |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | Yes No | (20 points) (0 points) | 0 |
| Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more | (20 points) (10 points) (0 points) | 0 |
| | Ranking Score (Total Points) | | 0 |
| If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite □ If offsite, name of facility | | | |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an alternative OCD-approved plan . Date: | | | |
| Approval: Printed Name/Title Signature Signature Signature | | | |
| | 1 OF 2 / | | |

| 30-045-08563 | 36.74220 × 107.71770 | |
|--|--|--|
| | BLAGG ENGINEERING, INC. | LOCATION NO: 81580 |
| client: BP P.O. | BOX 87, BLOOMFIELD, NM 874 | 14215 |
| | (505) 632-1199 | COCR NO: |
| FIELD REPORT: PIT | CLOSURE VERIFICATIO | |
| LOCATION: NAME: DAY | WELL#: TYPE: BLOW | DATE STARTED: 7-19-05 |
| QUAD/UNIT: H SEC: 7 TWP: 20 | PM: NM CNTY: SJ ST: NM | DATE FINISHED: 7-19-05 |
| QTRIFOOTAGE: 1450 FUL & 835 | FEL SEINE CONTRACTOR: P+S (FERNANDO) | SPECIALIST: JC3 |
| EXCAVATION APPROX. MA | FT. x FT. x FT. DEEP. CU | JBIC YARDAGE: |
| DISPOSAL FACILITY: | NA REMEDIATION METHO | OD: <u>CLOSÉ AS (S</u> |
| LANDUSE: RANGE-BCM | LEASE: 5 F 0 7 8 4 1 4 | formation: <u>DK</u> |
| | PIT LOCATED APPROXIMATELY 87 ft. | _ |
| _ | AREST WATER SOURCE: 7/000 NEAREST S | URFACE WATER: |
| NMOCD RANKING SCORE: NMC | OCD TPH CLOSURE STD: 5000 PPM | |
| SOIL AND EXCAVATION DES | | READ. = $\frac{51.1}{1}$ ppm GAS = $\frac{100}{10}$ ppm RF = 0.52 |
| | TIME: <u>133</u> | |
| SOIL TYPE: (SAND) SILTY SAND / SILT / SOIL COLOR: 4.7e +Cq | SILTY CLAY / CLAY / GRAVEL / OTHER | k Sandstre Q 4 |
| COHESION (ALL OTHERS): NON COHESIVE | SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE | |
| CONSISTENCY (NON COHESIVE SOILS): 100: | SE/ FIRM / DENSE / VERY DENSE LY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLAST | IC . |
| DENSITY (COHESIVE CLAYS & SILTS): SOFT / | FIRM / STIFF / VERY STIFF / HARD | (Crozeo) |
| MOISTURE: DRY) SLIGHTLY MOIST / MOIST / DISCOLORATION/STAINING OBSERVED: VES | NO EXPLANATION - Lite Steins on No | wood and of Port |
| HC ODOR DETECTED: (YES) NO EXPLANATIO | N. MODERATE. | The state of the s |
| SAMPLE TYPE: GRABI COMPOSITE - # OF PTS ADDITIONAL COMMENTS: | 18 ×18 ×3 Deap Earthy | Pit. Use Backhoe |
| BEOLOCK to Dig - | test trench. FIRM Bedrack Sondst | me I Below Pit Base |
| | FIELD 418.1 CALCULATIONS | |
| SCALE SAMP. TIME SAM | | DILUTION READING CALC. (ppm) |
| 0 FT | | |
| | | DIT DDOE!! 5 |
| PIT PERIMETER | OVM | PIT PROFILE |
| 1 TO LITH | READING | |
| / 3 | () () () () | |
| 18' | 1 @ 4 216 2 @ 4 //3 | 18 |
| | 3 @ 4' 48 4 @ | |
| | 5@ | 1 |
| | ^ - | |
| A (ie' | If | |
| | | |
| | LAB SAMPLES | SELFOCK |
| | SAMPLE ANALYSIS TIME | SEDROCK SANDSOONIE |
| | 11 19 1 19 1405 | |
| | (PASSED) | |
| P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOT | = BELOW TOM | |
| TRAVEL NOTES: CALLOUT: | ONSITE: 7/19/05 | |
| 1 | | |



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

| Client: | Blagg / BP | Project #: | 94034-010 |
|----------------------|-----------------|---------------------|-----------|
| Sample ID: | 1 @ 4' | Date Reported: | 07-25-05 |
| Laboratory Number: | 33779 | Date Sampled: | 07-19-05 |
| Chain of Custody No: | 14313 | Date Received: | 07-20-05 |
| Sample Matrix: | Soil | Date Extracted: | 07-22-05 |
| Preservative: | Cool | Date Analyzed: | 07-25-05 |
| Condition: | Cool and Intact | Analysis Requested: | 8015 TPH |

| Parameter | Concentration (mg/Kg) | Det. Limit (mg/Kg) |
|------------------------------|--------------------------|--------------------------|
| Gasoline Range (C5 - C10) | 383 | 0.2 |
| Diesel Range (C10 - C28) | 1,820 | 0.1 |
| Total Petroleum Hydrocarbons | 2,200 | 0.2 |

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Day 1 Blow Pit.

Analyst C. Certain

Review Malter



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

| Client: | Blagg / BP | Project #: | 94034-010 |
|--------------------|---------------|---------------------|-----------|
| Sample ID: | 1 @ 4' | Date Reported: | 07-25-05 |
| Laboratory Number: | 33779 | Date Sampled: | 07-19-05 |
| Chain of Custody: | 14313 | Date Received: | 07-20-05 |
| Sample Matrix: | Soil | Date Analyzed: | 07-25-05 |
| Preservative: | Cool | Date Extracted: | 07-22-05 |
| Condition: | Cool & Intact | Analysis Requested: | BTEX |

| Parameter | Concentration (ug/Kg) | Det. Limit (ug/Kg) | |
|--------------|--------------------------|--------------------------|--|
| _ | | • | |
| Benzene | ND | 2.1 | |
| Toluene | 33.5 | 1.8 | |
| Ethylbenzene | 12.2 | 1.7 | |
| p,m-Xylene | 1,280 | 1.5 | |
| o-Xylene | 176 | 2.2 | |
| Total BTEX | 1,500 | | |

ND - Parameter not detected at the stated detection limit.

| Surrogate Recoveries: | Parameter | Percent Recovery |
|-----------------------|---------------------|------------------|
| | Fluorobenzene | 97.0 % |
| | 1,4-difluorobenzene | 97.0 % |
| | Bromochlorobenzene | 97.0 % |

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Day 1 Blow Pit.

Analyst C. Cellina

Mistine m Walter Review