District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

June 1, 2004

Date: JAN 0 9 2006

Form C-144

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

1220 S. St. Francis Dr., Santa Fe, NM 87505

Printed Name/Title

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank \(\subseteq\) Closure of a pit or below-grade tank \(\subseteq\) BP AMERICA PROD. CO. Telephone: (505-326-9200 e-mail address: Address: 200 ENERGY COURT. FARMINGTON. NM 87410 API#: 30-045- 09107 Facility or well name: ELLIOTT, E. E. B #4 P Sec 27 T 30N R 9W U/L or Qtr/Qtr Longitude 107.76246 County: SAN JUAN Latitude 36.77774 NAD: 1927 🗌 1983 🔲 Surface Owner Federal 🔯 State 🔲 Private 🗍 Indian 🗍 Below-grade tank Type: Drilling ☐ Production ☐ Disposal ☒ COMPRESSOR Volume: Workover ☐ Emergency ☐ Construction materia Lined ☑ Unlined ☐ STEEL TANK Liner type: Synthetic Thickness mil Clay Pit Volume Less than 50 feet Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Ves (20 points) Wellhead protection area: (Less than 200 feet from a private domestic 0 No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) 0 gation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) **Ranking Score (Total Points)** 0 If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite ☑ offsite ☐ If offsite, name of facility_ ___. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface ft, and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: PIT LOCATED APPROXIMATELY 33 FT. S26W FROM WELL HEAD. PIT EXCAVATION: WIDTH n/a ft., LENGTH n/a ft., DEPTH n/a ft. PIT REMEDIATION: CLOSE AS IS: ☒, LANDFARM: ☐, COMPOST: ☐, STOCKPILE: ☐, OTHER ☐ (explain) Cubic yards: I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an alternative OCD-approved plan . 09/10/04 Date: **Jeff Blagg – P.E. # 11607** Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

2



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	09-10-04
Laboratory Number:	30415	Date Sampled:	09-09-04
Chain of Custody No:	12903	Date Received:	09-09-04
Sample Matrix:	Soil	Date Extracted:	09-09-04
Preservative:	Cool	Date Analyzed:	09-10-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

EE Elliott B #4 Compressor Pit.

Analyst P. Opiners

Mistine of Walles