

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: _____
Address: 200 ENERGY COURT, FARMINGTON, NM 87410
Facility or well name: DAY ALS #8 API #: 30-045- 20117 U/L or Qtr/Qtr G Sec 8 T 29N R 8W
County: SAN JUAN Latitude 36.74217 Longitude 107.69370 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> <u>SEPARATOR</u> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) <u>0</u> 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) <u>0</u>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) <u>0</u> 1000 feet or more (0 points)
Ranking Score (Total Points) <u>0</u>	

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility BP CROUCH MESA LF. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 15 FT. S44W FROM WELL HEAD.
PIT EXCAVATION: WIDTH 15 ft., LENGTH 15 ft., DEPTH 8 ft.
PIT REMEDIATION: CLOSE AS IS: ☐, LANDFARM: ☐, COMPOST: ☐, STOCKPILE: ☐, OTHER ☒ EXCAVATE
Cubic yards: 50
BEDROCK BOTTOM, RISK ASSESSED *Bedrock*

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 11/10/05

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature *Jeff Blagg*




Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title _____

Signature *Lenny Root*

Date: FEB 28 2006

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81690</u> COCR NO: <u>15030</u>																																
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																
LOCATION: NAME: <u>DAY A LS</u> WELL #: <u>8</u> TYPE: <u>SEP</u> QUAD/UNIT: <u>G SEC: 8</u> TWP: <u>29N</u> RNG: <u>8W</u> PM: <u>NM</u> CNTY: <u>SS</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1550 FUL x 1595 FEL</u> ^{SW NE} CONTRACTOR: <u>PXS (Forward)</u>		DATE STARTED: <u>11-7-05</u> DATE FINISHED: <u>11-7-05</u> ENVIRONMENTAL SPECIALIST: <u>JCS</u>																																
EXCAVATION APPROX. <u>15</u> FT. x <u>15</u> FT. x <u>8</u> FT. DEEP. CUBIC YARDAGE: <u>501</u>																																		
DISPOSAL FACILITY: <u>BP CROUCH MESA LF</u> REMEDIATION METHOD: <u>EXCAVATION</u>																																		
LAND USE: <u>BLM - RANGE</u> LEASE: <u>SF-078414</u> FORMATION: <u>PC</u>																																		
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>15</u> FT. <u>S44W</u> FROM WELLHEAD.																																		
DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>1000</u>																																		
NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																																		
SOIL AND EXCAVATION DESCRIPTION:																																		
SOIL TYPE: SAND <u>(CLAY)</u> SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>Bedrock Claystone @ 8'</u> SOIL COLOR: <u>Med. Brown</u> COHESION (ALL OTHERS): NON COHESIVE <u>(SLIGHTLY COHESIVE)</u> COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE <u>(FIRM)</u> DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY <u>(SLIGHTLY MOIST)</u> / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: <u>(YES)</u> / NO EXPLANATION - <u>GRAY STAIN TO E'</u> HC ODOR DETECTED: <u>(YES)</u> / NO EXPLANATION - SAMPLE TYPE: GRAB <u>(COMPOSITE)</u> # OF PTS. <u>3</u> ADDITIONAL COMMENTS: <u>12" x 12" x 2" Deep Earth Pit. Use</u> <u>Bedrock Bottom</u> <u>Backhoe to remove impacted soils to 8' Firm</u> <u>Bedrock Claystone @ 8'</u>																																		
FIELD 418.1 CALCULATIONS																																		
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																								
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																											
SCALE  0 15 FT		PIT PERIMETER 																																
OVM READING <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @</td><td> </td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td>(X) 3-Point Composite @ 8'</td><td>346</td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		SAMPLE ID	FIELD HEADSPACE (ppm)	1 @		2 @		3 @		4 @		5 @		(X) 3-Point Composite @ 8'	346					PIT PROFILE 														
SAMPLE ID	FIELD HEADSPACE (ppm)																																	
1 @																																		
2 @																																		
3 @																																		
4 @																																		
5 @																																		
(X) 3-Point Composite @ 8'	346																																	
LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>(X) 3-Point</td><td>TPH/BTEX</td><td>0845</td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>		SAMPLE ID	ANALYSIS	TIME	(X) 3-Point	TPH/BTEX	0845							Bedrock Claystone																				
SAMPLE ID	ANALYSIS	TIME																																
(X) 3-Point	TPH/BTEX	0845																																
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM TRAVEL NOTES: CALLOUT: _____ ONSITE: <u>11-7-05</u>																																		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	3 - Point Comp. @ 8'	Date Reported:	11-10-05
Laboratory Number:	34938	Date Sampled:	11-07-05
Chain of Custody No:	15030	Date Received:	11-07-05
Sample Matrix:	Soil	Date Extracted:	11-08-05
Preservative:	Cool	Date Analyzed:	11-09-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	7,970	0.2
Diesel Range (C10 - C28)	82.0	0.1
Total Petroleum Hydrocarbons	8,050	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Day A LS 8 Sep Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	3 - Point Comp @ 8'	Date Reported:	11-09-05
Laboratory Number:	34938	Date Sampled:	11-07-05
Chain of Custody:	15030	Date Received:	11-07-05
Sample Matrix:	Soil	Date Analyzed:	11-09-05
Preservative:	Cool	Date Extracted:	11-08-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	10,300	1.8
Toluene	15,500	1.7
Ethylbenzene	4,940	1.5
p,m-Xylene	20,100	2.2
o-Xylene	8,400	1.0
Total BTEX	59,200	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Day A LS 8 Sep Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	3 - Point Comp. @ 8'	Date Reported:	11-09-05
Lab ID#:	34938	Date Sampled:	11-07-05
Sample Matrix:	Soil	Date Received:	11-07-05
Preservative:	Cool	Date Extracted:	11-07-05
Condition:	Cool and Intact	Date Analyzed:	11-08-05
		Chain of Custody:	15030

Parameter	Concentration (mg/L)
-----------	----------------------

Total Chloride

62.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Day A LS 8 Sep Pit.

Analyst

Mary Bruce

Review

Christine M. Walker