<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District III
District III
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure	į
Is pit or below-grade tank covered by a "general plan"? Yes No	]

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank							
Operator: Burlington Resources Telephone:	(505) 326-9841 e-mail address: <u>LH</u> :	asely@br-inc.com					
Address: 3401 East 30th Street, Farmington, New Mexico, 87402							
Facility or well name: Culpepper Martin SRC No. 2A API	#:	2tr/Qtr N Sec 30 T 32N R 12W					
County: San Juan Latitude		NAD: 1927 ⊠ 1983 □					
Surface Owner: Federal  State  Private  Indian							
Pit	Below-grade tank						
Type: Drilling Production Disposal		r and Incidental Oil					
Workover Emergency	Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil  Construction material: Fiberglass						
	Double-walled, with leak detection? Yes  If not,						
Lined Unlined		, explain why not.					
Liner type: Synthetic Thicknessmil Clay _	No. Tank in place prior to Rule 50.						
Pit Volumebbl							
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)					
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)					
	100 feet or more	( 0 points) 20					
W-1111	Yes	(20 points)					
Wellhead protection area: (Less than 200 feet from a private domestic	No	( 0 points) 0					
water source, or less than 1000 feet from all other water sources.)							
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)					
The second secon	1000 feet or more	( 0 points) 10					
	Ranking Score (Total Points)	30					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if							
		•					
your are burying in place) onsite offsite I foffsite, name of facility							
date. (4) Groundwater encountered: No 🛮 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.							
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.						
Additional Comments:		300g					
The soils tested clean and no soil remediation was required.							
		S. T. T. T.					
		The state of the s					
		- ( )					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines a general permit , or an (attached) alternative OCD-approved plan .							
= hal							
Date: 5/22/0C  Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature							
Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval:  Printed Name/Title Signature Devil Peril Date: Date: Date: Date: Date: Date: Date: Date:							

•							
CLIENT: Buckington	Env	TROTEC:	H INC.		LOCATIO	N NO:	
Rayurus	5796 FARMI	NTAL SCIENTIST: 5 U.S. HIGHWAY NGTON, NEW ME ONE: (505) 632	64-3014 XICO 67401		C.D.(	C. NO:	
FIELD REPOR	CLOSU	RE V	ERIFIC	CATION	PAGE No	o: _1_ of _1_	
LOCATION: NAME: Culpipp.					1 a . == == == == .	ED: 5/15/06	
QUAD/UNIT: N SEC:					· <del> </del>	IED:	
QTR/FOOTAGE: 900 FSL	1480 FUL CONT	RACTOR:	L & 14		SPECIALIST:	MPM_	
EXCAVATION APPROX						1	
DISPOSAL FACILITY:	•						
LAND USE:							
FIELD NOTES & REMAR	<del></del>					į,	
DEPTH TO GROUNDWATER: 20							
NMOCD RANKING SCORE: 30		RE STD: 101	2 PPM		CHECK ONE : PIT ABANDONED		
SOIL AND EXCAVATIO	N DESCRIPTION:			· ·		ANK INSTALLED	
•	,		_D 418.1 CAL				
		<u> </u>				DING CALC. ppm	
SCALE	1426 3' Belas		5	Lo	( 0.0	013 90.2	
O FT							
PIT PERIMI	ETER	OVM RESULT	S	PIT	PROF	ILE	
	SAMPI 10	LE FIELD H	EADSPACE (ppm)				
	5 13.5	law T	ppm				
· F. 3-51-11	3 4						
B61	5					•	
学, 99	Tools						
Muter Segenter Street	Production Tink						
		AB SAMPL		3,			
4	SAMPLE ID	ANALYSIS	TIME	+	*		
				<i>C.</i> 1	٠.٧		
				y= Sample	point		
TRAVEL NOTES: CALLOUT:		0	NSITE:		,		

,



## **EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS**

Client:

**Burlington Resources** 

Discrete, 3' Below BG Tank

Project #:

92115-046-067

Sample No.:

Date Reported:

5/15/2006

Sample ID:

Date Sampled:

Analysis Needed:

5/15/2006

Sample Matrix:

Soil

Date Analyzed:

5/15/2006 TPH-418.1

Preservative:

Condition:

Cool Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

90.2

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Culpepper Martin SRC No. 2A