

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-045-23677

5. Indicate Type of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
Kirtland

8. Well Number
2

9. OGRID Number
019219

10. Pool name or Wildcat
Cha Cha Gallup

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Richardson Operating Company

3. Address of Operator
3100 La Plata Highway, Farmington, NM 87401

4. Well Location
Unit Letter B : 260 feet from the North line and 2100 feet from the East line
Section 13 Township 29N Range 15W NMPM County San Juan

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
5145' GL

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL Sect Twp Rng Pit type Depth to Groundwater Distance from nearest fresh water well
Distance from nearest surface water Below-grade Tank Location UL Sect Twp Rng ;
feet from the line and feet from the line

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Well was plugged per attached procedure.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Ryan Bruner TITLE Engineering Assistant DATE 12/8/04

Type or print name Ryan Bruner E-mail address: rbruner@richardsonoil.com Telephone No. 303-830-8000

(This space for State use)

APPROVED BY Brandon Bell TITLE DEPUTY OIL & GAS INSPECTOR, DIST. 2 DATE 6-29-06
Conditions of approval, if any:

Kirtland #2 P&A Procedure

7/22/2004: MIRU. Lay down tbg.

7/23/2004: TIH w/ tbg to 4620'. Mix and pump 70sx Class B cement, 15.6ppg. Cement plug from 4620'-3780'. TOH to 2500'. WOC. Tag cement top at 3780'. Pressure test to 500psi, held ok. TOH to 1375'. Mix and pump 12sx Class B cement, 15.6ppg. Cement plug from 1375'-1275'. TOH to 440'. Mix and pump 38sx Class B cement, 15.6ppg. Bring cement to surface. TOH. Fill casing w/ cement.

7/26/2004: Cutoff wellhead and install P&A marker.

Well Name:	Kirtland #2
Location (FL):	260' FNL & 2100' FEL, B
(Sec., T, R, NMPM):	Sec. 18, T29N, R15W, NMPM
County:	San Juan
Field:	Cha Cha Unit - Gallup
API #	30-045-23677
Elevation (GR, KB):	5145' GL

