

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

FOR APPROVED
OMB NO. 1004-0137

Expires: December 31, 1991

5. LEASE DESIGNATION AND SERIAL NO.

SF-078426

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

San Juan 29-6 Unit

8. FARM OR LEASE NAME, WELL NO.

San Juan 29-6 Unit #63C

9. API WELL NO.

30-039-29452

10. FIELD AND POOL, OR WILDCAT

Blanco Mesaverde

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec 30, T29N, R6W

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other ☐

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR ☐ Other ☐

2. NAME OF OPERATOR

CONOCOPHILLIPS COMPANY

3. ADDRESS AND TELEPHONE NO.

PO BOX 4289, Farmington, NM 87499 (505) 326-9700

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface SEC 30, T29N, R6W
NWSE 1655' FSL, 1990' FEL, NMPM

At top prod. interval reported below

At total depth

14. PERMIT NO. DATE ISSUED

12. COUNTY OR

PARISH

Rio Arriba

13. STATE

New Mexico

15. DATE SPUNDED

4/28/06

16. DATE T.D. REACHED

5/5/06

17. DATE COMPL. (Ready to prod.)

6/9/06

18. ELEVATIONS (OF. RKB, RT, BR, ETC.)

6432' GL

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

5915'

21. PLUG. BACK T.D., MD & TVD

5900'

22. IF MULTIPLE COMPL., HOW MANY*

1

23. INTERVALS DRILLED BY

yes

ROTARY TOOLS

CABLE TOOLS

24. PRODUCTION INTERVAL (S) OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*

4080'-5622' Mesaverde

25. WAS DIRECTIONAL SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

CBL/GR/CCL

27. WAS WELL CORED

No

CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
9 5/8"	32.3# H-40	234'	12 1/4"	177 cu ft	
7"	20# J-55	3577'	8 3/4"	1326 cu ft	
4 1/2"	11.6# N-80	5913'	6 1/4"	384 cu ft	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 3/8"	5473'	

31. PERFORATION RECORD (Interval, size and number)

5314'-5622' = 30 holes
4843'-5244' = 30 holes
4080'-4690' = 25 holes
Total 85 holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5314'-5622'	Acidize w/10 bbls 15% HCL. Frac w/60 Q slickfoam @ 50 BPM w/99,800# 20/40 Ottawa Sand, 1,250,800 scf N2
4843'-5244'	Acidize w/10 bbls 15% HCL. Frac w/60 Q slickfoam @ 50 BPM w/100,590# 20/40 Ottawa Sand, 1,226,500 scf N2
4080'-4690'	Acidize w/10 bbls 15% HCL. Frac w/75 Q 20# lin. gel @ 50 BPM w/192,906# 120/40 Ottawa sand, 1,405,400 scf N2

33. PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)					WELL STATUS (Producing or shut-in)	
6/9/06		Flowing					SI	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL-BBL	GAS-MCF	WATER-BBL	GAS-OIL RATIO	
6/9/06	1 hour		→					
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL-BBL	GAS-MCF	WATER-BBL	OIL GRAVITY-API (CORR.)		
270	SI 480	→	0	1782 mscfd	0			

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

To be sold

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Joni Clark TITLE

Regulatory Analyst

DATE 6/12/06

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

8

SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38.

GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Ojo Alamo	2386'	2552'	White, cr-gr ss.	Ojo Alamo	2386'	
Kirtland	2552'	3043'	Gry sh interbedded w/tight, gry, fine-gr ss.	Kirtland	2552'	
Fruitland	3043'	3280'	Dk gry-gry carb sh, coal, grn silts, light-med gry, tight, fine gr ss.	Fruitland	3043'	
Pictured Cliffs	3280'	4963'	Bn-Gry, fine grn, tight ss.	Pic. Cliffs	3280'	
				Cliff House	4963'	
				Menefee	5142'	
				Point Lookout	5454'	
Cliff House	4963'	5142'	ss. Gry, fine-grn, dense sil ss.			
Menefee	5142'	5454'	Med-dark gry, fine gr ss, carb sh & coal			
Point Lookout	5454'		Med-light gry, very fine gr ss w/frequent sh breaks in lower part of formation			