District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office.

Pit or Below-Grade Tank Registration or Closure

| Is pit or below-grade tank covered by a "general plan"? Yes 🗹 No 🗌 | | | | | | | | |
|---|--|---|--|--|--|--|--|--|
| WFJ CLOSURE Type of action: Registration of a pit or below-grade tank □ Closure of a pit or below-grade tank | | | | | | | | |
| Operator: <u>JOHN E SCHALK</u> Telephone: e-mail address: | | | | | | | | |
| Address: PO BOX 25825 ALBUQUERQUE, NM. 87125 | | | | | | | | |
| Facility or well name: SCHALK 29-4 #015 API #: 30-039- | 21745 U/L or Qtr/Qtr P SEC | <u>27</u> T <u>29N</u> R <u>4W</u> | | | | | | |
| County: RIO ARRIBA Latitude 36.706 Surface Owner: Federal ✓ State □ Private □ Indian □ | Longitude <u>-107.22897</u> | NAD: 1927 ✓ 1983 □ | | | | | | |
| <u>Pit</u> | Below-grade tank | | | | | | | |
| Type: Drilling Production Disposal | Volume: bbl Type of fluid: | | | | | | | |
| Workover | Construction Material: | | | | | | | |
| Lined Unlined 🗹 | Double-walled, with leak detection? Yes 🔠 If not, ex | plain why not. | | | | | | |
| Liner Type: Synthetic Thickness mil Clay Pit Volume 52 bbl | | | | | | | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more | | | | | | | |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | Yes No | (20 points) (0 points) <u>0</u> | | | | | | |
| Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet | (20 points) (10 points) <u>0</u> (0 points) | | | | | | |
| | Ranking Score (TOTAL POINTS): | <u>0</u> | | | | | | |
| If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite onsite of offsite if offsite, name of facility in taken including remediation start date and end date. (4)Groundwater encountered: No Version If yes, show depth below ground surface if the and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations. | | | | | | | | |
| Additional Comments: Meter: 85119 FEB 2006 OUST 9 | | | | | | | | |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. Further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines. , a general permit. , or an (attached) alternative OCD-approved plan | | | | | | | | |
| Date: | | | | | | | | |
| Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. | | | | | | | | |
| Approval: Printed Name/Title Signal | ature Serry Long | FEB 0 2 2000 | | | | | | |

ADDENDUM TO OCD FORM C-144


Operator: JOHN E SCHALK

API 30-039-21745


Well Name: SCHALK 29-4 #015

Meter: 85119

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 14 Ft.

Width 14 Ft.

Depth 1.5 Ft.

Location of Pit Center

Latitude 36.70657

Longitude <u>-107.22918</u>

(NAD 1927)

Pit ID

851191

Pit Type

Unknown

Date Closure Started: 5/16/05

Closure Method:

Pushed In

Date Closure Completed: <u>5/16/05</u>

Bedrock Encountered ? \Box

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space BTEX Total (mg/kg) Benzene (mg/kg) TPH DRO Purpose

Location

n Depth

194516JUN04

6/16/04

11.3

0.33

(mg/kg) 830

ASSESS

Flr

3.5



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6083735 Client Project ID: NM PITS

Lab Sample No: 607217916
Client Sample ID: 194516JUN04

Project Sample Number: 6083735-011

Date Collected: 06/16/04 19:45

Matrix: Soil

Date Received: 06/18/04 10:25

| Cricite Sample 15. 15451050404 | | | Matrix: 3011 | | | | Date Received: 06/18/04 10:25 | | |
|--------------------------------|--------------|------------|-----------------|-------|-------------------|-------------|-------------------------------|------|--------|
| Parameters | Results | Units | Report Limit | DF | Analyze | <u>i By</u> | CAS No. | Qual | RegLmt |
| GC Semivolatiles | • | | | | | | | | |
| Total Extractable Hydrocarbons | Prep/Method: | 0A2 / 0A2 | | | | | | | |
| Mineral Spirits | ND | mg/kg | 12. | 1.2 | 06/30/04 03: | 30 DCKI | | | |
| Jet Fuel | ND | mg/kg | 12. | 1.2 | 06/30/04 03: | 30 DCKI | | | |
| Kerosene | ND | mg/kg | 12. | 1.2 | 06/30/04 03: | 30 DCKI | | | |
| Diesel Fuel | ND | mg/kg | 12. | 1.2 | 06/30/04 03: | 30 DCKI | 68334-30-5 | | |
| Fuel 011 | ND | mg/kg | 12. | 1.2 | 06/30/04 03: | 30 DCKI | 68334-30-5 | | |
| Motor 0i1 | ND | mg/kg | 12. | 1.2 | 06/30/04 03: | 30 DCKI | | | |
| Total Petroleum Hydrocarbons | 830 | mg/kg | 12. | 1.2 | 06/30/04 03: | 30 DCKI | | 5 | |
| n-Tetracosane (S) | 353 | % | | 1.0 | 06/30/04 03: | 30 DCKI | 646-31-1 | 6 | |
| p-Terphenyl (S) | 118 | * | | 1.0 | 06/30/04 03: | 30 DCKI | 92-94-4 | | |
| Date Extracted | 06/22/04 | | | | 06/22/04 | | • | | |
| Organics Prep | | | | | | | | | |
| Percent Moisture | Method: SM 2 | 540G | | | | | | | |
| Percent Moisture | 16.7 | % | | 1.0 | 06/21/04 | DPB | | | |
| GC Volatiles | | | | | | | | | |
| Aromatic Volatile Organics | Prep/Method: | EPA 5030 M | edium Soil / EP | A 802 | 1 | | | | |
| Benzene | 330 | ug/kg | 120 | | - 06/21/04 22: | 14 ARF | 71-43-2 | | |
| Ethylbenzene | 470 | ug/kg | 120 | | 06/21/04 22: | | 100-41-4 | | |
| Toluene | 4000 | ug/kg | 120 | | 06/21/04 22: | | , | | |
| Xylene (Total) | 6500 | ug/kg | 300 | | 06/22/04 15: | | 1330-20-7 | | |
| a,a,a-Trifluorotoluene (S) | 87 | % | | | 06/21/04 22: | | 98-08-8 | | |

Date: 07/01/04

Page: 11 of 39

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

