District I.
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank				
Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com  Address: 3401 East 30th Street, Farmington, New Mexico, 87402				
Facility or well name: Huerfano Com Unit 141 API #: 30045058640000 U/L or Qtr/Qtr E Sec 16 T 26 R 9W				
County: <u>San Juan</u> Latitude <u>36.49089</u> Longitude <u>-107,79927</u> NAD: 1927 ☑ 1983 ☐				
Surface Owner: Federal  State Private Indian				
<u>Pit</u>	Below-grade tank			
Type: Drilling Production Disposal	Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil			
Workover ☐ Emergency ☐	Construction material: Fiberglass			
Lined Unlined	Double-walled, with leak detection? Yes  If not, explain why not.			
Liner type: Synthetic Thicknessmil Clay	No. Tank in place prior to Rule 50.			
Pit Volumebbl				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.)	100 feet or more	( 0 points) 0		
	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No	( 0 points) 0		
water source, or less than 1000 feet from all other water sources.)		( o points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
inigation datains, diteness, and perchinal and optionional watercoarses.)	1000 feet or more	( 0 points) 10		
	Ranking Score (Total Points)	10		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if				
your are burying in place) onsite 🔲 offsite 🗀 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end				
date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.				
(5) Attach soil sample results and a diagram of sample locations and excavat	-			
Additional Comments:				
The gold seved creat and no controlled or was required.		18 G. 111N 2006		
		BONLO		
		10/61		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .				
Date: 5/31/6C				
Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval:  Printed Name/Title Signature Detail Signature				

CLIENT: Brighton  Partington  CLIENT: Brighton  CLIENT: Brighton  CLIENT: Brighton  ENVIROTECH INC.  ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HICHWAY 64-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0615	C.O.C. NO:			
FIELD REPORT: CLOSURE VERIFICATION	PAGE No: 1 of			
LOCATION: NAME: HUZZIMO UNIT COM WELL #: 141 PIT: QUAD/UNIT: E SEC: IL TWP: 2LM RNG: 9W PM: NMM CNTY: SJ ST: NM	DATE STARTED: 5/24/16			
QTR/FOOTAGE: 1450' N 1090' W CONTRACTOR: Bailey's	ENVIRONMENTAL MPM			
EXCAVATION APPROX FT. x FT. DEEP. CUBIC DISPOSAL FACILITY: NA REMEDIATION METHOI LAND USE: LEASE: B- 9320-8 FOR	D:			
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 57' FT. 50° FROM WELLHEAD.  DEPTH TO GROUNDWATER: 0 NEAREST WATER SOURCE: 0 NEAREST SURFACE WATER: 10				
NMOCD RANKING SCORE: 10 NMOCD TPH CLOSURE STD: 1000 PPM	CHECK ONE :			
SUIL AND EXCAVATION DESCRIPTION:	PIT ABANDONED STEEL TANK INSTALLED			
No visible sign of contamination present. No soil removed from site.				
FIELD 418.1 CALCULATIONS  TIME SAMPLE I.D. LAB No: WEIGHT (g) mL FREON DIL	UTION READING CALC. ppm			
SCALE 1253 3 Below 1 5 20	1 0.002 13.9			
O FT				
PIT PERIMETER OVM RESULTS PIT	PROFILE			
SAMPLE PELD HEADSPACE PRO (ppm)  13 Below D ppm  2 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	» point			



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

Project #:

92115-046-025

Sample No.:

1

Date Reported:

5/24/2006

Sample ID:

Discrete, 3' Below BG Tank

5/24/2006

Sample Matrix:

Soil

Date Sampled: Date Analyzed:

5/24/2006

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

## **Total Petroleum Hydrocarbons**

13.9

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

**Huerfano Com Unit 141** 

Analyst

Review