<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II District III 1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

office

Form C-144 June 1, 2004

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank			
- VTO ENERGY INC	(505) 224 1000		
Operator: XTO ENERGY INC. Address: 2700 FARMINGTON AVE BLDG. K. S	Telephone: (505)-324-1090 e-mai	l address:	
Facility or well name: SCHWERDTFEGER A #5E			
County: SAN JUAN Latitude 36.60909 Longitude 10			
County: SAIV SUAIV Latitude Sociosos Longitude 10	NAD: 1927 1983 Surface Ov	vner Pederal 🔀 State 📋 Private 📋 Indian 📋	
Pit	Below-grade tank		
Type: Drilling Production Disposal PROD TANK	Volume:bbl_Type of fluid: //		
Workover Emergency	Construction material:		
Lined Unlined 🛭	Double-walled, with leak o tection? Yes I If he	explain why not.	
Liner type: Synthetic Thickness mil Clay			
Pit Volumebbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points) 0	
high water elevation of ground water.)	100 feet or more	(0 points)	
	V.	(20 ========	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
igation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
igation canais, ditches, and percinna and epitemeral watercourses.)	1000 feet or more	(0 points)	
	Ranking Score (Total Points)	0	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	c relationship to other equipment and tanks. (2) Indicate		
your are burying in place) onsite 🖂 offsite 🗀 If offsite, name of facility			
remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results. (5)			
Attach soil sample results and a diagram of sample locations and excavations.			
Additional Comments: PIT LOCATED APPROXIMATELY 105 FT. S57W FROM WELL HEAD.			
PIT EXCAVATION: WIDTH n/a ft., LENGTH n/a ft., DEPTH n/a ft.			
PIT REMEDIATION: CLOSE AS IS: ☒, LANDFARM: ☐, C	COMPOST: , STOCKPILE: , OTHER (ex	\$ C WING LOOK	
Cubic yards: n/a		1	
BEDROCK BOTTOM			
		DIST 3	
I hereby certify that the information above is true and complete to the best	t of my knowledge and belief. I further certify that the M a general permit \square or an alternative OCD a	he above-described pit or below-grade tank	
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an alternative OCD-approved plan .			
Date: 10/25/04		and the state of t	
Leff Dlags D.E. # 11607	Jeff c s	lage	
PrintedName/Title Jeff Blagg - P.E. # 11607 Signature			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
pproval: Printed Name/Title S GAS INSPECTOR DIST. ET	ignature Dewil Zoll	MAR 2 7 2006	

ASSEL

CALLOUT: 10/20/04-LATE MORN. ONSITE: 10/20/04-AFTER

TRAVEL NOTES:

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM O tA



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	1 @ 2.5'	Date Reported:	10-25-04
Laboratory Number:	31035	Date Sampled:	10-20-04
Chain of Custody No:	12924	Date Received:	10-22-04
Sample Matrix:	Soil	Date Extracted:	10-23-04
Preservative:	Cool	Date Analyzed:	10-25-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	855	0.2
Diesel Range (C10 - C28)	472	0.1
Total Petroleum Hydrocarbons	1,327	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Schwerdtfeger A #5E Production Tank Pit Grab Sample.

Analyst P. Oglern

Review Maller



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	1 @ 2.5'	Date Reported:	10-25-04
Laboratory Number:	31035	Date Sampled:	10-20-04
Chain of Custody:	12924	Date Received:	10-22-04
Sample Matrix:	Soil	Date Analyzed:	10-25-04
Preservative:	Cool	Date Extracted:	10-23-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	116	1.8
Toluene	1,290	1.7
Ethylbenzene	451	1.5
p,m-Xylene	3,020	2.2
o-Xylene	1,600	1.0
Total BTEX	6,480	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Schwerdtfeger A #5E Production Tank Pit Grab Sample.

Analyst C. Ospinion

/ Mustine of Walles
Review