District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒
Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Dugan Production Corp Telephone: (505)325-1821 e-mail address: _____
Address: P.O. Box 420, Farmington, New Mexico 87401
Facility or well name: Dome State 32-22-6 #2 API #: 30-043-20470 U/L or Qtr/Qtr A Sec 32 T 22N R 6W
County: Sandoval Latitude 36.09930 Longitude 107.48649 NAD: 1927 ☐ 1983 ☐ Surface Owner Federal ☐ State ☒ Private ☐ Indian ☐

Pit	**Below-grade tank**	
Type: Drilling ☐ Production ☒ Disposal ☐ Workover ☐ Emergency ☐ Lined ☐ Unlined ☒ Liner type: Synthetic ☐ Thickness _____mil Clay ☐ Pit Volume 26 ± bbl	Volume: _____bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes ☐ If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) 0 (0 points)
	Ranking Score (Total Points)	0

JUN 2006

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite ☒ offsite ☐ If offsite, name of facility_____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface_____ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

12' x 12' x 1'± deep unlined production pit, center located 78 feet North 42° West of wellhead.

Use Backhoe to dig into pit and sample. Pit constructed on bedrock sandstone by piling sand to make containment walls.

Collect 4-point composite soil sample from sidewalls and single sample of pit center for laboratory testing.

See attached field sampling report and laboratory test reports.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. **I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.**
Date: June 13, 2006
Printed Name/Title Jeff Blagg, Agent Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:
Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. #3 Signature Denny Foust Date: JUN 16 2006

30-043-20470 36.09930 x 107.48649

BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199

CLIENT: DUGAN

LOCATION NO:

COCR NO: 14645

FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: DOME STATE 32-22-6 WELL #: 2 TYPE: SEP

QUAD/UNIT: A SEC: 32 TWP: 22N RNG: 6W PM: NM CNTY: SN ST: NM

QTR/FOOTAGE: 920 FNL x 810 FEL CONTRACTOR: SIERRA - HAROLD

DATE STARTED: 5-18-06
DATE FINISHED: 5-18-06

ENVIRONMENTAL SPECIALIST: JCB

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - STATE LEASE: NML 3923 FORMATION: CHACRA

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 78 FT. N42W FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 53.9 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 0640 am/pm DATE: 5/18

SOIL TYPE: SAND / (SILTY SAND) / SILT / SILTY CLAY / CLAY / GRAVEL / (OTHER) BEDROCK SANDSTONE.
SOIL COLOR: TAN
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE
CONSISTENCY (NON COHESIVE SOILS): (LOOSE) / FIRM / DENSE / VERY DENSE
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD
MOISTURE: (DRY / SLIGHTLY MOIST) / MOIST / WET / SATURATED / SUPER SATURATED
DISCOLORATION/STAINING OBSERVED: YES / (NO) EXPLANATION -
HC ODOR DETECTED: YES / (NO) EXPLANATION -
SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS.
ADDITIONAL COMMENTS: 12'x12'x1' unlined Pit, constructed on Sandstone Surface By Piling Sand Around Pit. Use Backhoe to Dig to Sandstone - 0 Sample

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

SCALE 0 FT

PIT PERIMETER



P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @	
2 @	
3 @	
4 @	
5 @	
CC 4'	0.0
4-ABC 4'	0.0

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
CC 4	T/B/CL	1030
4pt	"	1040

PIT PROFILE



TRAVEL NOTES: CALLOUT: ONSITE: 5/18/06

revised: 09/04/02

bei1005C.skf

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Dome State 32-22-6 #2	Date Reported:	05-24-06
Laboratory Number:	37185	Date Sampled:	05-18-06
Chain of Custody No:	14645	Date Received:	05-19-06
Sample Matrix:	Soil	Date Extracted:	05-22-06
Preservative:	Cool	Date Analyzed:	05-23-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	**0.2**	**0.2**
Diesel Range (C10 - C28)	**1.4**	**0.1**
Total Petroleum Hydrocarbons	**1.6**	**0.2**

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Pit Closures 4 - Point @ 4'.**

Analyst

Review

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Dome State 32-22-6 #2	Date Reported:	05-24-06
Laboratory Number:	37185	Date Sampled:	05-18-06
Chain of Custody:	14645	Date Received:	05-19-06
Sample Matrix:	Soil	Date Analyzed:	05-23-06
Preservative:	Cool	Date Extracted:	05-22-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	**2.2**	**1.8**
Toluene	**15.1**	**1.7**
Ethylbenzene	**2.0**	**1.5**
p,m-Xylene	**6.5**	**2.2**
o-Xylene	**3.6**	**1.0**
Total BTEX	**29.4**	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	**97.0 %**
	1,4-difluorobenzene	**97.0 %**
	Bromochlorobenzene	**97.0 %**

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Pit Closures 4 - Point @ 4'.**

Analyst

Review

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Dome State 32-22-6 #2	Date Reported:	05-24-06
Lab ID#:	37185	Date Sampled:	05-18-06
Sample Matrix:	Soil	Date Received:	05-19-06
Preservative:	Cool	Date Analyzed:	05-24-06
Condition:	Cool and Intact	Chain of Custody:	14645

Parameter	Concentration (mg/Kg)
Total Chloride	**30.0**

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Pit Closures 4 - Point @ 4'.**

Analyst

Review

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865