

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to  
appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe  
office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: XTO ENERGY INC. Telephone: (505)-324-1090 e-mail address: \_\_\_\_\_  
Address: 2700 FARMINGTON AVE.. BLDG. K. SUITE 1. FARMINGTON. NM 87401  
Facility or well name: MURPHY E #5 API #: 30-045- 26476 U/L or Qtr/Qtr I Sec 33 T 30N R 11W  
County: SAN JUAN Latitude 36.76568 Longitude 107.99074 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

**Pit**

Type: Drilling ☐ Production ☐ Disposal ☒ SEP/DEHY  
Workover ☐ Emergency ☐  
Lined ☒ Unlined ☐ FIBERGLASS  
Liner type: Synthetic ☐ Thickness \_\_\_\_\_ mil Clay ☐  
Pit Volume \_\_\_\_\_ bbl

**Below-grade tank**

Volume: \_\_\_\_\_ bbl Type of fluid: \_\_\_\_\_  
Construction material: \_\_\_\_\_  
Double-walled, with leak detection? Yes ☐ If ☒ No, explain why not. \_\_\_\_\_

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	<b>0</b>
	50 feet or more, but less than 100 feet	(10 points)	
	100 feet or more	( 0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	<b>0</b>
	No	( 0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	<b>0</b>
	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	( 0 points)	
<b>Ranking Score (Total Points)</b>			<b>0</b>

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 15 FT. N72W FROM WELL HEAD.

PIT EXCAVATION: WIDTH n/a ft., LENGTH n/a ft., DEPTH n/a ft.

PIT REMEDIATION: CLOSE AS IS: ☒, LANDFARM: ☐, COMPOST: ☐, STOCKPILE: ☐, OTHER ☐ (explain)

Cubic yards: n/a

BEDROCK BOTTOM

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 05/05/04

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title

Signature Denny Felt

Date: MAR 27 2006

3004526476

36.76568/107.99077

CLIENT:

XTO

BLAGG ENGINEERING, INC.

P.O. BOX 87, BLOOMFIELD, NM 87413

(505) 632-1199

LOCATION NO: CTO47

COCR NO: 12104

## FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: MURPHY IE WELL #: S TYPE: SEP/DRY

QUAD/UNIT: I SEC: 33 TWP: 30N RNG: 11W PM: NM CNTY: SJ ST: NM

QTR/FOOTAGE: 1590 FSL x 1070 FEL NEISE CONTRACTOR: HERCULES

DATE STARTED: 5-4-04

DATE FINISHED: 5-4-04

ENVIRONMENTAL SPECIALIST: JCB

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - BUM LEASE: SE 043260A FORMATION: PC

## FIELD NOTES &amp; REMARKS:

PIT LOCATED APPROXIMATELY 15 FT. N 72° W FROM WELLHEAD.

DEPTH TO GROUNDWATER: &gt;100 NEAREST WATER SOURCE: &gt;1000 NEAREST SURFACE WATER: &gt;1000

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM

## SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 51.9 ppm  
 OVM CALIB. GAS = 100 ppm RF = 0.52  
 TIME: 0855 am/pm DATE: 5-4-04

SOIL TYPE: SAND SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK SS @ 3' BG

SOIL COLOR: LIGHT GRAY / WHITE

COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY COHESIVE COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS &amp; SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES (NO) EXPLANATION -

HC ODOR DETECTED: YES (NO) EXPLANATION -

SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS.


ADDITIONAL COMMENTS: 15' X 15' X 3' DEEP PIT w/ 65 BBL FIBERGLASS TANK, Set on FIRM  
 BEDROCK SURFACE. REMOVE TANK & SCRAPE S.S. SURFACE w/ BACKHOE  
 TO OBTAIN SAMPLE. NO EVIDENCE OF CONTAMINATION.

## SCALE



0 FT


## PIT PERIMETER



## FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

## PIT PROFILE



## OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 3'	23
2 @	
3 @	
4 @	
5 @	

## LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
DE 34	TPH	0850
	CHLORIDE	

TPH PASSED

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW  
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

## TRAVEL NOTES:

CALLOUT: 5-3-04 1500

ONSITE: 5-4-04 0825

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	1 @ 3¼'	Date Reported:	05-05-04
Laboratory Number:	28568	Date Sampled:	05-04-04
Chain of Custody No:	12104	Date Received:	05-04-04
Sample Matrix:	Soil	Date Extracted:	05-05-04
Preservative:	Cool	Date Analyzed:	05-05-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Murphy E 5.**

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## Total Chloride

Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	1 @ 3¼'	Date Reported:	05-05-04
Lab ID#:	28568	Date Sampled:	05-04-04
Sample Matrix:	Soil	Date Received:	05-04-04
Preservative:	Cool	Date Analyzed:	05-05-04
Condition:	Cool and Intact	Chain of Custody:	12104


Parameter	Concentration (mg/L)
-----------	----------------------


Total Chloride

1,440

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Murphy E 5.**

  
Analyst

  
Review