

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: **XTO ENERGY INC.** Telephone: **(505)-324-1090** e-mail address: _____
Address: **2700 FARMINGTON AVE. BLDG. K. SUITE 1. FARMINGTON. NM 87401**
Facility or well name: **PAN AMERICAN FED. C #2** API #: **30-045- 09396** U/L or Qtr/Qtr **A** Sec **19** T **30N** R **12W**
County: **SAN JUAN** Latitude **36.80263** Longitude **108.13312** NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> BLOW Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: NA Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 0 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 0 1000 feet or more (0 points)
Ranking Score (Total Points) 0	

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: **PIT LOCATED APPROXIMATELY 72 FT. S38W FROM WELL HEAD.**

PIT EXCAVATION: WIDTH **NA** ft., LENGTH **NA** ft., DEPTH **NA** ft.

PIT REMEDIATION: CLOSE AS IS: ☒ LANDFARM: ☐ COMPOST: ☐ STOCKPILE: ☐ OTHER ☐ (explain)

Cubic yards: **NA**

BEDROCK BOTTOM.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: **11/22/05**

PrintedName/Title **Jeff Blagg - P.E. # 11607**

Signature *Jeff C. Blagg*

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: **DEPUTY OIL & GAS INSPECTOR, DIST. 3** Signature *Brandon Powell* Date: **MAR 27 2006**

CLIENT: <u>XTO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>CT184</u> COCR NO: <u>14585</u>																																								
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																								
LOCATION: NAME: <u>PANAM FED C</u> WELL#: <u>2</u> TYPE: <u>BLOW</u> QUAD/UNIT: <u>A</u> SEC: <u>19</u> TWP: <u>30N</u> RNG: <u>12W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1190 FNL x 990 FEL NE/SE</u> CONTRACTOR: <u>HDI (Fernando)</u>		DATE STARTED: <u>11-18-05</u> DATE FINISHED: <u>11-18-05</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																								
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>																																										
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>																																										
LAND USE: <u>RANGE - BLM</u> LEASE: <u>NM-048576</u> FORMATION: <u>DK</u>																																										
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>72</u> FT. <u>S38W</u> FROM WELLHEAD.																																										
DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>1000</u>																																										
NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																																										
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>53.9</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = <u>0.52</u> TIME: <u>0615</u> am/pm DATE: <u>11/18</u>																																								
SOIL TYPE: <u>SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER</u> <u>Bedrock Sandstone @ 5'</u>																																										
SOIL COLOR: <u>ORANGE TAN</u>																																										
COHESION (ALL OTHERS): <u>NON COHESIVE</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE																																										
CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> / FIRM / DENSE / VERY DENSE																																										
PLASTICITY (CLAYS): <u>NON PLASTIC</u> / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC																																										
DENSITY (COHESIVE CLAYS & SILTS): <u>SOFT</u> / FIRM / STIFF / VERY STIFF / HARD																																										
MOISTURE: <u>DRY</u> / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED																																										
DISCOLORATION/STAINING OBSERVED: YES <u>(NO)</u> EXPLANATION -																																										
HC ODOR DETECTED: YES <u>(NO)</u> EXPLANATION -																																										
SAMPLE TYPE: GRAB <u>COMPOSITE</u> # OF PTS. <u>5</u> <u>12' x 12' x 3' Deep Earth Pit. Use</u>																																										
ADDITIONAL COMMENTS: <u>Bedrock to dig into 4 corners x center to collect sample</u> <u>No evidence of contamination.</u>																																										
<div style="display: flex; justify-content: space-between;"> <div style="width: 20%;"> SCALE 0 FT </div> <div style="width: 80%;"> FIELD 418.1 CALCULATIONS <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> </div> </div>			SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																			
PIT PERIMETER 		PIT PROFILE 																																								
OVM READING <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @</td><td> </td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td>5-Point Composite @ 5'</td><td>0.0</td></tr> </tbody> </table>		SAMPLE ID	FIELD HEADSPACE (ppm)	1 @		2 @		3 @		4 @		5 @		5-Point Composite @ 5'	0.0	LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>5-Point</td><td>TPH</td><td>1105</td></tr> <tr><td> </td><td>BT+</td><td> </td></tr> <tr><td> </td><td>CL-</td><td> </td></tr> <tr><td> </td><td>PASSED</td><td> </td></tr> </tbody> </table>	SAMPLE ID	ANALYSIS	TIME	5-Point	TPH	1105		BT+			CL-			PASSED												
SAMPLE ID	FIELD HEADSPACE (ppm)																																									
1 @																																										
2 @																																										
3 @																																										
4 @																																										
5 @																																										
5-Point Composite @ 5'	0.0																																									
SAMPLE ID	ANALYSIS	TIME																																								
5-Point	TPH	1105																																								
	BT+																																									
	CL-																																									
	PASSED																																									
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																										
TRAVEL NOTES: CALLOUT: _____ ONSITE: <u>11/18/05</u>																																										

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	5-Point @ 5'	Date Reported:	11-22-05
Laboratory Number:	35216	Date Sampled:	11-18-05
Chain of Custody No:	14585	Date Received:	11-21-05
Sample Matrix:	Soil	Date Extracted:	11-21-05
Preservative:	Cool	Date Analyzed:	11-22-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Pan Am Federal C #2 Blow Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	5-Point @ 5'	Date Reported:	11-22-05
Laboratory Number:	35216	Date Sampled:	11-18-05
Chain of Custody:	14585	Date Received:	11-21-05
Sample Matrix:	Soil	Date Analyzed:	11-22-05
Preservative:	Cool	Date Extracted:	11-21-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	2.4	1.8
Toluene	4.4	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	17.2	2.2
o-Xylene	6.6	1.0
Total BTEX	30.6	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Pan Am Federal C #2 Blow Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point @ 5'	Date Reported:	11-22-05
Lab ID#:	35216	Date Sampled:	11-18-05
Sample Matrix:	Soil	Date Received:	11-21-05
Preservative:	Cool	Date Analyzed:	11-22-05
Condition:	Cool and Intact	Chain of Custody:	14585


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

576

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Pan Am Federal C #2 Blow Pit.


Analyst


Review