

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: \_\_\_\_\_  
Address: 200 ENERGY COURT, FARMINGTON, NM 87410  
Facility or well name: TAPP LS #5 API #: 30-045- 20120 U/L or Qtr/Qtr O Sec 15 T 28N R 8W  
County: SAN JUAN Latitude 36.65647 Longitude 107.66502 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☐ Disposal ☒ SEPARATOR  
Workover ☐ Emergency ☐  
Lined ☐ Unlined ☒  
Liner type: Synthetic ☐ Thickness \_\_\_\_\_ mil Clay ☐  
Pit Volume \_\_\_\_\_ bbl

Below-grade tank

Volume: \_\_\_\_\_ bbl Type of fluid: \_\_\_\_\_  
Construction material: \_\_\_\_\_  
Double-walled, with leak detection? Yes ☐ If not, explain why not. \_\_\_\_\_

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet	(20 points)
50 feet or more, but less than 100 feet	(10 points)
100 feet or more	( 0 points)

0

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes	(20 points)
No	( 0 points)

0

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet	(20 points)
200 feet or more, but less than 1000 feet	(10 points)
1000 feet or more	( 0 points)

0

Ranking Score (Total Points)

0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility BP CROUCH MESA LF. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 15 FT. N48E FROM WELL HEAD.

PIT EXCAVATION: WIDTH 15 ft., LENGTH 15 ft., DEPTH 6 ft.

PIT REMEDIATION: CLOSE AS IS: ☐, LANDFARM: ☐, COMPOST: ☐, STOCKPILE: ☐, OTHER ☒ EXCAVATE

Cubic yards: 40

BEDROCK BOTTOM, STEEL TANK TO BE INSTALLED

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 09/27/05

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. III

Signature [Signature]

Date: 10 28 2006

CLIENT: BP
**BLAGG ENGINEERING, INC.**  
**P.O. BOX 87, BLOOMFIELD, NM 87413**  
**(505) 632-1199**
LOCATION NO: B1650COCR NO: 14557**FIELD REPORT: PIT CLOSURE VERIFICATION**PAGE No: 1 of 1LOCATION: NAME: TAPP LS WELL #: 5 TYPE: SEPDATE STARTED: 9/22/05DATE FINISHED: 9/22/05QUAD/UNIT: 0 SEC: 15 TWP: 28N RNG: 8W PM: NM CNTY: SJ ST: NMENVIRONMENTAL SPECIALIST: JCBQTR/FOOTAGE: 800 FSL x 1650 FEL <sup>WISE</sup> CONTRACTOR: Pxs (Fernando)EXCAVATION APPROX. 15 FT. x 15 FT. x 6 FT. DEEP. CUBIC YARDAGE: 40±DISPOSAL FACILITY: BP CROUCH MESA L-F REMEDIATION METHOD: ExcavateLAND USE: RANGE - BLM LEASE: SF - 078499 FORMATION: PCFIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 15 FT. N48E FROM WELLHEAD.DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM**SOIL AND EXCAVATION DESCRIPTION:**
OVM CALIB. READ. = 52.2 ppm  
OVM CALIB. GAS = 100 ppm RF = 0.52  
TIME: NEW am/pm DATE: 9/22
SOIL TYPE: SAND (SILTY SAND) SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK SANDSTONE @ 10'SOIL COLOR: Light TANCOHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY COHESIVE) COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE (FIRM) DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS &amp; SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / (SLIGHTLY MOIST) / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: (YES) / NO EXPLANATION - GRAY/BLACK to 6'; Gray 6'-9'; TAN 9'-10'HC ODOR DETECTED: (YES) / NO EXPLANATION - Moderate to 9'SAMPLE TYPE: (GRAB) / COMPOSITE - # OF PTS. —

ADDITIONAL COMMENTS:

CLOSEDBEDROCK Bottom10' x 10' x 3' Deep Earth Pit. Remove impacted soils to 6' to Facilitate Settle Tank.**FIELD 418.1 CALCULATIONS**

SCALE




0 4 FT

N

PIT PERIMETER


PIT PROFILE

**OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 10'	133
2 @	
3 @	
4 @	
5 @	

**LAB SAMPLES**

SAMPLE ID	ANALYSIS	TIME
DC10	TPH/BTEX	1357

PASSED
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW  
T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES:

CALLOUT: \_\_\_\_\_

ONSITE: 9/22/05

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 10'	Date Reported:	09-27-05
Laboratory Number:	34457	Date Sampled:	09-22-05
Chain of Custody No:	14557	Date Received:	09-26-05
Sample Matrix:	Soil	Date Extracted:	09-26-05
Preservative:	Cool	Date Analyzed:	09-27-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	73.0	0.2
Diesel Range (C10 - C28)	129	0.1
Total Petroleum Hydrocarbons	202	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Tapp LS 5 Sep Pit.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 10'	Date Reported:	09-27-05
Laboratory Number:	34457	Date Sampled:	09-22-05
Chain of Custody:	14557	Date Received:	09-26-05
Sample Matrix:	Soil	Date Analyzed:	09-27-05
Preservative:	Cool	Date Extracted:	09-26-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	24.2	1.7
Ethylbenzene	182	1.5
p,m-Xylene	2,530	2.2
o-Xylene	433	1.0
Total BTEX	3,170	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Tapp LS 5 Sep Pit.

  
Analyst

  
Review