

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>XTO ENERGY INC.</u> Telephone: <u>(505)-324-1090</u> e-mail address: _____	
Address: <u>2700 FARMINGTON AVE.. BLDG. K. SUITE 1. FARMINGTON. NM 87401</u>	
Facility or well name: <u>STATE GC BG #1</u>	API #: <u>30-045- 08776</u> U/L or Qtr/Qtr <u>F</u> Sec <u>2</u> T <u>29N</u> R <u>10W</u>
County: <u>SAN JUAN</u> Latitude <u>36.75737</u> Longitude <u>107.85740</u> NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input type="checkbox"/> State <input checked="" type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>	
<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> <u>BLOW</u> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	<b>Below-grade tank</b> Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) <b>0</b> 100 feet or more ( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No ( 0 points) <b>0</b>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) <b>0</b> 1000 feet or more ( 0 points)
<b>Ranking Score (Total Points)</b> <b>0</b>	

**If this is a pit closure:** (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5)

Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: <u>PIT LOCATED APPROXIMATELY 150 FT. N32W FROM WELL HEAD.</u>
<u>PIT EXCAVATION: WIDTH n/a ft., LENGTH n/a ft., DEPTH n/a ft.</u>
<u>PIT REMEDIATION: CLOSE AS IS: <input checked="" type="checkbox"/> LANDFARM: <input type="checkbox"/> COMPOST: <input type="checkbox"/> STOCKPILE: <input type="checkbox"/> OTHER <input type="checkbox"/> (explain)</u>
Cubic yards: <u>n/a</u>
<u>BEDROCK BOTTOM</u>

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 08/23/04

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

DEPUTY OIL & GAS INSPECTOR, DIST. 3




Printed Name/Title

Signature Denny Kent

Date: MAR 27 2006

3004508776

36.75737 x 107.85740

CLIENT: <u>XTO</u>	<b>BLAGG ENGINEERING, INC.</b> <b>P.O. BOX 87, BLOOMFIELD, NM 87413</b> <b>(505) 632-1199</b>	LOCATION NO: <u>CT077</u> COCR NO: <u>12776</u>																																								
<b>FIELD REPORT: PIT CLOSURE VERIFICATION</b>		PAGE No: <u>1</u> of <u>1</u>																																								
LOCATION: NAME: <u>STATE GC BG</u> WELL #: <u>1</u> TYPE: <u>BLOW</u> QUAD/UNIT: <u>F</u> SEC: <u>2</u> TWP: <u>29N</u> RNG: <u>10W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1450'N/1490'W</u> SE <u>NW</u> CONTRACTOR: <u>KELCO</u>		DATE STARTED: <u>8-19-04</u> DATE FINISHED: <u>8-19-04</u> ENVIRONMENTAL SPECIALIST: <u>JCR</u>																																								
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>																																										
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>																																										
LAND USE: <u>RANGE</u> LEASE: <u>STATE</u> FORMATION: <u>MV</u>																																										
FIELD NOTES & REMARKS: <u>PIT LOCATED APPROXIMATELY 150 FT. N32W FROM WELLHEAD.</u>																																										
DEPTH TO GROUNDWATER: <u>&gt;100</u> NEAREST WATER SOURCE: <u>&gt;1000</u> NEAREST SURFACE WATER: <u>&gt;1000</u>																																										
NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																																										
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>54.0</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>1000</u> am/pm DATE: <u>8/19</u>																																								
SOIL TYPE: <u>SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER</u> <u>FIRM Shalestone @ 6' BG</u> SOIL COLOR: <u>Yellow TAN</u> COHESION (ALL OTHERS): <u>NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE</u> CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE / FIRM / DENSE / VERY DENSE</u> PLASTICITY (CLAYS): <u>NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC</u> DENSITY (COHESIVE CLAYS & SILTS): <u>SOFT / FIRM / STIFF / VERY STIFF / HARD</u> MOISTURE: <u>DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED</u> DISCOLORATION/STAINING OBSERVED: YES / <u>NO</u> EXPLANATION: _____ HC ODOR DETECTED: YES / <u>NO</u> EXPLANATION: _____ SAMPLE TYPE: <u>GRAB</u> COMPOSITE - # OF PTS. <u>—</u> ADDITIONAL COMMENTS: <u>24' DIAMETER CIRCULAR BLOW PIT, ~3' Deep.</u> <u>USE BACKHOLE TO DIG TEST TRENCH. NO EVIDENCE OF PIT USE.</u> <u>BEFORE BOTTOM</u>																																										
FIELD 418.1 CALCULATIONS																																										
SCALE  0 1 FT	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>		SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																			
PIT PERIMETER 	OVM READING <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 6'</td><td><u>0.0</u></td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> </tbody> </table>	SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 6'	<u>0.0</u>	2 @		3 @		4 @		5 @		PIT PROFILE 																												
SAMPLE ID	FIELD HEADSPACE (ppm)																																									
1 @ 6'	<u>0.0</u>																																									
2 @																																										
3 @																																										
4 @																																										
5 @																																										
LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>1 @ 6'</td><td><u>TPH</u></td><td><u>0952</u></td></tr> <tr><td> </td><td><u>MASSSED</u></td><td> </td></tr> </tbody> </table>			SAMPLE ID	ANALYSIS	TIME	1 @ 6'	<u>TPH</u>	<u>0952</u>		<u>MASSSED</u>																																
SAMPLE ID	ANALYSIS	TIME																																								
1 @ 6'	<u>TPH</u>	<u>0952</u>																																								
	<u>MASSSED</u>																																									
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																										
TRAVEL NOTES: CALLOUT: <u>8-19-04 0830</u> ONSITE: <u>8-19-04 0915</u>																																										

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	08-23-04
Laboratory Number:	30167	Date Sampled:	08-19-04
Chain of Custody No:	12776	Date Received:	08-19-04
Sample Matrix:	Soil	Date Extracted:	08-21-04
Preservative:	Cool	Date Analyzed:	08-22-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **State GC BG #1 Blow Pit.**

  
Analyst

  
Review