District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No I

Type of action: Registration of a pit of	or below-grade tank Closure of a pit or below-gra	de tank
Operator: BP America Production Company Telephor	ne: (505)326-9200 e-mail address:	
Address: 200 Energy Ct, Farmington, NM 87401		
Facility or well name: JONES A LS#9 API#:	30045 2/267 U/L or Qtr/Qtr O	Sec 14 T 2BN R 8W
	Longitude	
Surface Owner: Federal State Private Indian		
<u>Pit</u>	Below-grade tank	
Type: Drilling 🗌 Production 💢 Disposal 🗌	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	-
Lined Unlined	Double-walled, with leak detection? Yes If no	t, explain why not.
Liner type: Synthetic Thickness mil Clay		
Pit Volumebbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
nigh water elevation of ground water.)	100 feet or more	(0 points)
Wellhard material areas (Loss than 200 feet from a mirrote demostic	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)	1	(00 :)
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Indic	ate disposal location: (check the onsite box if
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility_	. (3) Attach a general of	description of remedial action taken including
remediation start date and end date. (4) Groundwater encountered: No 🔲		ft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excavat		7 18 19 20 30
Additional Comments:	Sept.	A (2)
See Attached Documentation	(S)	DEC 2005
See Attached Documentation	R H	- 2000 25)
(O) UISI, 3 A		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
		are a contapped to the
Date:11/01/2005		
Printed Name/Title <u>Jeffrey C. Blagg, Agent</u> Signat	ure fuffy C. Jugy	
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the contents the operator of its responsibility for compliance with a	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or
Approval: Printed Name/Title Printed Name/Title	Signature Bd Bdl	Date: DEC 1 9 2005

	300457	.1267	36.65 163 101.64 16
CLIENT: BP	P.O. BOX 87, BLOC		C.O.C. NO: 10093
	(505) 6	32-1199	C.U.C. NU: 70073
FIELD REPORT	: PIT CLOSURE	VERIFICATION	PAGE No: _/_ of _/_
LOCATION: NAME: JONES	5 A 65 WELL #: 9	TYPE: SEP.	DATE STARTED: 8/28/07
QUAD/UNIT: O SEC: 14	TWP: 282 RNG: 8W	PM:NM CNTY:JJ ST:NM	DATE FINISHED:
1 /	840 E SWISE CONTRACTOR	_	ENVIRONMENTAL SPECIALIST:
EXCAVATION APPROX	<i>'A</i> FT. x <i>NA</i> FT. x	NA FT. DEEP. CUBI	C YARDAGE: NA
DISPOSAL FACILITY:	ON-SITE	REMEDIATION METH	OD: CLOSE AS 15
	3cm LEASE:		
FIELD NOTES & REMAR	RKS: PIT LOCATED APPR	OXIMATELY 26 FT.	N36W FROM WELLHEAD.
DEPTH TO GROUNDWATER: >10	NEAREST WATER SOURCE:	>1000 NEAREST SURFA	CE WATER: 2/000
NMOCD RANKING SCORE:	NMOCD TPH CLOSURE STD:		
SOIL AND EXCAVATION	N ELEU. 6389	L L	EAD. <u>53. 9</u> ppm
DESCRIPTION:			AS = 100 ppm RF = 0.52
SDIL TYPE: SAND SILTY	SAND / SILT / SILTY CLAY		
SOIL COLOR: MO	0. YELL BROWN ON COHESIVEN SLIGHTLY CO	HESIVE / COHESIVE / HIGH	Y CUHESIVE
CONSISTENCY (NON COHESIVE	501LS): (005) / FIRM /	DENSE / VERY DENSE	
	PLASTIC / SLIGHTLY PLASTIC 3 SILTS) : SDFT / FIRM / S		STIC / HIGHLY PLASTIC
MOISTURE: DRY SLIGHTLY	MOIST / WET / SA	ATURATED / SUPER SATURATE	ID (CLOSED)
	SERVED: YES NO EXPLANO EXPLANATION - 8 OTTO)NO TO 0 T
SAMPLE TYPE: GRAB / CO		- TEST FIDE & DI	SIVE STIMPOS
ADDITIONAL COMMENTS:			
SCALE SAMP TH	- 	LD 418.1 CALCULATIONS	LITION DE ADINO DALO
SAMP. III	ME SAMPLE I.D. LAB No:	WEIGHT (g) ML. FREUN DIL	UTION READING CALC. ppm
O FT			
PIT PERIM	ETER 12	PIT	PROFILE
		/M	
	REST	FIELD HEADSPACE PID (ppm)	
22	mereil SAMPLE ID 108.5	PID (ppm) 5 45	
BERM	2 @ 3 @		
T	4 @		
	5 @	NOT	APPUCABLE
21 20			
1			
	J 084 0	***************************************	
	MARKER SAMPLE ANA	AMPLES LYSIS TIME	
T.H., P.O., N.S.	De8.5 TPH	(8015B) 140Z	
8.P.D. B.6.		(80218) "	
P.D. = PIT DEPRESSION; B.G.		MSSED)	
T.H. = TEST HOLE; ~ = APPR TRAVEL NOTES:	-1 -1		4-0
CALLOUT	8/28/02-morn.	ONSITE: 8 28 02 - 1	PFTER.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8.5'	Date Reported:	09-06-02
Laboratory Number:	23692	Date Sampled:	08-28-02
Chain of Custody No:	10094	Date Received:	08-29-02
Sample Matrix:	Soil	Date Extracted:	08-30-02
Preservative:	Cool	Date Analyzed:	09-05-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter		Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range	(C5 - C10)	3.0	0.2
Diesel Range (C	C10 - C28)	2.5	0.1
Total Petroleum	Hydrocarbons	5.5	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Jones A LS #9 Separator Pit Grab Sample.

Mister y Walters

Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8.5'	Date Reported:	09-04-02
Laboratory Number:	23692	Date Sampled:	08-28-02
Chain of Custody:	10094	Date Received:	08-29-02
Sample Matrix:	Soil	Date Analyzed:	09-03-02
Preservative:	Cool	Date Extracted:	08-30-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

	Concentration	Det. Limit	
Parameter	(ug/Kg)	(ug/Kg)	
Benzene	ND	1.8	
Toluene	170	1.7	
Ethylbenzene	134	1.5	
p,m-Xylene	459	2.2	
o-Xylene	262	1.0	
Total BTEX	1,025		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Jones A LS #9 Separator Pit Grab Sample.

Mister M Walters
Analyst

Josh Sunlin Lee Beview