District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tar Type of action: Registration of a pit	nk covered by a "general plan"? Yes 🔀 Nor below-grade tank 🔲 Closure of a pit or below-gr	o 📗
	3004521883_U/L or Qtr/Qtr	
Surface Owner: Federal State Private Indian		
Pit  Type: Drilling Production Disposal  Workover Emergency  Lined Unlined  Liner type: Synthetic Thickness mil Clay  Pit Volume bbl	Below-grade tank  Volume:bbl Type of fluid:  Construction material:  Double-walled, with leak detection? Yes If n	_
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit your are burying in place) onsite  offsite  If offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No  (5) Attach soil sample results and a diagram of sample locations and excava Additional Comments:	Yes I f yes, show depth below ground surface	description of remedial action taken including
See Attached Documentation		
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that es 🏿 a general permit 🗀, or an (attached) altern	the above-described pit or below-grade tank native OCD-approved plan .
Date: 11/01/2005  Printed Name/Title Jeffrey C. Blagg, Agent Signal  Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the content the operator of its responsibility for compliance with	ts of the pit or tank contaminate ground water or any other federal, state, or local laws and/or
Approval:  Printed Name/Title	Signature Rh Hall	DEC 1 9 2005

CLIENT: BP	BLAG P.O. BOX		NEERING OMFIELD	•		ATION NO:	81065
	<del></del>	505) 632		,	l l	R NO:	10 259
FIELD REPOR	RT: PIT CLO	OSURE	VERIF	CATIO	N PAGE	Ξ No:	<u>/</u> of/
LOCATION: NAME: CAN	epie GC	WELL#:	IA TYPE	: DEHY.		STARTED:	9/19/02
QUAD/UNIT: I SEC: 18	TWP: 312 RNG	: 10W PM: r	JW/ CNTY: 53	ST: NOW		FINISHED: _	
QTR/FOOTAGE: 1775 S	1075 E	ELSE CONTR	RACTOR: HIGH	DESERT (HEBE	SPECI	ONMENTAL ALIST:	NV
EXCAVATION APPR	OX. <u><i>NA</i></u> FT. x	MQ FT.	x <u>~A</u> FT	. DEEP. CU	JBIC YARD	AGE: _	NA
DISPOSAL FACILITY:	02-5175	<u>,</u>	REMEDIA	ŢĮQN METHO	DD:	crose i	45 15
LAND USE: RANGE -	Burn	LEASE:	140 800 11		FORMATI	ION:	MV
FIELD NOTES & REM	ARKS: PIT LOCA	ATED APPROX	(IMATELY	FT	WIN	FROM	WELLHEAD.
DEPTH TO GROUNDWATER:			>1500'		URFACE WAT	ER:	1000/
NMOCD RANKING SCORE:	O NMOCD TPH	CLOSURE STD: .	5000 PF		······································		
SOIL AND EXCAVA	TION DESCRIPT	ION:		OVM CALIB. I			RF = 0.52
<u></u>	····			TIME: 12:2			9/18/02
SOIL TYPE: SAND SILTY			GRAVEL / OTH	<del></del>			
SOIL COLOR: COHESION (ALL OTHERS): NO	GRATISH O		HESIVE / HIGHLY	COHESIVE			
CONSISTENCY (NON COHESIV				001120.72			
PLASTICITY (CLAYS): NON PLA				HIGHLY PLASTI	c		
MOISTURE: DRY / SLIGHTLY M					(	FLOZED	
DISCOLORATION/STAINING OB	SERVED: YES (NO EXPI	LANATION -					
HC ODOR DETECTED: (ES) NO			oum samp	<u></u>			
SAMPLE TYPE: GRABI COMPO		_					
		FIE	ELD 418.1 CALC	I II ATIONS			
SCALE SAMP.	. TIME SAMP. ID	LAB NO.	WEIGHT (g)		DILUTION	READING	CALC. (ppm)
							C.123. (pp)
0 FT							
PIT PERIM	ETER 42	1			PITP	ROFIL	E
12 X 6	المامرام الم	O DEA	VM				
P.O.	NOOPEN RETAINING	SAMPLE	DING FIELD HEADSPACE				
86 \ 16	1	1@10	(ppm)	-			
10	<del></del> / !	2 @					
<b>\</b>	- T	3 @ 4 @		-			
12	_ [ ] !	5@		יסיג	T APPL	ICABLE	
1/20	16			4			
FORMER 7							
174	1			-	•		
	!	LARS	AMPLES	-			
1 7 7		CAMPIE	NALYSIS TIME				
1 H.			(80158) 094				
B.T.B.	WELL WELD	P	25551)				
P.D. = PIT DEPRESSION; B.G. = BE	LOW GRADE: B = BELOW			7			
T.H. = TEST HOLE; ~ = APPROX.; 1 TRAVEL NOTES:	/ /			<del>-</del>	<del></del>		
CALL	OUT: <u>9/18/02-</u>	. MORN.	_ ONSITE: _	9/18/02	-more	`	· · · · · · · · · · · · · · · · · · ·



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 10'	Date Reported:	09-20-02
Laboratory Number:	23834	Date Sampled:	09-19-02
Chain of Custody No:	10259	Date Received:	09-19-02
Sample Matrix:	Soil	Date Extracted:	09-20-02
Preservative:	Cool	Date Analyzed:	09-20-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Caneple GC #1A Dehydrator Pit Grab Sample.

Mister Moeters

Alex P. Care com