<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🖾 No 🗌
Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🖾

Operator: BP AMERICA PROD. CO.	Telephone: (505)-326-9200 e-	mail address:	
Address: 200 ENERGY COURT, FARMINGTON.			
Facility or well name: FLORANCE Y #44A	API #: 30-045- 22249 U/L or Q	r/Qtr_O_Sec_31	T 30N R 8W
County: SAN JUAN Latitude 36.76363 Longitude 10	77.71270 NAD: 1927 ☐ 1983 🏻 Surface	Owner Federal X State	☐ Private ☐ Indian ☐
Pit PRODUCTION TANK	Below-grade tank		
Type: Drilling Production Disposal PRODUCTION TANK	Volume:bbl_Type of fluid:		
Workover ☐ Emergency ☐	Construction materia:	} -	
Lined Unlined 🛛	Double-walled, with teak a tection? Yes II If	nat, explain why not.	
Liner type: Synthetic Thicknessmil Clay			
Pit Volumebbl			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)	•
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	0
	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points)	0
water source, or tool than 1000 too. How all other water sources,	Less than 200 feet	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)	_
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)	0
	1000 feet of more	(o points)	
	Ranking Score (Total Points)		0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's your are burying in place) onsite \(\square\) offsite \(\text{\text{\text{\text{\text{\text{offsite}}}}} \), name of facility \(\frac{1}{2} \)		- ·	
remediation start date and end date. (4) Groundwater encountered: No 🔯		-	-
		n. and adach	Sample results. (3)
Attach soil sample results and a diagram of sample locations and excavation Additional Comments: PIT LOCATED APPROXIMATEL		WELL THEAD A	The Contract of the Contract o
		<u>/ELL HEAD.4ሳ%*</u> ልሳኒ	
PIT EXCAVATION: WIDTH 18 ft., LENGTH			FEB 2008
PIT REMEDIATION: CLOSE AS IS: □, LANDFARM: □, C	COMPOST: □, STOCKPILE: □, OTHER □	EXCAVATE OF	City Col
Cubic yards: 27			OUS OFF
BEDROCK BOTTOM			10 / S
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank			
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that es 🖂 a general permit 🗍 or an alternative OC	t the above-described(pi D-approved plan ⊠.	t or below-grade tank
	E, a general permit E, or an arternative GC.	o approved plan 23.	The same of the sa
Date: 01/04/06			
Joff Dlaga D E # 11607	Signature of the Contraction	acie,	
PrintedName/Title Jeff Blagg - P.E. # 11607	Signature		_
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the conte the operator of its responsibility for compliance wit	nts of the pit or tank conta h any other federal, state,	minate ground water or or local laws and/or
A managed in the state of the s	1 - 11		
Approval: QCFUTY GA & GAS INSPECTOR, DIST. (S)	ignature Bell Dell	- · · · · · · · · · · · · · · · · · · ·	HB 2 8 7868
Printed Name/TitleS	ignature Under Under	Date:3.	· · -

1 OF 2

BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199 COCR NO: 14607	
(505) 632-1199 COCR NO: 1700	_ 1
(000) 002-1100	
FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: 1 of _	1
LOCATION: NAME: FLORAUGE Y WELL #: 44A TYPE: PROD DATE STARTED: 12-29-6	2 5
QUAD/UNIT: O SEC: ST TWP: SON RNG: 8W PM: N CNTY: SO ST: N/T	
QTR/FOOTAGE: 1170 FSL × 1645 FEL SUISE CONTRACTOR: HDI (LYNEIL) ENVIRONMENTAL JCB	
EXCAVATION APPROX. 18 FT. x 10 FT. x 6 FT. DEEP. CUBIC YARDAGE: 27 ±	
DISPOSAL FACILITY: BP CROUCH MESA LF REMEDIATION METHOD: EXCAPATION	
LANDUSE: RANGE - BCM LEASE: SF - 079511A FORMATION: MV	
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 120 FT. N 65 W FROM WELLHE	AD.
DEPTH TO GROUNDWATER: 3/00 NEAREST WATER SOURCE: 3/00 NEAREST SURFACE WATER: 3/000	-
NMOCD RANKING SCORE: O NMOCD TPH CLOSURE STD: SOUCE PPM	
SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. READ. = 52.7 ppm OVM CALIB. GAS = (00 ppm RF	= 0.52
TIME: 0830 am/pm DATE: 12-29-0	
SOIL TYPE: SAND / SILTY SAND SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDRUCK SAND YOUR OF 6'	
COHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY COHESIVE) COHESIVE / HIGHLY COHESIVE	
CONSISTENCY (NON COHESIVE SOILS): LOOSE (FIRM) DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC	
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD)
MOISTURE: DRY/ SLIGHTLY MOIST/MOIST/WET/SATURATED/SUPER SATURATED DISCOLORATION/STAINING OBSERVED: (YES) NO EXPLANATION - 1, te Gray from 3 -6 on side alls & be	67)
HC ODOR DETECTED YES NO EXPLANATION -	, &
SAMPLE TYPE: GRABICOMPOSITE # OF PTS. 5 ADDITIONAL COMMENTS: 18 x 10 x 2 Deep Earthon Pit. Use Backhoe	
BEDROCK] to Remove Impacted soils to Bedrack Sondstone @ 6'.	
[mones]	
SCALE SAMP. TIME SAMP. ID LAB NO. WEIGHT (g) mL FREON DILUTION READING CALC.	(mnm)
SAMI. INC. SAMI. ID EAD NO. WEIGHT (g) METREON DIEGTONREADING CAEC.	ppin
O FT	
N PIT PERIMETER PIT PROFILE	
OVM READING	
SAMPLE FIELD HEADSPACE ID (ppm)	
1@	
3.0	
18/8	
5-PONLY 233	
Coupart 6 1 Lite	1
well well	,
well con	,
LAB SAMPLES SAMPLE I MANUAGE TO BOOK SANDSTONE	
LAB SAMPLES SAMPLE ANALYSIS TIME S-POINT TOT 1400	
LAB SAMPLES SAMPLE ANALYSIS TIME Beding to Sandstore	
LAB SAMPLES SAMPLE ANALYSIS TIME SPOINT THE 1400 BIE+ CL- CL- P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW	
LAB SAMPLES SAMPLE ANALYSIS TIME S-POILT TO 1400 BTE+ CL- COMPANY BOTTO BOTTO	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Composite @ 6'	Date Reported:	01-04-06
Laboratory Number:	35599	Date Sampled:	12-29-05
Chain of Custody No:	14607	Date Received:	01-03-06
Sample Matrix:	Soil	Date Extracted:	01-03-06
Preservative:	Cool	Date Analyzed:	01-04-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	2.5	0.1
Total Petroleum Hydrocarbons	2.5	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Florance Y 44A Prod Pit.

Analyst

Mistine m Walters

Beview



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Composite @ 6'	Date Reported:	01-04-06
Laboratory Number:	35599	Date Sampled:	12-29-05
Chain of Custody:	14607	Date Received:	01-03-06
Sample Matrix:	Soil	Date Analyzed:	01-04-06
Preservative:	Cool	Date Extracted:	01-03-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Danwana	ND		
Benzene	ND ND	1.8	
Toluene	ND	1.7	
Ethylbenzene	6.3	1.5	
p,m-Xylene	22.7	2.2	
o-Xylene	4.6	1.0	
Total BTEX	33.6		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Florance Y 44A Prod Pit.

Analyst Columnia

Moster of Walter Review



Chloride

Project #: 94034-010 Client: Blagg / BP 01-04-06 Sample ID: 5-Point Composite @ 6' Date Reported: 12-29-05 35599 Date Sampled: Lab ID#: Date Received: 01-03-06 Sample Matrix: Soil Date Analyzed: 01-03-06 Preservative: Cool Cool and Intact Chain of Custody: 14607 Condition:

Parameter

Concentration (mg/Kg)

Total Chloride

22.3

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Florance Y 44A Prod Pit.

Analyst T. Com

Review