

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**


Is pit or below-grade tank covered by a "general plan"? Yes  No   
Type of action: Registration of a pit or below-grade tank  Closure of a pit or below-grade tank

Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: \_\_\_\_\_  
Address: 200 ENERGY COURT. FARMINGTON. NM 87410  
Facility or well name: GARTNER A #1A API #: 30-045- 22434 U/L or Qtr/Qtr C Sec 28 T 30N R 8W  
County: SAN JUAN Latitude 36.78673 Longitude 107.68388 NAD: 1927  1983  Surface Owner Federal  State  Private  Indian

Pit	Below-grade tank
Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> <u>DEHYDRATOR</u> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> <u>STEEL TANK</u> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) <b>0</b> 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) <b>0</b>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) <b>0</b> 1000 feet or more (0 points)
	<b>Ranking Score (Total Points)</b> <b>0</b>

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite  offsite  If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No  Yes  If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 87 FT. S25E FROM WELL HEAD.  
PIT EXCAVATION: WIDTH N/A ft., LENGTH N/A ft., DEPTH N/A ft.  
PIT REMEDIATION: CLOSE AS IS: , LANDFARM: , COMPOST: , STOCKPILE: , OTHER  (explain)  
Cubic yards: N/A  
BEDROCK BOTTOM



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an alternative OCD-approved plan .

Date: 12/27/05

PrintedName/Title Jeff Blagg - P.E. # 11607 Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 6 Signature [Signature] Date: FEB 28 2006

CLIENT: <u>BP</u>	<b>BLAGG ENGINEERING, INC.</b> P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>B1729</u>
		COCR NO: <u>15231</u>

5

**FIELD REPORT: PIT CLOSURE VERIFICATION** PAGE No: 1 of 1

LOCATION: NAME: <u>GARTNER A</u> WELL #: <u>1A</u> TYPE: <u>DEHY</u>	DATE STARTED: <u>12/20/05</u>
QUAD/UNIT: <u>C SEC: 28 TWP: 30N RING: 8W PM: NM CNTY: SJ ST: NM</u>	DATE FINISHED: <u>12/20/05</u>
QTR/FOOTAGE: <u>1170 FUL x 1840 FUL NE(NW)</u> CONTRACTOR: <u>PXS (ART)</u>	ENVIRONMENTAL SPECIALIST: <u>JCB</u>

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - BLM LEASE: SF-080597 FORMATION: MV

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 87 FT. S25E FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM

**SOIL AND EXCAVATION DESCRIPTION:**

OVM CALIB. READ. = 53.3 ppm  
 OVM CALIB. GAS = 100 ppm RF = 0.52  
 TIME: 0845 am/pm DATE: 12/20

SOIL TYPE: SAND (SILTY SAND) SILT / SILTY CLAY / CLAY / GRAVEL / OTHER Bedrock @ 6'

SOIL COLOR: Dark tan

COHESION (ALL OTHERS): NON COHESIVE / (SLIGHTLY COHESIVE) / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE (FIRM) / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / (SLIGHTLY MOIST) / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES / (NO) EXPLANATION - CLOSED


HC ODOR DETECTED: YES / (NO) EXPLANATION -

SAMPLE TYPE: (GRAB) COMPOSITE - # OF PTS. —

ADDITIONAL COMMENTS: 8' x 8' x 4' Deep Earth Pit - cone shaped - with old tank foot print @ base. Dig to Bedrock @ 6' - No evidence of contamination -


FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)



**OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @	
2 @	
3 @	
4 @	
5 @	
C @ 6'	0.0



**LAB SAMPLES**

SAMPLE ID	ANALYSIS	TIME
C @ 6'	YOD	1130
	BTEX	
	CL-	
	<u>PASSED</u>	

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: \_\_\_\_\_ ONSITE: 12/20/05

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 6'	Date Reported:	12-27-05
Laboratory Number:	35549	Date Sampled:	12-20-05
Chain of Custody No:	15231	Date Received:	12-20-05
Sample Matrix:	Soil	Date Extracted:	12-23-05
Preservative:	Cool	Date Analyzed:	12-27-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Gartner A #1A Dehy Pit.**

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 6'	Date Reported:	12-27-05
Laboratory Number:	35549	Date Sampled:	12-20-05
Chain of Custody:	15231	Date Received:	12-20-05
Sample Matrix:	Soil	Date Analyzed:	12-27-05
Preservative:	Cool	Date Extracted:	12-23-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	21.5	2.2
o-Xylene	ND	1.0
<b>Total BTEX</b>	<b>21.5</b>	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Gartner A #1A Dehy Pit.**

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW


Chloride


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 6'	Date Reported:	12-27-05
Lab ID#:	35549	Date Sampled:	12-20-05
Sample Matrix:	Soil	Date Received:	12-20-05
Preservative:	Cool	Date Analyzed:	12-27-05
Condition:	Cool and Intact	Chain of Custody:	15231

Parameter	Concentration (mg/Kg)
Total Chloride	20.2

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Gartner A #1A Dehy Pit.

  
Analyst

  
Review