District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌

Type of action: Registration of a pit of	or below-grade tank 🔲 Closure of a pit or below-gra	ide tank					
Operator: BP America Production Company Telephon	ne: (505)326-9200 e-mail address:						
Address: 200 Energy Ct, Farmington, NM 87401	6. (303)320-3200 C-Main address.						
	3004522756 U/L or Qtr/Qtr J	Sec 12 T 32 N R 11 W					
	Longitude						
Surface Owner: Federal State Private Indian							
Pit	Below-grade tank						
Type: Drilling Production Disposal	Volume:bbl Type of fluid:						
Workover Emergency	Construction material:						
Lined Unlined U	Double-walled, with leak detection? Yes [] If not, explain why not.						
Liner type: Synthetic Thickness mil Clay	bound wanted, with four detection. Too in not, explain any not.						
Pit Volumebbl							
	Less than 50 feet	(20 points)					
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)					
high water elevation of ground water.)	100 feet or more	(0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)					
water source, or less than 1000 feet from all other water sources.)	No	(0 points)					
	Less than 200 feet	(20 points)					
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points) -					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)					
	Ranking Score (Total Points)	1					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	· ·						
your are burying in place) onsite offsite If offsite, name of facility							
remediation start date and end date. (4) Groundwater encountered: No 🔲		ft. and attach sample results.					
(5) Attach soil sample results and a diagram of sample locations and excava	utions.						
Additional Comments:							
See Attached Documentation							
	·						
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guidelin	t of my knowledge and belief. I further certify that es 🔀, a general permit 🔲, or an (attached) altern	the above-described pit or below-grade tank ative OCD-approved plan.					
Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Signature Addy C - Slegy							
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the opera@ of liability should the content the operator of its responsibility for compliance with	ts of the pit or tank contaminate ground water or any other federal, state, or local laws and/or					
Approval: CEPUTY OIL & GAS INSPECTOR, DIST. (38) Printed Name/Title	Signature Bod TM	DEC 1 9 2005					

CLIENT: BP	BLA		INEERING			CATION NO: <u>8/033</u>	
	P.O. BOX		0MF1ELD, 332-1199		10	C.D.C. ND:	
FIELD REPO	RT: PIT CI	LOSURE	VERIF	ICATION	V PAC	GE No: of	
LOCATION: NAME: BR					DATE	E STARTED: 81202	
QUAD/UNIT: \(\tag{QUAD} \) SEC: QTR/FOOTAGE: \(\tag{S} \)	1)				> FM/I	RONMENTAL /VV	
EXCAVATION APPROX.		في التعلق الأن الخواسات عبرات الت					
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS 15 LAND USE: RANGE - BLYN LEASE: SF 078039 FORMATION: MV							
FIELD NOTES & REI							
DEPTH TO GROUNDWATER: >100' NEAREST WATER SQURCE: >1000' NEAREST SURFACE WATER: >1000'							
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD	, <u>5000</u> pp		D DEAD		
SOIL AND EXCAVA	TION			1		53.7 ppn /50 ppm RF = 0.52	
DESCRIPTION:						M DATE: 8/12/82	
SOIL TYPE: SAND / SIL	TY SAND / SILT /	SILTY CLAY	/ CLAY / G	RAVEL / OTH	ER		
SOIL COLOR: OK. YEUL. GRANGE COHESION (ALL OTHERS): MON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE							
CONSISTENCY (NON COHESIVE SOILS): COUST / FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC							
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD							
MOISTURE: DRY / SLIGH					RATED (CLOSEO	
DISCOLORATION/STAINING HC ODOR DETECTED: YES			ANATIUN	 			
SAMPLE TYPE: GRAB/ ADDITIONAL COMMENTS:	COMPOSITE - # DE	PTS -				maries para to	
	samperas.			3/000 //		TOUBLY TOUR	
		FI	ELD 418.1 C	ALCHI ATION	S		
SCALE SAMP.	. TIME SAMPLE I.D.				·	READING CALC. ppm	
0 FT							
PIT PER	IMETER 争り) 0	\$7 \ #	<u> </u>	PIT PI	ROFILE	
OVM RESULTS							
1.		SAMPLE ID	FIELD HEADSPACE PIO (ppm)				
15		168	0.0	_			
852	WERD HERD	3 @		_			
1		4 @ 5 @		4			
1 51				_	NOT /	a pplicable	
15	7.4	<u> </u>		-			
	8.T.B.						
FORMER STEEL	TRUE LOC.	SAMPLE	AMPLES TIME	_			
TANK BOTTOM CT B. G.	10-1 × F	ID AN	ALTSIS TIME	5			
3.0.							
P.D. = PIT DEPRESSION; B	C = PRIOW CRAPE			1			
T.H. = TEST HOLE; ~ = A	PPROX.; B = BELOW			 _			
TRAVEL NOTES: CALLOUT: 8/12/02 - MORN, ONSITE: 8/12/02 - MORN.							