District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

	or below-grade tank Closure of a pit or below-grade	de tank	
Operator: BP America Production Company Telepho	ne: (505)326-9200 e-mail address:		
Address: 200 Energy Ct Farmington NM 87401			
Facility or well name: #eath WD A # API#:	30045 22777 U/Lor Otr/Otr =	Sec 17 T29N R9W	
County: San Juan Latitude	Longitude	NAD: 1927 🔲 1983 🗍	
Surface Owner: Federal State Private Indian			
Pit	Below-grade tank		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover Emergency	Construction material:		
Lined Unlined	Double-walled, with leak detection? Yes If not		
Liner type: Synthetic Thicknessmil Clay [_		
Pit Volumebbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)	
high water elevation of ground water.)	100 feet or more	(0 points)	
	V		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
inigation canals, ditories, and percuinal and opinional watercoases.)	1000 feet or more	(0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks (2) Indies	ote disposal location: (check the oncite how if	
your are burying in place) onsite \(\sigma \) offsite \(\sigma \) If offsite, name of facility_	· -		
remediation start date and end date. (4) Groundwater encountered: No			
		it. and attach sample results.	
(5) Attach soil sample results and a diagram of sample locations and excava	mons.	730	
Additional Comments:	3/1/11/10/20	(13)	
See Attached Documentation	DIED OF	7.3	
	DEC 200	5	
E OF COLUMN STATES			
E DIST : W.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) atternative OCD-approved plan .			
Date: 11/01/2005			
Printed Name/Title Jeffrey C. Blagg, Agent Signature			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval: © PUTY OIL & GAS INSPECTOR, DIST. 68 Printed Name/Title	Signature B. J. B. W.	DEC 1 9 2005	

2			NEERING	• .	LOC	ATION NO:	81089
P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199			13	R NO:	10397		
FIELD REPORT	: PIT CL	OSURE	VERIFI	CATIO	N PAGI	E No:	of
LOCATION: NAME: HEATH	W.D. A	WELL#: 2	A TYPE	DEHY			1-4-02
QUAD/UNIT: I SEC: 17		: 9W PM: N	M CNTY: S	ST: NM		FINISHED: ONMENTAL	(1-4-02
QTR/FOOTAGE: 1450 5 8	70'E NE	SE CONTR	ACTOR: 144	(BRIAN)	SPECI		ICB
EXCAVATION APPROX	. <u>15</u> FT. x	<u>15</u> FT.	x <u> </u>	DEEP. CU	BIC YARD	AGE:	<u> </u>
DISPOSAL FACILITY: LAND USE: RANGE - 6	m		REMEDIA				<u>AS 15</u> NV
FIELD NOTES & REMAR			IMATELY 12			FROM	WELLHEAD.
DEPTH TO GROUNDWATER: >/C			>1000				1000
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD: _	<i>5000</i> PF	м			
SOIL AND EXCAVATION	N DESCRIPT	ION: EUE). 5635 ¹	OVM CALIB. I OVM CALIB. (TIME: /2/5	GAS = Z	ppm ppm	
SOIL TYPE: SAND / SILTY SAN	SILT / SILTY C	LAY / CLAY / C	GRAVEL / OTH	ER			
SOIL COLOR: ORANGE COHESION (ALL OTHERS): NON C		COHESIVE / COI	HESIVE / HIGHLY	COHESIVE			
CONSISTENCY (NON COHESIVE SC	ILS): LOOSE/ FIRM	/ DENSE / VERY	DENSE		_		
PLASTICITY (CLAYS): NON PLASTI DENSITY (COHESIVE CLAYS & SILT				HIGHLY PLASTI	С		
MOISTURE: DRY SLIGHTLY MOIST	MOIST / WET / SAT	URATED / SUPER				ao	£0)
DISCOLORATION/STAINING OBSER HC ODOR DETECTED: YES NO E	VED: YES/(NO) EXP	LANATION					
CAMPLE TYPE COAD COMPOSITI	# OF DTC		4 . 4 . 1 .	/ Λ.	0 4		
ADDITIONAL COMMENTS:	ISE BACKHUE	ورد حم	145T +V4	nch Her	255 Pr 7		
							
SCALE GALE TO		FIE	LD 418.1 CALC			1	7
SAMP. TI	ME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
0 FT							
N PIT PERIMET	ER		l <u>. </u>	<u>.</u>	PITF	ROFIL	.E
1			VM				
15	<i>′</i> >	REA SAMPLE	DING FIELD HEADSPACE				
71	1	1@4	(ppm) 273	_			
(4'36)		2@		_			
		3 @ 4 @		_			
8	15	5@				201.	0, -
-				$ \lambda$	ot A	PPUZM	sec.
					•		
(/	11						
1		LAB SA	AMPLES				
	PD	SAMPLE AN	NALYSIS TIME				
TO SAMPLE (PD (1'86)	SAMPLE AN		= = = =			
WE (4.86)		SAMPLE AN CEU TPH	NALYSIS TIME	<u> </u>			
P.D. = PIT DEPRESSION; B.G. = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. =	V GRADE: B = BELOW	SAMPLE AN CEU TPH	NALYSIS TIME	======================================			



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 4'	Date Reported:	11-05-02
Laboratory Number:	24153	Date Sampled:	11-04-02
Chain of Custody No:	10397	Date Received:	11-04-02
Sample Matrix:	Soil	Date Extracted:	11-05-02
Preservative:	Cool	Date Analyzed:	11-05-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	403	0.2
Diesel Range (C10 - C28)	1,160	0.1
Total Petroleum Hydrocarbons	1,560	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

W. D. Heath A #2A.

Analyst C. Oquan

Mister of Walters Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 4'	Date Reported:	11-05-02
Laboratory Number:	24153	Date Sampled:	11-04-02
Chain of Custody:	10397	Date Received:	11-04-02
Sample Matrix:	Soil	Date Analyzed:	11-05-02
Preservative:	Cool	Date Extracted:	11-05-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	43.4	1.8	
Toluene	383	1.7	
Ethylbenzene	396	1.5	
p,m-Xylene	2,280	2.2	
o-Xylene	874	1.0	
Total BTEX	3,980		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

W. D. Heath A #2A.

Analyst C. Que

Mister of Walters