1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No

Type of action: Registration of a pit of	or below-grade tank Closure of a pit or below-gra	de tank 🔀	
Operator: BP America Production CompanyTelephor	ne: (505)326-9200 e-mail address:		
Address: 200 Energy Ct, Farmington, NM 87401			
Facility or well name: Atlantic B LS#4A API#:	3004523379 U/L or Qtr/Qtr J	SecTRR	
County: San Juan Latitude			
Surface Owner: Federal 🗌 State 🔲 Private 🔲 Indian 🗍			
<u>Pit</u>	Below-grade tank		
Type: Drilling 🔲 Production 🕱 Disposal 🔲	Volume:bbl Type of fluid:		
Workover	Construction material:		
Lined Unlined Double-walled, with leak detection		t, explain why not.	
Liner type: Synthetic Thicknessmil Clay			
Pit Volumebbl			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)	
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	
	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points)	
water source, or less than 1000 feet from an other water sources.)	Locathon 200 for	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet 200 feet or more, but less than 1000 feet	(20 points) (10 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(10 points)	
	<u> </u>	(o points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Indic	ate disposal location: (check the onsite box if	
your are burying in place) onsite 🗌 offsite 🗎 If offsite, name of facility_	. (3) Attach a general	description of remedial action taken including	
remediation start date and end date. (4) Groundwater encountered: No 🔲	Yes 🔲 If yes, show depth below ground surface	ft. and attach sample results.	
(5) Attach soil sample results and a diagram of sample locations and excava	utions.		
Additional Comments:	·		
See Attached Documentation			
:			
I hereby certify that the information above is true and complete to the bes	t of my knowledge and belief. I further certify that	the above-described pit or below-grade tank	
has been/will be constructed or closed according to NMOCD guidelin	es $[X]$, a general permit \coprod , or an (attached) altern	ative OCD-approved plan [].	
Date: 11/01/2005	1		
Printed Name/Title <u>Jeffrey C. Blagg, Agent</u> Signa	ture Juffy C. Sligy		
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the content	s of the pit or tank contaminate ground water or any other federal, state, or local laws and/or	
Approval: Printed Name/Title Printed Name/Title	Signature Brundon Daniell	Date DEC 1 9 2005	
	- June V June V (Nota) V	Dutt.	

QUAD/UNIT: J SEC. S TWP 300 RNG: 1000 PM: Non CNTY: ST STAMP OTRE/FOOTAGE: 17795 TITOS Males CONTRACTOR: FULLY CLAY EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA DISPOSAL, FACILITY: DN - STE REMEDIATION METHOD: CLOSE & 15 LAND USE: CA-GE - SUM LEASE: SF 080917 FORMATION: MIV TIELD NOTES & REMARKS: PIT LICCATED APPROXIMATELY /05 FT. NZTE FROM VELLHEAD. DEPTH TO GROUNDWATER 7 100 NEARST WATER SQUECE 71000 NEARST SURFACE VATER 7 1000 NNOCD RANKING SCORE: DN NOCD TH CLOSURE STD SODO PM DVM CALIB: GAS = 1000 ppm RT = 0.52 RT MINE 7 1000 ppm RT = 0.52 RT MI	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199 CLIENT: BP LOCATION NO. 80959 C.D.C. NO. 9815						
DISPOSAL FACILITY: DN-STRE REMEDIATION METHOD: CLOSE AS 15 LAND USE: RAMES - SLM LEASE: SF 080917 FORMATION: MV PIELD NOTES & REMARKS: PI LUCATED APPRIXMATELY 105 FT. NZTE FROM WELLHEAD. DEPTH TO GROUNDVAIER PIDD NEAREST VATER SOURCE NOON NEAREST SURFACE VATER PIDDO' NEAREST VATER SOURCE SIDDO' NEAREST SURFACE VATER PIDDO' NAMED SANGHOR SCORE: NAMED STATE SOURCE STD DPM SOIL AND EXCAVATION DESCRIPTION: SOIL TYPE: GAND SILTY SAND / SILT / SILTY CLAY / CLAY / CRAVEL / OTHER SOIL COLOR OF NAME SILTY SAND / SILTY CLAY / CLAY / CRAVEL / OTHER SOIL COLOR OF NAME SILTY SAND / SILGHTLY COHESIVE / COHESIVE / HIGHLY CHICKLY CLAYS DANGE / TO MOST THE / SILTY SAND / SILGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE / COHESIVE / HIGHLY PLASTIC / COHESIVE / MOST SILTY SAND / SILTY NOON SILTY SAND / SILTY CHICKLY / GRAVEL / OTHER SOIL COLOR OF SAND / SILTY SAND / SILTY CLAY / CLAY / CRAVEL / OTHER SOIL COLOR SILTY SAND / SILTY SAND / SILTY CHICKLY / CHESTVE / HIGHLY COHESIVE / COHESIVE / HIGHLY CHICKLY / HIGHLY PLASTIC / COHESIVE / COHESIVE / HIGHLY PLASTIC / HIGHLY PLASTIC / COHESIVE / HEAD / CONSISTENCY SOILS / CONSISTENCY SILTY SAND / SILTY	LOCATION: NAME: ATLANTIC B LS WELL #: 4A TYPE: POD. TANK DATE STARTED: 4/26/02 QUAD/UNIT: J SEC: 5 TWP: 300 RNG: 100 PM: No CNTY: 5J ST:No						
DVM CALIB. READ. 53.0 ppm DVM CALIB. READ. 53.0 ppm DVM CALIB. GAS = 100 ppm DVM CALIB. GAS = 100 ppm BF = 0.52 TIME. 10.0 CM CALIB. GAS = 100 ppm BF = 0.52 TIME. 10.0 CM CALIB. GAS = 100 ppm BF = 0.52 TIME. 10.0 CM CALIB. GAS = 100 ppm BF = 0.52 TIME. 10.0 CM CALIB. GAS = 100 ppm BF = 0.52 TIME. 10.0 CM CALIB. GAS = 100 ppm BF = 0.52 TIME. 10.0 CM CALIB. GAS = 100 ppm BF = 0.52 TIME. 10.0 CM CALIB. GAS = 100 ppm BF = 0.52 TIME. 10.0 CM CALIB. GAS = 100 ppm BF = 0.52 TIME. 10.0 CM CALIB. GAS = 100 ppm BF = 0.52 TIME. 10.0 CM CALIB. GAS = 10.0 ppm BF = 0.52 TIME. 10.0	EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS 15 LAND USE: RANGE -BUM LEASE: SF 080917 FORMATION: MV FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 105 FT. NZTE FROM WELLHEAD.						
DENSITY COMPOSIVE CLAYS: CRETS) SDET / FIRM / STIFF / VERY STIFF / HARD CLOSED MISTURE: DRY / CLIGHTLY MDISD / MDIST / VET / SATURATED / SUPER SATURATED DISCOLURATION/STAINING DESERVED YES / CDD EXPLANATION - HC ODOR DETECTED: YES / CDD EXPLANATION - SAMPLE TYPE: GRAD COMPOSITE - # DF PTS. — ADDITIONAL COMMENTS: FIELD 418.1 CALCULATIONS SCALE SAMP. TIME SAMPLE I.D. LAB NO: WEIGHT (g) ML. FREON DILUTION READING CALC. ppm O FT PIT PERIMETER N OVM RESULTS SAMPLE PROPOSICE 1 2 7 1.8 2 2 3 2 3 2 4 2 5 2 ANOT APPLICABLE PLAY STREET PLAY ANALYSIS THE CLOSED FILED 418.1 CALCULATIONS SCALE FIELD 418.1 CALCULATIONS PIT PROFILE OVM RESULTS SAMPLE PROPOSICE 1 2 7 1.8 2 2 2 3 2 4 2 5 2 CONTROL PROSPOCE 1 2 7 1.8 CONTROL PROPOSICE CONTROL PROPOSICE	NMOCD RANKING SCORE: 6 NMOCD TPH CLOSURE STD: 5000 PPM SOIL AND EXCAVATION DESCRIPTION: SOIL TYPE: SAND SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER SOIL COLOR: ORANGE 70 MOD. SELL . BROWN COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / HIGHLY COHESIVE						
SCALE SAMP. TIME SAMPLE I.D. LAB NO: WEIGHT (g) ML. FREON DILUTION READING CALC. ppm PIT PERIMETER OVM RESULTS SAMPLE RED HEADSPACE PRO (ppm) 1 2 7 1.8 2 2 3 2 3 2 4 2 5 2	PHASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC						
PIT PERIMETER NOVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm) 1 2 7 1.8 2 2 3 3 0 4 0 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	SCALE SAMP. TIME SAMPLE I.D. LAB No: WEIGHT (g) ML. FREON DILUTION READING CALC. ppm						
TRAVEL NOTES: CALLOUT: 4/25/02 - AFTER. ONSITE: 4/26/02 - MORN.	PIT PERIMETER OVM RESULTS SAMPLE FIELD HEADSPACE 10 mm 10 mm						



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	04-30-02
Laboratory Number:	22612	Date Sampled:	04-26-02
Chain of Custody No:	9815	Date Received:	04-26-02
Sample Matrix:	Soil	Date Extracted:	04-26-02
Preservative:	Cool	Date Analyzed:	04-30-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Atlantic B LS #4A Production Tank Pit

Grab Sample.

Analyst C. Cefue

(histur m Waeters