

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: _____
Address: 200 ENERGY COURT, FARMINGTON, NM 87410
Facility or well name: SCHWERTFEGER A #4E API #: 30-045- 25428 U/L or Qtr/Qtr H Sec 31 T 28N R 8W
County: SAN JUAN Latitude 36.62050 Longitude 107.71508 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> <u>DEHY/SEP</u> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> <u>STEEL TANK</u> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 0 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 0 1000 feet or more (0 points)
Ranking Score (Total Points) 0	

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5)

Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: <u>PIT LOCATED APPROXIMATELY 99 FT. S37E FROM WELL HEAD.</u>
PIT EXCAVATION: WIDTH <u>N/A ft.</u> , LENGTH <u>N/A ft.</u> , DEPTH <u>N/A ft.</u>
PIT REMEDIATION: CLOSE AS IS: <input checked="" type="checkbox"/> , LANDFARM: <input type="checkbox"/> , COMPOST: <input type="checkbox"/> , STOCKPILE: <input type="checkbox"/> , OTHER <input type="checkbox"/> (explain)
Cubic yards: <u>N/A</u>
BEDROCK BOTTOM

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 11/01/05

Printed Name/Title Jeff Blagg - P.E. # 11607 Signature Jeff A. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3 Signature Bob Roll Date: FEB 28 2006

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81682</u> COCR NO: <u>14977</u>																																																					
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																																					
LOCATION: NAME: <u>SCHWERTFEGER A</u> WELL#: <u>4E</u> TYPE: <u>DEHY/SEP</u> QUAD/UNIT: <u>H</u> SEC: <u>31</u> TWP: <u>28N</u> RNG: <u>8W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1650 FNL x 555 FEL SEINE</u> CONTRACTOR: <u>PXS (Robador)</u>		DATE STARTED: <u>10-27-05</u> DATE FINISHED: <u>10-27-05</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																																					
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>																																																							
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>																																																							
LAND USE: <u>RANGE-BLM</u> LEASE: <u>SF-079319</u> FORMATION: <u>DK</u>																																																							
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>99</u> FT. <u>S37E</u> FROM WELLHEAD.																																																							
DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>1000</u>																																																							
NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																																																							
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>52.1</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>1255</u> am/pm DATE: <u>10/27</u>																																																					
SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK SANDSTONE</u>																																																							
SOIL COLOR: <u>Yellow Tan</u>																																																							
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / <u>HIGHLY COHESIVE</u>																																																							
CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / <u>VERY DENSE</u>																																																							
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC																																																							
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD																																																							
MOISTURE: <u>DRY</u> / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED																																																							
DISCOLORATION/STAINING OBSERVED: YES / <u>NO</u> EXPLANATION -																																																							
HC ODOR DETECTED: YES / <u>NO</u> EXPLANATION -																																																							
SAMPLE TYPE: GRAB / <u>COMPOSITE</u> - # OF PTS. <u>3</u>																																																							
ADDITIONAL COMMENTS: <u>12'x12'x5' Deep Pit w/ 95 BBL Steel tank. Pit Excavated into Bedrock Sandstone. Use Backhoe to P11 tank + scrape SS. surface</u>																																																							
FIELD 418.1 CALCULATIONS																																																							
SCALE	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>							SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																								
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																																
0 FT																																																							
PIT PERIMETER				PIT PROFILE																																																			
				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">OVM READING</th> </tr> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @</td><td> </td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td>3-Pint @ 5'</td><td>0.0</td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">LAB SAMPLES</th> </tr> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>3-Pint</td><td>TPH</td><td>1230</td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>				OVM READING		SAMPLE ID	FIELD HEADSPACE (ppm)	1 @		2 @		3 @		4 @		5 @		3-Pint @ 5'	0.0									LAB SAMPLES			SAMPLE ID	ANALYSIS	TIME	3-Pint	TPH	1230															
OVM READING																																																							
SAMPLE ID	FIELD HEADSPACE (ppm)																																																						
1 @																																																							
2 @																																																							
3 @																																																							
4 @																																																							
5 @																																																							
3-Pint @ 5'	0.0																																																						
LAB SAMPLES																																																							
SAMPLE ID	ANALYSIS	TIME																																																					
3-Pint	TPH	1230																																																					
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																																							
TRAVEL NOTES: CALLOUT: _____ ONSITE: <u>10/27/05</u>																																																							

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	3 Pt Composite	Date Reported:	11-01-05
Laboratory Number:	34807	Date Sampled:	10-27-05
Chain of Custody No:	14977	Date Received:	10-27-05
Sample Matrix:	Soil	Date Extracted:	10-27-05
Preservative:	Cool	Date Analyzed:	10-31-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Schwerdtfeger A 4E Dehy / Sep Pit.**


Analyst


Review