District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No

Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-gr	ade tank 🔀
Operator: BP America Production Company Telepho	ne: (505)326-9200 e-mail address:	
Address: 200 Energy Ct. Farmington, NM 87401		
Facility or well name: Barrett A #7 API#:	3004526795 U/L or Qu/Qu I	- Sec 19 T 31N R 9W
County: San Juan Latitude		
Surface Owner: Federal State Private Indian		
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover	Construction material:	1
Lined Unlined	Double-walled, with leak detection? Yes If no	
Liner type: Synthetic Thicknessmil Clay		
Pit Volumebbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water.)	100 feet or more	(0 points)
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	s's relationship to other equipment and tanks. (2) Indi	icate disposal location: (check the onsite box if
your are burying in place) onsite offsite file foffsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No 🗌		* · · · · · · · · · · · · · · · · · · ·
(5) Attach soil sample results and a diagram of sample locations and excav		
Additional Comments:		
	· · · · · · · · · · · · · · · · · · ·	
See Attached Documentation		
		· · · · · · · · · · · · · · · · · · ·
I hereby certify that the information above is true and complete to the be-	st of my knowledge and belief I further certify that	t the above-described pit or below-grade tank
has been/will be constructed or closed according to NMOCD guideling	nes 🔼, a general permit 🔲, or an (attached) alter	native OCD-approved plan .
	4	
Date: 11/01/2005	Alle C Sta	
	ature Jaffy C. Skg	
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	s not relieve the opera@ of liability should the conter the operator of its responsibility for compliance with	nts of the pit or tank contaminate ground water or a many other federal, state, or local laws and/or
Approval: Printed Name/Title PERMY OIL & GAS INSPECTOR, DIST. (28)	01011	DFC 1 0 2227
Printed Name/Title	Signature BM & M	Date: Date: 1 9 2005

CLIENT: BP	P.O. BOX	87, BLO	NEERING OMFIELD, 332-1199	NM 874	13 LOC		1: <u>80974</u> 1: <u>9057</u>
FIELD REPORT	T: PIT CL	OSURE	VERIF	ICATION	PAGI	E No:	of
QUAD/UNIT: I SEC: 16	7 TWP: 3(N	rng: 9w	PM: NM CN		DATE		5-20-02 5-20-02 JCB
EXCAVATION APPROX							
P(T DISPOSAL FACILITY: LAND USE:	NA	したASE: 人 様	REMEDIA	ATION MET	ΓHOD: ≤ FORMAT		5 (S PC
FIELD NOTES & REMA							WELLHEAD.
DEPTH TO GROUNDWATER:							- 1
NMOCD RANKING SCORE				м			
SOIL AND EXCAVATION	N			OVM CALIB			31
DESCRIPTION:				TIME: (UZC)			RF = 0.52
SOIL TYPE: SAND / SILTY		SILTY CLAY	/ CLAY / GF				
SOIL COLOR: GRAF- COHESION (ALL OTHERS): N		SLIGHTLY CO	THESIND / CI	JHESIVE / HI	GHLY COH	ESIVE	
CONSISTENCY (NON COHESIV	E SOILS): LOOS	/ FIRM /	DENSE / VE	RY DENSE			
PLASTICITY (CLAYS): NON I DENSITY (COHESIVE CLAYS					on .		_
MOISTURE: DRY /SLIGHTLY	MOIST / MOIST	/ WET / S	ATURATED /	SUPER SATUR	ATED (CLOSE	\bigcirc
DISCOLORATION/STAINING DE HC ODOR DETECTED: YES	SERVEDI YES	NO EXPL	ANATION -	1- MINUR	-		
SAMPLE TYPE (CDAR) CO	MPOSITE - # OF	219					
ADDITIONAL COMMENTS	136 BACKM BACKFILL M	TER TE	016 /25/- 5+ Result	1018 - 4 1N-			
SCALE SAUD TO	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	T	T	ALCULATIONS			
SAMP. II	ME SAMPLE I.D.	LAB No:	WEIGHT (g)	ML. FREUN	DILUTION	READING	CALC. ppm
O FT			<u> </u>				
1 PIT PERIM	ETER			P	IT PF	ROFILE	
7			VM				
10'-		RES SAMPLE	ULTS FIELD HEADSPACE	-	•		
		1 @ 5	PID (ppm)	-			
,	7 1	2 @ 3 @					i
	_	4 @					
	110'	5 e	·	-			
					T APPL	UCAR IT	
	-			_			
							İ
	_ `		AMPLES				
SAMPLE TH	770	10 1	MALYSIS TIME	\dashv			
SAM 17							
P.D. = PIT DEPRESSION; B.G.	= BEIOW CRADE	F. 19	N55ED)				
				1			
T.H. = TEST HOLE; ~ = APP		0700		5/20/02	09	ul n	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

1			
Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Prod C @ 5'	Date Reported:	05-21-02
Laboratory Number:	22765	Date Sampled:	05-20-02
Chain of Custody No:	9057	Date Received:	05-20-02
Sample Matrix:	Soil	Date Extracted:	05-21-02
Preservative:	Cool	Date Analyzed:	05-21-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Barrett A #7.

Analyst C. Que

Printer of Wollers