District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit of	or below-grade tank L Closure of a pit or below-grade	de tank 🗷			
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:					
Address: 200 Energy Ct. Farmington, NM 87401 Facility or well name: Riddle D LS API#:	30045/0493 U/L or Qtr/Qtr L	Sec 22 TZIN RAW			
	Longitude	NAD: 1927 🗀 1983 🗀			
Surface Owner: Federal State Private Indian		10 10			
<u>Pit</u>	Below-grade tank	10 13 21 27			
Type: Drilling Production Disposal	Volume:bbl Type of fluid:				
Workover Emergency	Construction material: DEC 2000				
Lined Unlined	Double-walled, with leak detection? Yes If not	t, explain why not PEOPING			
Liner type: Synthetic Thicknessmil Clay		E OM BOARD BY			
Pit Volumebbl		to Die. a			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) \$ 5 5 7 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
ingli vittor elevation et ground vitter.	100 feet or more	(0 points)			
William Constitution of the Constitution of th	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)			
water source, or less than 1000 feet from all other water sources.)					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
,	1000 feet or more	(0 points)			
	Ranking Score (Total Points)				
Yfakis is a mid alamana (1) Attach a diagram of the facility showing the mid	a polationship to other consists and tooling (2) Indian	ets dismost locations (shoots the engite hav if			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if					
your are burying in place) onsite [offsite I foffsite, name of facility_					
remediation start date and end date. (4) Groundwater encountered: No 🔲		ft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excava	tions.				
Additional Comments:					
See Attached Documentation	-				
	And the second s				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank					
has been/will be constructed or closed according to NMOCD guidelines 🔼, a general permit 🗌, or an (attached) alternative OCD-approved plan 🗍.					
Date: 11/01/2005					
Printed Name/Title Jeffrey C. Blagg, Agent Signature					
Your certification and NMOCD approval of this application/closure does not relieve/the operator of liability should the contents of the pit or tank contaminate ground water or					
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or					
regulations.					
	-1				
Approval: EETAVIV OIR & GAS INSPECTOR, DIST. 49		DEC 1 9 2005			
Printed Name/Title Date: UEU 1 9 2005					

	3004510493				
	BLAGG ENGINEERING, OX 87, BLOOMFIELD, (505) 632-1199	NM .87413	C.D.C. NE	80931 9719	
FIELD REPORT: (CLOSURE VERIFI	CATION	PAGE No:	<u>/</u> of	
QUAD/UNIT: L SEC: 22 TWP: 312 RNG: 90 PM: NO CNTY: 5J ST: NO			DATE STARTED: _ DATE FINISHED: _		
QTR/F00TAGE:1750'5 1890'W No	พรง CONTRACTOR: FLIAT		ENVIRONMENTAL SPECIALIST:	NV	
EXCAVATION APPROXNA_ FT. x DISPOSAL FACILITY: ON- LAND USE:			YARDAGE: _	AU	
FIELD NOTES & REMARKS: PI	ST WATER SOURCE: _ > 10 00 '	_ NEAREST SURFAC	E WATER: >10	100	
NMOCD RANKING SCORE: NMOCE SOIL AND EXCAVATION DESCRIPTION:	DVM CALIB. GAS = /=> ppm	RF = 0.52	_ STEEL TANK IN	ISTALLED	
DESCRIPTION: TIME: 8:15 @ Description: SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEORX (SANDSTOWE) SOIL COLDR: DX. YELL. BROWN TO OR. GRAY COHESION (ALL OTHERS): (NON COHESIVE) / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): (COUSD / FRM) DENSE / VERY DENSE PLASTICITY (CCAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD OLOSED MOISTURE: DRY / SLIGHTLY MOIST / MOISD / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: MED / NO EXPLANATION - BETWEED 3 - 6 BROWN GRADE, THEN CLEANED WE SAMPLE TYPE: GRAD / COMPOSITE - # OF PTS. — ADDITIONAL COMMENTS: CONTAMINATION FIELD 418.1 CALCULATIONS					
SCALE SAMP. TIME SAMPLE	E I.D. LAB No: WEIGHT (g)		ITION READING	CALC. ppm	
O FT					
PIT PERIMETER 16 SERM HEAD APPROX. 8' APPROX. 3	OVM RESULTS SAMPLE FIELD MEADSPACE PID (ppm) 1 @ 1/ D O O 2 @ 3 @ 4 @ 5 @ 5 @ 6 LAB SAMPLES SAMPLE SAMPLES SAMPLE ANALYSIS TIME Deli' TPM (80158) 1230	PIT	PROFILE		

revised: 08/17/01

8 cm P.O.

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE
T.H. = TEST HOLE
TRAVEL NOTES: CALLOUT: 2/14/92 - r

B.G.

CALLOUT: 2/14/02 - moen . ONSITE:

2/14/02 - AFTER



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 11'	Date Reported:	02-15-02
Laboratory Number:	22040	Date Sampled:	02-14-02
Chain of Custody No:	9719	Date Received:	02-14-02
Sample Matrix:	Soil	Date Extracted:	02-15-02
Preservative:	Cool	Date Analyzed:	02-15-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Riddle D LS #3 Blow Pit Gral

Grab Sample.

Analyst C. Ogleven

Mister m Walter