District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-gra	ade tank					
DD America Destruction Company (505)226 0200 a mail address:							
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:							
Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: Sheets Ls # A API#: 30045 22449 U/L or Qtr/Qtr D Sec 28 T31N R 920							
County: San Juan Latitude Longitude NAD: 1927 1983 Surface Owner: Federal State Private Indian							
Surface Owner: Federal State Private Indian	Delaw and took						
Pit	Below-grade tank						
Type: Drilling Production Disposal	Volume:bbl Type of fluid: DEC 2005 Construction material: RECEIVED						
Workover	Double welled with leak detection? Ves I If no	ot evaluin why poll Costs are					
Liner type: Synthetic Thicknessmil Clay	Double-walled, with leak detection? Yes If not, explain why not I CONS DIV.						
Pit Volumebbl	(A)						
TR Volume	Less than 50 feet	(20 points) C + C 7					
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)					
high water elevation of ground water.)	100 feet or more	(0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)					
water source, or less than 1000 feet from all other water sources.)	No	(0 points)					
	Less than 200 feet	(20 points)					
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)					
	Ranking Score (Total Points)						
	<u>-1. </u>						
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if							
your are burying in place) onsite offsite offsite, name of facility (3) Attach a general description of remedial action taken including							
remediation start date and end date. (4) Groundwater encountered: No 🗌		ft. and attach sample results.					
(5) Attach soil sample results and a diagram of sample locations and excava	tions.						
Additional Comments:							
See Attached Documentation							
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideling	of my knowledge and belief. I further certify that the SM. a general permit . or an (attached) alternates	the above-described pit or below-grade tank					
has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan .							
Date: 11/01/2005							
Printed Name/Title Jeffrey C. Blagg, Agent Signature C. Slegy							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval: EFFITY OIL & GAS IMSPECTOR, DIST. 38	Signature Brad Dell	DEC 1 9 2005					
Printed Name/Title	Signature 1 Frank Defl	Date: 5 2003					

client: BP	P.O. BOX	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199			1 LOCATION NO: 80230 COCR NO:	
FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: _/_ of _/_						
LOCATION: NAME: SHE	EETS LS	WELL#:	ZA TYPE	: ನೀಶಲ	DATE STARTED: 9/30/62	
QUAD/UNIT: D SEC: 28 TWP: 312 RNG: 9W PM: NYT CNTY: 5J ST: NY					DATE FINISHED:	
QTR/FOOTAGE: 875 A	950 W NW	LOW CONTR	ACTOR: FLINT	(cocreu)	SPECIALIST:	
EXCAVATION APPR					C YARDAGE: NA	
DISPOSAL FACILITY: 00-31TE REMEDIATION METHOD: CLOSE AS 15						
LAND USE: RANG	<u> </u>	LEASE:	FEE	F	ORMATION:	
					FROM WELLHEAD.	
DEPTH TO GROUNDWATER: _					FACE WATER: >1000'	
NMOCD RANKING SCORE: NMOCD TPH CLOSURE STD: 5000 PPM						
SOIL AND EXCAVATION DESCRIPTION:			OVM CALIB. READ. = <u>53.6</u> ppm OVM CALIB. GAS = <u>100</u> ppm <u>RF = 0.52</u>			
SOIL TYPE: (SAND) SILTY			GRAVEL / OTH			
SOIL COLOR: COHESION (ALL OTHERS): NO	MOD. TO OK. YE	L. BROWN	UEGIVE / UICULY	COMESTIC		
CONSISTENCY (NON COHESIN				COHESIVE		
PLASTICITY (CLAYS): NON PL				HIGHLY PLASTIC		
DENSITY (COHESIVE CLAYS					CLD2ED)	
MOISTURE: DRY (SLIGHTLY)				POT DEGREE	IDA SURFACE ONLY (CENTER)	
HC ODOR DETECTED: YES		3.	(1,7)	THE DEFECTS	102 SUMMER ONE (CENTER)	
SAMPLE TYPE: GRAB COMP	OSITE - # OF PTS.			•		
ADDITIONAL COMMENTS:	NO THE ANALY	SID WAS	CONDUCTED	, , , , , , , , , , , , , , , , , , , ,	· · · · · · · · · · · · · · · · · · ·	
00415		FIE	ELD 418.1 CALC	ULATIONS		
SCALE	P. TIME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON D	ILUTION READING CALC. (ppm)	
0 FT						
			<u> </u>			
PIT PERIM	1ETER ♣N] · ·	VM		PIT PROFILE	
T.H;	A DOWN	_	NDING			
~ 6' B.P.D.	/ 5LBP4 OIRECTION	SAMPLE	FIELD HEADSPACE	CE		
\		1099.5	(ppm) D.O			
136	RM	2 @				
	1 T	3 @ 4 @		_		
5.00						
P.D.						
~3.5				-		
8.6.						
23'						
LAB SAMPLES						
→ ince						
V H€	4					
				_		
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM TRAVEL NOTES:						
TRAVEL NOTES: CALLOUT: 9/30/02-MORN. ONSITE: 9/30/02-MORN.						