<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

1220 South St. Francis Dr. Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

Type of action: Registration of a pit of	uk covered by a "general plan"? Yes 🔀 N or below-grade tank 🗌 Closure of a pit or below-g	rade tank 🔀					
Operator: BP America Production Company Telephor	ne: <u>(505)326-9200</u> e-mail address:						
Address: 200 Energy Ct, Farmington, NM 87401	20////						
	0045 22449 U/L or Qtr/Qtr						
County: San Juan Latitude	Longitude	NAD: 1927 🗌 1983 🗍					
Surface Owner: Federal 🗌 State 🗎 Private 🗍 Indian 🗍							
<u>Pit</u>							
Type: Drilling Production X Disposal							
Workover							
Lined 🗍 Unlined 🗍							
Liner type: Synthetic Thickness mil Clay							
Pit Volumebbl							
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)					
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)					
	100 feet or more	(0 points)					
W. III	Yes	(20 points)					
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)					
water source, or less than 1000 feet from all other water sources.)							
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)					
	200 feet or more, but less than 1000 feet	(10 points)					
	1000 feet or more	(0 points)					
	Ranking Score (Total Points)						
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Ind	icate disposal location: (check the onsite box if					
your are burying in place) onsite offsite If offsite, name of facility							
remediation start date and end date. (4) Groundwater encountered: No							
(5) Attach soil sample results and a diagram of sample locations and excava							
Additional Comments:							
See Attached Documentation							
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that es X , a general permit [], or an (attached) altern	t the above-described pit or below-grade tank native OCD-approved plan .					
Davis 11/01/2005	A						
Printed Name/Title Jeffrey C. Blagg, Agent Signature C. Slegg							
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the content the operator of its responsibility for compliance with	its of the pit or tank contaminate ground water or any other federal, state, or local laws and/or					
Approval: SAS INSPECTOR, DIST. (29) Printed Name/Title	Signature Bd AM	DEC 1 9 2005					

BLAGG ENGINEERING, INC.					LOC	LOCATION NO: 60230			
CLIENT: BP	P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199			l l	COCR NO:				
FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: of									
LOCATION: NAME: SHEET	s <u>LS</u>	WELL#:	LA TYPE	compa			9/27/02		
QUAD/UNIT: D SEC: 28	TWP: 310 RNO	3: 9W PM:	HM CNTY: 5]	ST: NM		FINISHED:			
QTR/FOOTAGE: 875 N/9	50' <u>ω νι</u>	المي CONTE	RACTOR: FLIN	T (CORNELL	.) SPEC	RONMENTAL IALIST:	NV		
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u>									
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS									
LAND USE: LANGE		LEASE:	FEE		FORMAT	ION:	MU		
FIELD NOTES & REMAR			(IMATELY				WELLHEAD.		
DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000									
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	5000 PF	РМ					
					0. = <u>53.6</u> ppm = <u>700</u> ppm <u>RF = 0.52</u>				
O VIVI CALIB. GAS					(ADA/pm DATE: 9/27/02				
SOIL TYPE: (SAND) SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK SOIL COLOR: OK, YELL, DRANGE TO MOD, YELL, BROWN BEDROCK					CK (SA)	(SANDSTONE)			
SOIL COLOR: OR. 90 COHESION (ALL OTHERS): (NON C					ROCK - P	put the . BK	(*~~		
CONSISTENCY (NON COHESIVE SO	OILS): LOOSE FIRM	D/ DENSE / VERY	DENSE						
PLASTICITY (CLAYS): NON PLASTI DENSITY (COHESIVE CLAYS & SILT				/ HIGHLY PLAST	IC				
MOISTURE: ORY SLIGHTLY MOIS	•					CLOSED	\odot		
DISCOLORATION/STAINING OBSER HC ODOR DETECTED: YES (NO) E									
SAMPLE TYPE GRABI COMPOSIT	E - # OF PTS								
ADDITIONAL COMMENTS: BEOR	OCK - HARD TO PLE FROM BEO								
REDROCK \	DICTED.	/COCK 0.3	840W 3766		Z JPH AN	UNC/5/3 W	^3		
SCALE SAMP TO		FII	ELD 418.1 CALC	ULATIONS		1			
SAMP. TI	ME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)		
0 FT									
PIT PERIMET	TER AN				PIT	ROFIL	F		
10	<u> </u>	7 c	NVM			IXOI IL			
K HEAD		REA	DING FIELD HEADSPACE						
		1 @ 3.5	(ppm)	_					
J		2 @	0.7	_					
TO BERM	- TH.	3 @ 4 @		-					
COMPRESSOR 13	21'	5 @		_					
T.B. TANK	B.T.B.			~ ~ ~ ~	T APPL	ICABLE			
~3'									
8.6.									
e.		LAB S	AMPLES						
1 we	_	CAMPLE	NALYSIS TIME						
DIRE	re Crion		- 1013						
_									
P.D. = PIT DEPRESSION; B.G. = BELOV T.H. = TEST HOLE; ~ = APPROX.; T.B.	V GRADE; B = BELOW - TANK BOTTOM	v							
TRAVEL NOTES: CALLOUT: 9/30/02 - morn . ONSITE: 9/30/02 - morn .									