District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

Form C-144
June 1, 2004
ing and production facilities, submit to
te NMOCD District Office.

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

District IV 1220 South St. Francis Dr. Santa Fe, NM 87505 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Gra	de Tank Registration or Closu	<u>ire</u>		
Is pit or below-grade tan	k covered by a "general plan"? Yes N			
Type of action: Registration of a pit of	or below-grade tank Closure of a pit or below-gr	rade tank 🗵		
Operator: BP AMERICA PROD. CO.	Telephone: (505)-326-9200 e-m	nail address:		
Address: 200 ENERGY COURT, FARMINGTON.	NM 87410	·		
Facility or well name: HARDIE LS #5A	API #: 30-045- 22749 U/L or Qtr	/Qtr D Sec 23 T 29N R 8W	_	
County: SAN JUAN Latitude 36.71590 Longitude 10	7.65167 NAD: 1927 🗆 1983 🛭 Surface 0	Owner Federal 🛛 State 🔲 Private 🔲 Indian [コ	
<u>Pit</u>	Below-grade tank			
Type: Drilling Production Disposal SEP/COMP	Volume:bbl_Type of fluid: /			
Workover ☐ Emergency ☐	Construction material:	_		
Lined Unlined STEEL TANK	Double-walled, with teak ditection? Yes 1 If 1	t. explain why not.		
Liner type: Synthetic Thicknessmil Clay _				
Pit Volumebbl				
Dock and the second sec	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.)	100 feet or more	(0 points)	1	
	37	(20)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	1	
water source, or less than 1000 feet from all other water sources.)	No	(0 points)		
District Control of the state o	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)	İ	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)		
	Ranking Score (Total Points)	0		
If this is a pit closure: (1) attach a diagram of the facility showing the pit's				
your are burying in place) onsite 🛛 offsite 🔲 If offsite, name of facility_	. (3) Attach a general	description of remedial action taken including	ř	
remediation start date and end date. (4) Groundwater encountered: No 🛛	Yes 🔲 If yes, show depth below ground surface	ft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavation	is.	17 05 05 DE		
Additional Comments: PIT LOCATED APPROXIMATEL	Y 111 FT. S52W FROM W	ELL HEAD.		
PIT EXCAVATION: WIDTH N/Aft., LENGTH	N/Aft., DEPTH N/Aft		R.	
PIT REMEDIATION: CLOSE AS IS: ⊠, LANDFARM: □, C		explain) & FEB 2006	(-2	
Cubic yards: N/A				
			5	
BEDROCK BOTTOM			3 /	
I homely contifued at a table information charge in two and accordant to the land			7	
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	: of my knowledge and belief. I further certify that es ⊠, a general permit □, or an alternative OCD	the above-described pit or below-grade tan	k	
Date: 07/22/05				
Date: 0//22/03				
- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10				
Loff Plage DE #11607	Jeffen C. C	Se grap		
PrintedName/Title Jeff Blagg - P.E. # 11607	Signature 2 16 c			
Your certification and NMOCD approval of this application/closure does	not relieve the operator of liability should the conten	ts of the pit or tank contaminate ground water	or	
	not relieve the operator of liability should the conten	ts of the pit or tank contaminate ground water	or	
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve	not relieve the operator of liability should the conten	ts of the pit or tank contaminate ground water	or	
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the content the operator of its responsibility for compliance with	ts of the pit or tank contaminate ground water any other federal, state, or local laws and/or	or	
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the content the operator of its responsibility for compliance with	ts of the pit or tank contaminate ground water any other federal, state, or local laws and/or	or	
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the conten	ts of the pit or tank contaminate ground water any other federal, state, or local laws and/or	or	

30-0-13-22111	1 00017	5102 10	1007107		والمستوب المرابات مستوي		
	BLAG	G ENGI	NEERING	, INC.	LOCA	ATION NO:	B1575
CLIENT: BP	P.O. BOX (87, BLO 505) 632		, NM 874	13	R NO:	14299
FIELD REPORT	: PIT CL	OSURE	VERIFI	CATIO		E No:	
LOCATION: NAME: HAR QUAD/UNIT: D SEC: 23					-	STARTED:	7-15-05
QTR/FOOTAGE: 800 FNL	* 800 FWL N	WW CONTR	ACTOR HDI	(UDNEW)	ENVIR SPECI	ONMENTAL ALIST:	ICB
EXCAVATION APPROX							0
DISPOSAL FACILITY:			REMEDIA			Cuso	AS 15
LAND USE: RANGE - B	,	LEASE: 5	F - 07841	6A	FORMATI	ON:	MV
FIELD NOTES & REMAR	KS: PIT LOCA	ATED APPROX	MATELY	\ FT	55ZW	FROM	WELLHEAD.
DEPTH TO GROUNDWATER: >/C					URFACE WAT	ER: >/	<u> </u>
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD: _	5000 PF				
SOIL AND EXCAVATION	SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. READ. = 52.0 ppm OVM CALIB. GAS = 100 ppm RF = 0.52						
		**************************************		TIME: 070	am/pm	DATE: _	7-15-05
SOIL TYPE: SAND / SILTY SAI SOIL COLOR: ORA~	ND / SILT / SILTY O	CLAY / CLAY /	GRAVEL (OTH	ER BE	DROCK SA	nostore	
COHESION (ALL OTHERS): NON C	OHESIVE / SLIGHTLY			COHESIVE			
CONSISTENCY (NON COHESIVE SE PLASTICITY (CLAYS): NON PLAST			-	/ HIGHLY PLAST	IC		
DENSITY (COHESIVE CLAYS & SILT	1.					(USED)
MOISTURE: DRY / SLIGHTLY MOIS DISCOLORATION/STAINING OBSER	EXP		R SATURATED				
HC ODOR DETECTED: YES (NO) E SAMPLE TYPE: (GRAB) COMPOSIT							
ADDITIONAL COMMENTS:	E-# UF F13		x 10 x 5				
BEDROCK (dstore in				
	1		LD 418.1 CALC				
SCALE SAMP. TI	ME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
O _φ FT		<u> </u>	<u> </u>				
N PIT PERIMET	TER .	<u> </u>	l	<u> </u>	PITE	ROFIL	.E
	_		VM				
	(5'66)	SAMPLE	DING FIELD HEADSPACE				
)	1@ 5	(ppm)	_			
, , , "	TANK	2 @ 3 @	· · · · · · · · · · · · · · · · · · ·	_			
	PAINT (5°CG)	4 @ 5 @					
	1 (2 (2)					A 001 -	<i>a</i> .
	,				NOT	APPLI	CABLE
		IARS	AMPLES	7			
		SAMPLE A	VALYSIS TIME				
SAMPLÉ	(5 · 156)		1140				
			135EV /	_			
P.D. = PIT DEPRESSION; B.G. = BELOV T.H. = TEST HOLE; ~ = APPROX.; T.B.	V GRADE; B = BELOW = TANK BOTTOM			7	····		
TRAVEL NOTES: CALLOUT: ONSITE: 7/15/05							



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5'	Date Reported:	07-22-05
Laboratory Number:	33725	Date Sampled:	07-15-05
Chain of Custody No:	14299	Date Received:	07-18-05
Sample Matrix:	Soil	Date Extracted:	07-20-05
Preservative:	Cool	Date Analyzed:	07-22-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	0.7	0.1	
Total Petroleum Hydrocarbons	0.7	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Hardie LS 5A Sep / Comp.

Analyst C. Q

Mustine of Watter Review