District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)  Type of action: Registration of a pit or below-grade tank \( \subseteq \) Closure of a pit or below-grade tank \( \subseteq \)		
Operator: Lance Oil & Gas Company, Inc.  Telephone: 505- Address: #99 CR 6500, P. O. Box 70, Kirtland, NM 87417	.598-5601 Ext. 58 e-mail address:	jbeckste@westerngas.com
Facility or well name: WF Federal 27 #4 API #: 30-045-32394 U/L or Qtr/Qtr G Sec 27 T 30N R 14W		
County: San Juan Latitude Longitude		
County: San Juan Latitude Longitude	NAD: 1927 [] 1983 [] Surface Ow	ner rederat 🖸 State 🗀 rrivate 🗀 indian 🗀
Pit	Below-grade tank	
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	T 19 19 20 20
Workover    Emergency	Construction material:	A STATE OF THE STA
Lined ⊠ Unlined □	Construction material:  Double-walled, with leak detection? Yes  If not,	explain why for
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐		WAR 2005
Pit Volume 80 bbl		E PROPERTY SE
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points) O DIST 3
water elevation of ground water.)	100 feet or more	( 0 points) 0
W. III 1	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	No	( 0 points) <b>0</b>
water source, or less man 1000 feet from an order water sources.)	Less than 200 feet	(20 = 0; to)
Distance to surface water: (horizontal distance to all wetlands, playas,		(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	( 0 points) 0
	Ranking Score (Total Points)	0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🗵 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: Pit was closed on or about 3/5/05 according to NMOCD guidelines as they now exist modified by BLM liner		
cut-off requirements.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .  Date: 3/11/2005		
Printed Name/Title Jo Becksted / Compliance Administrator Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: Printed Name/Title Printed Name/Title	Signature Brand PM	Date: MAR 1 8 2005

WF Federal 34 # 4



