

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Energen Resources Corporation

3a. Address

2198 Bloomfield Highway, Farmington, NM 87401

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

790' FSL, 1820' FWL SW/4

(N) S15, T32N, R4W

5. Lease Serial No.

NM 59696

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

Carracas Canyon #14

Unit 15B

9. API Well No.

30-039-24718

10. Field and Pool, or Exploratory Area

Basin Fruitland Coal

11. County or Parish, State

Rio Arriba NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent☐ Subsequent Report☐ Final Abandonment Notice

TYPE OF ACTION

☐ Acidize☐ Alter Casing☐ Casing Repair☐ Change Plans☐ Convert to Injection☐ Deepen☐ Fracture Treat☐ New Construction☐ Plug and Abandon☐ Plug Back☐ Production (Start/Resume)☐ Reclamation☒ Recomplete☐ Temporarily Abandon☐ Water Disposal☐ Water Shut-Off☐ Well Integrity☐ Other

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

Energen Resources proposes a recompleation of the Carracas Canyon Unit 15B #14 in the Basin Fruitland Coal by drilling a horizontal lateral off the existing vertical wellbore as indicated on the attached C-102 and directional wellplan. A whipstock will be set at 3140' +/- (TVD) and a window milled in the existing 7" casing. The lateral will be drilled to 5190' (MD), 3617' (TVD). This will be an open hole completion. 2 3/8" tubing will be landed at 3634' (TVD) in the 7" casing.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Nathan Smith

Title

Drilling Engineer

Date 5/23/06

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Petr. Eng

Date

8/1/06

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-102
Revised June 10, 2003

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies
2006 MAY 23 PM 2:44
[X] AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-039-24718	² Pool Code 71629	³ Pool Name Basin Fruitland Coal
⁴ Property Code	⁵ Property Name Carracas Canyon Unit 15B	⁶ Well Number #14
⁷ OGRID No. 162928	⁸ Operator Name Energen Resources	⁹ Elevation 6735'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot. Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	15	32N	4W		790	South	1820	West	Rio Arriba


¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot. Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	15	32N	4W		2500	South	760	West	Rio Arriba

¹² Dedicated Acres W/2	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

¹⁶				¹⁷ OPERATOR CERTIFICATION <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.</i>  Signature Nathan Smith Printed Name Drilling Engineer Title and E-mail Address 5/18/06 Date
				¹⁸ SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> April 5, 1989 Date of Survey Signature and Seal of Professional Surveyer: Original survey conducted and recorded by Edgar L. Risenhover NM Surveyor # 5979 Certificate Number



Energen Resources Corporation

Field: Carracas Canyon


Site: Carracas Canyon Unit 15 B #14

Well: Carracas Canyon Unit 15 B #14

Wellpath: Original Hole

Plan: Plan #2 5-23-06

PATHFINDER





WELLPATH DETAILS				
Original Hole				
Rig:	Ref. Datum:	Mean Sea Level	0.00ft	
V. Section	Origin	Origin	Starting	
Angle	+N/S	+E/W	From TVD	
328.21°	0.00	0.00	0.00	

WELLPATH DETAILS				
Original Hole				
Rig:	Ref. Datum:	Mean Sea Level	0.00ft	
V. Section	Origin	Origin	Starting	
Angle	+N/S	+E/W	From TVD	
328.21°	0.00	0.00	0.00	

WELL DETAILS						
Name	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
Carracas Canyon Unit 15 B #14	0.00	0.00	0.00	0.00	30°59'24.512N	109°25'44.094W
						N/A

SECTION DETAILS						
Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W
1	0.00	0.00	328.21	0.00	0.00	0.00
2	3146.54	0.00	328.21	3146.54	0.00	0.00
3	3896.54	90.00	328.21	3624.00	405.82	-251.56
4	5430.96	90.00	328.21	3624.00	1710.00	-1060.00



WELLPATH DETAILS				
Original Hole				
Rig:	Ref. Datum:	Mean Sea Level	0.00ft	
V. Section	Origin	Origin	Starting	
Angle	+N/S	+E/W	From TVD	
328.21°	0.00	0.00	0.00	

WELLPATH DETAILS				
Original Hole				
Rig:	Ref. Datum:	Mean Sea Level	0.00ft	
V. Section	Origin	Origin	Starting	
Angle	+N/S	+E/W	From TVD	
328.21°	0.00	0.00	0.00	

SITE DETAILS
Carracas Canyon Unit 15 B #14
Rio Arriba County, New Mexico
790' FSL 1820' FWL Sec. 15; T32N; R4W

COMPANY DETAILS
Energen Resources Corporation
2198 Bloomington Blvd
Farmington, NM 87401

Ground Level: 6735.00
Positional Uncertainty: 0.00
Convergence: 0.00
Calculation Method: Minimum Curvature
Error System: Systematic Ellipse
Scan Method: Closest Approach 3D
Error Surface: Elliptical Conic
Warning Method: Error Ratio

Pathfinder Energy

Planning Report - Geographic

Company: Energen Resources Corporation Field: Carracas Canyon Site: Carracas Canyon Unit 15 B #14 Well: Carracas Canyon Unit 15 B #14 Wellpath: Original Hole			Date: 5/23/2006 Co-ordinate(NE) Reference: Well: Carracas Canyon Unit 15 B #14 Vertical (TVD) Reference: System: Mean Sea Level Section (VS) Reference: Well (0.00N,0.00E,328.21Azi) Plan: Plan #2 5-23-06			Time: 14:13:33 Page: 1					
Field: Carracas Canyon Rio Arriba County, NM											
Map System: US State Plane Coordinate System 1927 Geo Datum: NAD27 (Clarke 1866) Sys Datum: Mean Sea Level				Map Zone: New Mexico, Western Zone Coordinate System: Well Centre Geomagnetic Model: igrf2005							
Site: Carracas Canyon Unit 15 B #14 Rio Arriba County, New Mexico 790' FSL 1820' FWL Sec. 15; T32N; R4W											
Site Position: From: Lease Line Position Uncertainty: 0.00 ft Ground Level: 6735.00 ft			Northing: ft Easting: ft Latitude: ft Longitude: ft North Reference: Grid Grid Convergence: 0.00 deg								
Well: Carracas Canyon Unit 15 B #14				Slot Name:							
Well Position: +N/-S 0.00 ft Northing: 0.00 ft Latitude: 30 59 24.512 N +E/-W 0.00 ft Easting: 0.00 ft Longitude: 109 25 44.094 W				Position Uncertainty: 0.00 ft							
Wellpath: Original Hole				Drilled From: Surface Tie-on Depth: 0.00 ft Above System Datum: Mean Sea Level Declination: 0.00 deg Mag Dip Angle: 0.00 deg +E/-W: Direction deg							
Current Datum: Mean Sea Level Height 0.00 ft Magnetic Data: 5/23/2006 Field Strength: 0 nT Vertical Section: Depth From (TVD) ft +N/-S ft				0.00 0.00 0.00 328.21							
Plan: Plan #2 5-23-06 Principal: Yes				Date Composed: 5/23/2006 Version: 1 Tied-to: From Surface							
Plan Section Information											
MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg	Target	
0.00	0.00	328.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
3146.54	0.00	328.21	3146.54	0.00	0.00	0.00	0.00	0.00	0.00		
3896.54	90.00	328.21	3624.00	405.82	-251.56	12.00	12.00	0.00	328.21		
5430.96	90.00	328.21	3624.00	1710.00	-1060.00	0.00	0.00	0.00	0.00	PBHL	
Survey											
MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	Map Northing ft	Map Easting ft	← Latitude → Deg Min Sec		← Longitude → Deg Min Sec	
0.00	0.00	328.21	0.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
100.00	0.00	328.21	100.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
200.00	0.00	328.21	200.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
300.00	0.00	328.21	300.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
400.00	0.00	328.21	400.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
500.00	0.00	328.21	500.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
600.00	0.00	328.21	600.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
700.00	0.00	328.21	700.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
800.00	0.00	328.21	800.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
900.00	0.00	328.21	900.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
1000.00	0.00	328.21	1000.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
1100.00	0.00	328.21	1100.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
1200.00	0.00	328.21	1200.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
1300.00	0.00	328.21	1300.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
1400.00	0.00	328.21	1400.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
1500.00	0.00	328.21	1500.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W

Pathfinder Energy

Planning Report - Geographic

Company: Energen Resources Corporation
Field: Carracas Canyon
Site: Carracas Canyon Unit 15 B #14
Well: Carracas Canyon Unit 15 B #14
Wellpath: Original Hole

Date: 5/23/2006 **Time:** 14:13:33 **Page:** 2
Co-ordinate(NE) Reference: Well: Carracas Canyon Unit 15 B #14
Vertical (TVD) Reference: System: Mean Sea Level
Section (VS) Reference: Well (0.00N,0.00E,328.21Azi)
Plan: Plan #2 5-23-06

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N-S ft	+E-W ft	Map Northing ft	Map Easting ft	← Latitude → Deg Min Sec		← Longitude → Deg Min Sec	
1600.00	0.00	328.21	1600.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
1700.00	0.00	328.21	1700.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
1800.00	0.00	328.21	1800.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
1900.00	0.00	328.21	1900.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
2000.00	0.00	328.21	2000.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
2100.00	0.00	328.21	2100.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
2200.00	0.00	328.21	2200.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
2300.00	0.00	328.21	2300.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
2400.00	0.00	328.21	2400.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
2500.00	0.00	328.21	2500.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
2600.00	0.00	328.21	2600.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
2700.00	0.00	328.21	2700.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
2800.00	0.00	328.21	2800.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
2900.00	0.00	328.21	2900.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
3000.00	0.00	328.21	3000.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
3100.00	0.00	328.21	3100.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
3146.54	0.00	328.21	3146.54	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
3147.00	0.06	328.21	3147.00	0.00	0.00	0.00	0.00	30 59	24.512 N	109 25	44.094 W
3150.00	0.42	328.21	3150.00	0.01	-0.01	0.01	-0.01	30 59	24.512 N	109 25	44.094 W
3175.00	3.42	328.21	3174.98	0.72	-0.45	0.72	-0.45	30 59	24.519 N	109 25	44.099 W
3200.00	6.42	328.21	3199.89	2.54	-1.58	2.54	-1.58	30 59	24.537 N	109 25	44.112 W
3225.00	9.42	328.21	3224.65	5.47	-3.39	5.47	-3.39	30 59	24.566 N	109 25	44.134 W
3250.00	12.42	328.21	3249.19	9.49	-5.88	9.49	-5.88	30 59	24.605 N	109 25	44.163 W
3275.00	15.42	328.21	3273.46	14.60	-9.05	14.60	-9.05	30 59	24.655 N	109 25	44.200 W
3300.00	18.42	328.21	3297.37	20.78	-12.88	20.78	-12.88	30 59	24.716 N	109 25	44.245 W
3325.00	21.42	328.21	3320.87	28.02	-17.37	28.02	-17.37	30 59	24.787 N	109 25	44.298 W
3350.00	24.42	328.21	3343.90	36.29	-22.50	36.29	-22.50	30 59	24.868 N	109 25	44.358 W
3375.00	27.42	328.21	3366.38	45.58	-28.25	45.58	-28.25	30 59	24.959 N	109 25	44.426 W
3400.00	30.42	328.21	3388.26	55.85	-34.62	55.85	-34.62	30 59	25.060 N	109 25	44.501 W
3425.00	33.42	328.21	3409.48	67.08	-41.58	67.08	-41.58	30 59	25.170 N	109 25	44.582 W
3450.00	36.42	328.21	3429.98	79.24	-49.12	79.24	-49.12	30 59	25.289 N	109 25	44.671 W
3475.00	39.42	328.21	3449.70	92.30	-57.22	92.30	-57.22	30 59	25.417 N	109 25	44.766 W
3500.00	42.42	328.21	3468.59	106.22	-65.84	106.22	-65.84	30 59	25.554 N	109 25	44.867 W
3525.00	45.42	328.21	3486.59	120.95	-74.98	120.95	-74.98	30 59	25.698 N	109 25	44.975 W
3550.00	48.42	328.21	3503.67	136.47	-84.59	136.47	-84.59	30 59	25.850 N	109 25	45.088 W
3575.00	51.42	328.21	3519.77	152.72	-94.67	152.72	-94.67	30 59	26.010 N	109 25	45.206 W
3600.00	54.42	328.21	3534.84	169.67	-105.18	169.67	-105.18	30 59	26.176 N	109 25	45.330 W
3625.00	57.42	328.21	3548.85	187.27	-116.09	187.27	-116.09	30 59	26.349 N	109 25	45.458 W
3650.00	60.42	328.21	3561.75	205.47	-127.36	205.47	-127.36	30 59	26.527 N	109 25	45.590 W
3675.00	63.42	328.21	3573.52	224.21	-138.98	224.21	-138.98	30 59	26.711 N	109 25	45.727 W
3700.00	66.42	328.21	3584.12	243.45	-150.91	243.45	-150.91	30 59	26.900 N	109 25	45.867 W
3725.00	69.42	328.21	3593.52	263.14	-163.12	263.14	-163.12	30 59	27.093 N	109 25	46.010 W
3750.00	72.42	328.21	3601.69	283.22	-175.56	283.22	-175.56	30 59	27.290 N	109 25	46.157 W
3775.00	75.42	328.21	3608.62	303.63	-188.22	303.63	-188.22	30 59	27.490 N	109 25	46.305 W
3800.00	78.42	328.21	3614.27	324.33	-201.05	324.33	-201.05	30 59	27.693 N	109 25	46.456 W
3825.00	81.42	328.21	3618.65	345.25	-214.01	345.25	-214.01	30 59	27.898 N	109 25	46.609 W
3850.00	84.42	328.21	3621.73	366.33	-227.08	366.33	-227.08	30 59	28.105 N	109 25	46.762 W
3875.00	87.42	328.21	3623.51	387.52	-240.22	387.52	-240.22	30 59	28.312 N	109 25	46.916 W
3896.54	90.00	328.21	3624.00	405.82	-251.56	405.82	-251.56	30 59	28.492 N	109 25	47.050 W
3897.00	90.00	328.21	3624.00	406.21	-251.81	406.21	-251.81	30 59	28.496 N	109 25	47.053 W
3900.00	90.00	328.21	3624.00	408.76	-253.39	408.76	-253.39	30 59	28.521 N	109 25	47.071 W
4000.00	90.00	328.21	3624.00	493.76	-306.07	493.76	-306.07	30 59	29.354 N	109 25	47.690 W
4100.00	90.00	328.21	3624.00	578.75	-358.76	578.75	-358.76	30 59	30.188 N	109 25	48.309 W

Pathfinder Energy

Planning Report - Geographic

Company: Energen Resources Corporation
Field: Carracas Canyon
Site: Carracas Canyon Unit 15 B #14
Well: Carracas Canyon Unit 15 B #14
Wellpath: Original Hole

Date: 5/23/2006 **Time:** 14:13:33 **Page:** 3
Co-ordinate(NE) Reference: Well: Carracas Canyon Unit 15 B #14
Vertical (TVD) Reference: System: Mean Sea Level
Section (VS) Reference: Well (0.00N,0.00E,328.21Azi)
Plan: Plan #2 5-23-06

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	Map Northing ft	Map Easting ft	← Latitude → Deg Min Sec			← Longitude → Deg Min Sec		
4200.00	90.00	328.21	3624.00	663.75	-411.45	663.75	-411.45	30	59	31.021 N	109	25	48.928 W
4300.00	90.00	328.21	3624.00	748.74	-464.13	748.74	-464.13	30	59	31.855 N	109	25	49.548 W
4400.00	90.00	328.21	3624.00	833.74	-516.82	833.74	-516.82	30	59	32.688 N	109	25	50.167 W
4500.00	90.00	328.21	3624.00	918.73	-569.51	918.73	-569.51	30	59	33.522 N	109	25	50.786 W
4600.00	90.00	328.21	3624.00	1003.73	-622.19	1003.73	-622.19	30	59	34.355 N	109	25	51.405 W
4700.00	90.00	328.21	3624.00	1088.72	-674.88	1088.72	-674.88	30	59	35.189 N	109	25	52.024 W
4800.00	90.00	328.21	3624.00	1173.72	-727.57	1173.72	-727.57	30	59	36.022 N	109	25	52.643 W
4900.00	90.00	328.21	3624.00	1258.71	-780.25	1258.71	-780.25	30	59	36.856 N	109	25	53.262 W
5000.00	90.00	328.21	3624.00	1343.71	-832.94	1343.71	-832.94	30	59	37.689 N	109	25	53.881 W
5100.00	90.00	328.21	3624.00	1428.70	-885.63	1428.70	-885.63	30	59	38.523 N	109	25	54.500 W
5200.00	90.00	328.21	3624.00	1513.70	-938.31	1513.70	-938.31	30	59	39.356 N	109	25	55.120 W
5300.00	90.00	328.21	3624.00	1598.69	-991.00	1598.69	-991.00	30	59	40.189 N	109	25	55.739 W
5400.00	90.00	328.21	3624.00	1683.69	-1043.69	1683.69	-1043.69	30	59	41.023 N	109	25	56.358 W
5430.96	90.00	328.21	3624.00	1710.00	-1060.00	1710.00	-1060.00	30	59	41.281 N	109	25	56.550 W

Targets

Name	Description Dip.	Dir.	TVD ft	+N/-S ft	+E/-W ft	Map Northing ft	Map Easting ft	← Latitude → Deg Min Sec			← Longitude → Deg Min Sec		
PBHL			3624.00	1710.00	-1060.00	1710.00	-1060.00	30	59	41.281 N	109	25	56.550 W

Annotation

MD ft	TVD ft	
3147.00	3147.00	KOP @ 3147' MD/ TVD
3147.00	3147.00	Begin 12" / 100' Build Rates
3897.00	3624.00	End Of Build @ 90° Inc
3897.00	3624.00	3897' MD 3624' TVD