District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No ... Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔯 Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com Operator: Burlington Resources Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Huerfano Unit 22 API #: 30045061140000 \_ U/L or Qtr/Qtr <u>M</u> Sec <u>33</u> T <u>27N</u> R <u>10W</u> Longitude \_-107.90651 NAD: 1927 X 1983 Latitude <u>36.52746</u> County: San Juan Surface Owner: Federal ⊠ State ☐ Private ☐ Indian ☐ <u>Pit</u> Below-grade tank Type: Drilling | Production | Disposal | Volume: 60 bbl Type of fluid: Produced Water and Incidental Oi Construction material: Fiberglass Lined Unlined Double-walled, with leak detection? Yes If not, explain why not Liner type: Synthetic Thickness mil Clay No. Tank in place prior to Rule 50. Pit Volume \_ Less than 50 feet Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more ( 0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No ( 0 points) 0 water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more 10 ( 0 points) 10 **Ranking Score (Total Points)** If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility \_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. **Additional Comments:** The soils tested clean and no soil remediation was required. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. BEPAITY OIL & GAS INSPECTOR, DIST. (32) Date: AUG 2 5 2006

CLIENT: Birlington Neserus	ENVIROTECH INC.  ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0615					1.00	0.00471091-965 0.000-865		
FIELD REPOR	T: C	LOSU	RE V	ERIFIC	CATION	PAGE	E No: _	1 of 1	
LOCATION: NAME: Huerford WELL #: 22 PIT: QUAD/UNIT: M SEC: 33 TWP: 27N RNG: 16W PM:NM/M CNTY: ST ST: NM								8/4/04	
QTR/FDDTAGE:		CONT	RACTOR:	Bailey's	4	SPECIA	ONMENTAL ALIST:	MPM	
EXCAVATION APPROX FT. x FT. x FT. DEEP CUBIC YARDAGE:   DISPOSAL FACILITY: NA REMEDIATION METHOD: FORMATION:									
FIELD NOTES & REMARI	<s: pit<="" td=""><td>LOCATED</td><td>APPROXI</td><td>MATELY _</td><td><b>14'</b> FT.</td><td>110'</td><td>FROM</td><td>WELLHEAD.</td></s:>	LOCATED	APPROXI	MATELY _	<b>14'</b> FT.	110'	FROM	WELLHEAD.	
DEPTH TO GROUNDWATER: O NEAREST WATER SOURCE: O NEAREST SURFACE WATER: 10									
NMOCD RANKING SCORE: 10 NMOCD TPH CLOSURE STD: 1000 PPM							CHECK ONE :		
SUIL AND EXCAVATION BESCRIPTION:							PIT ABANDONED  STEEL TANK INSTALLED		
visish No <del>viststi</del> signs site		MPLE I.D.	FIE	∟D 418.1 CAL					
SCALE	1920 3	Below	1	5	20	1	0.0014	16	
O FT									
PIT PERIME	TER		OVM	9	PIT	' PR	OFILE	٦ د	
SAMPLE PED HEADSPACE PID (ppm)  1 3 3 4 5  SAMPLE PID (ppm)  1 3 3 2 4 5  LAB SAMPLES  SAMPLE ANALYSIS TIME  TRAVEL NOTES									
TRAVEL NOTES:ONSITE:									

•



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

Project #:

92115-046-018

Sample No.:

- 1

Date Reported:

8/4/2006

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

8/4/2006

Sample Matrix:

Soil

Date Analyzed:

8/4/2006

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

9.71

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

**Huerfano Unit 22** 

Analyst

₹eview



## EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:

**Burlington Resources** 

Project #:

92115-046-018

Sample ID:

QA/QC

Date Reported:

8/4/2006

Laboratory Number:

01-24-TPH.QA/QC

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

1/24/2005

Preservative: Condition:

N/A N/A Date Extracted:
Analysis Needed:

1/24/2005

Calibration

I-Cal Date

C-Cal Date

I-Cal RF:

C-Cal RF:

% Difference Accept. Range

**TPH** 

05-22-04

1/24/2005

1,735

1,724

0.6% +/- 10%

Blank Conc. (mg/Kg)

Concentration

**Detection Limit** 

**TPH** 

ND

5.0

Duplicate Conc. (mg/Kg)

Sample

Duplicate

% Difference Accept. Range

**TPH** 

2,471

2,352

4.8% +/- 30%

Spike Conc. (mg/Kg)

Sample

Spike Added

Spike Result

% Recovery Accept Range

TPH

2,471

2,000

5,030

112.5%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis os Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Huerfano Unit 22

Analyst

Review