

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135

Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

*Do not use this form for proposals to drill or to re-enter an Abandoned well. Use Form 3160-3 (APD) for such proposals*

2006 AUG 21 PM 12 14

**SUBMIT IN TRIPLICATE – Other instructions on reverse side**

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. <b>SF - 078499-A</b>
2. Name of Operator <b>BP America Production Company Attn: Kristina Hurts</b>		6. If Indian, Allottee or tribe Name
3a. Address <b>P.O. Box 3092 Houston, TX 77253</b>	3b. Phone No. (include area code) <b>281-366-3866</b>	7. Unit or CA/Agreement, Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) <b>950' FNL &amp; 1600' FWL Sec 17 T28N R08W</b>		8. Well Name and No. <b>Riddle F LS 1A</b>
		9. API Well No. <b>30-045-23684</b>
		10. Field and Pool, or Exploratory Area <b>Blanco Mesaverde/Otero Chacra</b>
		11. County or Parish, State <b>San Juan County, New Mexico</b>

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OR NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Abandon
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Water Disposal	
	<input type="checkbox"/> Injection	<input type="checkbox"/> Plug Back	<input checked="" type="checkbox"/> Other	<b>Downhole Commingling</b>

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

**BP America Production Company requests permission to recompleate the subject well into the Otero Chacra Pool and commingle production Downhole with the existing Blanco Mesaverde as per the attached procedure. The Blanco Mesaverde (72319) & Otero Chacra (82329) Pools are Pre-Approved Pools for Downhole Commingling per NMOCD order R-11363. The working & overriding royalty interest owners in the proposed commingled pools are different, therefore additional notification is required. Production is proposed to be allocated based on the subtraction method using the projected future decline for production from the Mesaverde. That production shall serve as a base for production subtracted from the total production for the commingled well. The balance of the production will be attributed to the Chacra. Attached is the future production decline estimates for the Mesaverde. Commingling Production Downhole in the subject well from the proposed pools will not reduce the value of the total remaining production.**

*No DHC application 8-28-06*

14. I hereby certify that the foregoing is true and correct	
Name (Printed/typed) <b>Kristina Hurts</b>	Title <b>Regulatory Analyst</b>
Signature <i>Kristina Hurts</i>	Date <b>8/15/2006</b>

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by <i>Joe Hewitt</i>	Title <b>Geo</b>	Date <b>8-21-06</b>
----------------------------------	---------------------	------------------------

Conditions of approval, if any, are attached. Approval of this notice does not warrant or Certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office  
**FF0**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCD

## **SJ Basin Well Work Procedure**

**Well Name:** Riddle F LS 1A

**Date:** August 4, 2006

**Repair Type:** Recompletion

---

**Objective:** Perforate and frac Chacra, and downhole co-mingle Chacra, with existing Mesaverde

1. TOH with completion.
  2. Perforate and fracture Chacra.
  3. Land tbg and return well to production.
  4. Downhole co-mingle Chacra, and Mesaverde.
- 

**Location:** T28N-R8W-Sec17

**API #**30-045-23684

**County:** San Juan

**State:** New Mexico

**Engr:** Jesse Gracia

**Horizon:** Mesaverde/Chacra

ph (281) 366-1946

fax (281) 366-0700

---

### **Procedure:**

1. Perform pre-rig site inspection. Check for: size of location, Gas Taps, other wells, other operators, running equipment, wetlands, wash (dikes req.), H2S, barriers needed for equipment, Landowner issues, location of pits (buried lines in pits), Raptor nesting, critical location, check anchors. Check ID wellhead, if earth pit is required have One Call made 48 hours prior to digging.
2. Perform second site visit after lines are marked to ensure all lines clear marked pit locations. Planning and Scheduling to ready location for rig.
3. RU slickline unit or wireline unit. Pressure test lubricator and equipment. RIH and set **two** barriers (CIBP, tbg collar stop w/plug, or plug set in nipple) for isolation in tubing string.
4. Check and record tubing, casing, and bradenhead pressures. Ensure production casing has double casing valves installed. Double valve all casing strings.
5. If bradenhead pressure is observed and does not blow down, we will perform a bradenhead repair after identifying TOC in the 7" casing.
6. MIRU workover rig. LO/TO all necessary equipment including but not limited to: meter run, Automation, Separators and water lines.
7. Blow down well. Kill with 2% KCL water ONLY if necessary.

8. Check all casing strings to ensure no pressure exist on any annulus. **The operations of removal of wellhead and installation of BOP's will be performed under a dispensation for one (1) barrier on the backside.**
9. Nipple down Wellhead. NU 2 3/8" BOPs and diversion spool with 3" outlets and 3" pipe to the blow tank. Pressure test BOPs to 200 psi above BHP. Monitor flowing casing pressure with gauge (with casing flowing to blow tank) throughout workover.
10. Install stripping rubber, pull tubing hanger up above pipe rams, and shut pipe rams. Remove stripping rubber. Strip tubing hanger out of hole. Re-install stripping rubber.
11. TOH and LD 2-3/8" production tubing currently set at 4807'. Using approved "Under Balance Well Control Tripping Procedure".
12. TIH w/ 4 1/2" scrapers. Check the distance between the top of the blind rams and the length of the bottom hole assembly that is being run. If the BHA is too long then the well has to be top killed and monitored prior to opening blind rams. RIH to PBTD at 4,923' POOH.
13. Set composite bridge plug at 3,800'. Fill casing w/ 2%KCl and test to 500 psi while monitoring the bradenhead pressure.
14. RU E-line equipment. Pressure test lubricator and equipment. Log well with CBL from 3,800 to surface.
15. Replace Wellhead if needed.
16. Prepare for explosive operations. Follow Schlumberger Explosive SOP including radio silence, suspension of welding operations, and isolation of electrical devices from the work area. Perform Pre-job Safety Meeting to review JSA and procedures. Meeting should address the VDR (vehicle data recorder) System that Bp people have installed on their vehicles. They must be shut off at the 300 foot sign by hitting 00 and then the enter button, and then wait for about 5 minutes for the unit to turn off. When the green light goes out, call the control center at 326-9475. This number is on a pickup list in the Optimizer room and should be your first point of contact followed by the front desk then the weekend pager. Verify the unit is not transmitting. You then can drive to location and park, but do not to exceed 10 Miles/hr. Note: 20 MPH will turn unit back on. If someone has On Star on their vehicle they cannot enter closer than 300 foot. On Star cannot be turned off. PLEASE take special caution. This is in conjunction with all cell phones, pagers, radios and any electronic devise that transmits a signal.
17. RIH with 3-1/8" casing guns w/lubricator. Perforate Chacra formation.
18. TIH w/ 3 1/2" x 2 3/8 N-80 frac string and 4 1/2" x 2 3/8" packer. Set packer @ +/-2460'.
19. NU Frac isolation equipment. Install and monitor production casing and treating pressure during entire job in frac van via pressure transducers on production casing and

treating line. Spearhead 500 gal 15% HCL, establish injection rate, and proceed with fracture stimulation according to Schlumberger schedule. Maintain surface pressures less than 5,000 psi during frac job. Flush frac with foam. Fill out GWSI scorecard.

20. Flowback frac immediately. Flow well through choke manifold on  $\frac{1}{4}$ ",  $\frac{1}{2}$ " and  $\frac{3}{4}$ " chokes increasing drawdown until well dies or stabilizes. This is to aid in reducing sand flowback. Recommend 8 hours of flow for each choke size.
21. Release packer.
22. TOH w/ 3  $\frac{1}{2}$ " x 2  $\frac{3}{8}$ " frac string and packer.
23. Rig up air package/unit, pressure test all lines (Testing procedure to be supplied from air company), TIH with tubing and bit for 4-1/2" casing. Cleanout fill to top of BP set at 3,800'. **Perform 8-12 hr well test on Chacra and document well test in DIMS. Contact Cherry Hlava (281-366-4081) after DIMS has been updated.**
24. Cleanout fill and BP set at 3,800'. Cleanout to PBDT at 4,923'. Blow well dry.
25. Rabbit tubing and RIH with 2-3/8" production tubing (with muleshoe, F-nipple with plug, 4 ft pup, X-nipple with plug).
26. Land 2-3/8" production tubing at +/-4,700'. Lock down hanger and tubing bonnet.
27. Pressure test tubing to 500 psi with air unit, make sure tubing spool valves are open. Care should be taken during pressure testing of the tubing due to potential problem caused if tubing parts close to surface or above the hanger. Check all casing string for pressure. **The operations of removal of wellhead and installation of BOP's will be performed under a dispensation for one (1) barrier on the backside.**
28. ND BOP's. NU Wellhead. During Master valve placement ensure the top of hanger has spacer nipple in place to bottom of bonnet flange so plunger equipment will not hang up through tree. Pressure test Wellhead.
29. RU WL unit. Run gauge ring for 2-3/8" tubing. Pull plugs and set tubing stop for plunger. Communicate plunger equipment status to IC room personnel.
30. RD slickline unit.
31. Test well for air. Return well to production and downhole co-mingle Chacra and Mesaverde.

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St Francis Dr., Santa Fe, NM 87505

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-102  
Permit 27854

**WELL LOCATION AND ACREAGE DEDICATION PLAT**

1. API Number <b>30-045-23684</b>	2. Pool Code <b>82329</b>	3. Pool Name <b>OTERO CHACRA (GAS)</b>
4. Property Code <b>978</b>	5. Property Name <b>RIDDLE F LS</b>	6. Well No. <b>001A</b>
7. OGRID No. <b>778</b>	8. Operator Name <b>BP AMERICA PRODUCTION COMPANY</b>	9. Elevation <b>5789</b>


**10. Surface Location**

UL - Lot <b>C</b>	Section <b>17</b>	Township <b>28N</b>	Range <b>08W</b>	Lot Idn	Feet From <b>950</b>	N/S Line <b>N</b>	Feet From <b>1600</b>	E/W Line <b>W</b>	County <b>SAN JUAN</b>
----------------------	----------------------	------------------------	---------------------	---------	-------------------------	----------------------	--------------------------	----------------------	---------------------------

**11. Bottom Hole Location If Different From Surface**

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres <b>160.00</b>		13. Joint or Infill		14. Consolidation Code		15. Order No.			

**NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION**

	<p style="text-align: center;"><b>OPERATOR CERTIFICATION</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p>E-Signed By: <i>Kuotina Hueto</i> Title: Regulatory Analyst Date: <b>08-16-06</b></p> <hr/> <p style="text-align: center;"><b>SURVEYOR CERTIFICATION</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p>Surveyed By: Date of Survey: <b>ON FILE</b> Certificate Number:</p>
---	--

Riddle F LS 1A  
MesaVerde Formation  
API #

Starting 1/96 thru 9/13

Exponential Decline

Qi = mcf/d 1-Apr-2006

Qf = mcf/d

D = per year


Starting 10/13 thru 1/35

Exponential Decline

Qi = mcf/d Oct-13

Qf = mcf/d

D = per year



Date	Gas Rate mcf/d	Gas Volume MMSCF
Jan-06	135.94	4.21
Feb-06	146.71	4.11
Mar-06	107.26	3.33
Apr-06	137.55	4.13
May-06	136.61	4.23
Jun-06	135.68	4.07
Jul-06	134.75	4.18
Aug-06	133.82	4.15
Sep-06	132.91	3.99
Oct-06	132.00	4.09
Nov-06	131.10	3.93
Dec-06	130.21	4.04
Jan-07	129.31	4.01
Feb-07	128.46	3.60
Mar-07	127.61	3.96
Apr-07	126.74	3.80
May-07	125.88	3.90
Jun-07	125.02	3.75
Jul-07	124.17	3.85
Aug-07	123.31	3.82
Sep-07	122.47	3.67
Oct-07	121.63	3.77
Nov-07	120.81	3.62
Dec-07	119.98	3.72
Jan-08	118.83	3.68
Feb-08	118.03	3.42
Mar-08	117.24	3.63
Apr-08	116.45	3.49
May-08	115.66	3.59
Jun-08	114.87	3.45

Jul-08	114.09	3.54
Aug-08	113.30	3.51
Sep-08	112.53	3.38
Oct-08	111.77	3.46
Nov-08	111.01	3.33
Dec-08	110.25	3.42
Jan-09	109.79	3.40
Feb-09	109.07	3.05
Mar-09	108.35	3.36
Apr-09	107.61	3.23
May-09	106.88	3.31
Jun-09	106.15	3.18
Jul-09	105.43	3.27
Aug-09	104.70	3.25
Sep-09	103.98	3.12
Oct-09	103.27	3.20
Nov-09	102.57	3.08
Dec-09	101.87	3.16
Jan-10	101.17	3.14
Feb-10	100.50	2.81
Mar-10	99.84	3.09
Apr-10	99.16	2.97
May-10	98.48	3.05
Jun-10	97.81	2.93
Jul-10	97.14	3.01
Aug-10	96.47	2.99
Sep-10	95.81	2.87
Oct-10	95.16	2.95
Nov-10	94.51	2.84
Dec-10	93.87	2.91
Jan-11	93.22	2.89
Feb-11	92.61	2.59
Mar-11	92.00	2.85
Apr-11	91.37	2.74
May-11	90.75	2.81
Jun-11	90.13	2.70
Jul-11	89.51	2.77
Aug-11	88.89	2.76
Sep-11	88.29	2.65
Oct-11	87.69	2.72
Nov-11	87.09	2.61
Dec-11	86.50	2.68
Jan-12	85.66	2.66
Feb-12	85.09	2.47
Mar-12	84.52	2.62
Apr-12	83.95	2.52
May-12	83.38	2.58
Jun-12	82.81	2.48
Jul-12	82.25	2.55
Aug-12	81.68	2.53
Sep-12	81.13	2.43
Oct-12	80.57	2.50



Nov-12	80.03	2.40
Dec-12	79.48	2.46
Jan-13	79.15	2.45
Feb-13	78.63	2.20
Mar-13	78.11	2.42
Apr-13	77.58	2.33
May-13	77.05	2.39
Jun-13	76.52	2.30
Jul-13	76.00	2.36
Aug-13	75.48	2.34
Sep-13	74.94	2.25
Oct-13	74.36	2.31
Nov-13	73.78	2.21
Dec-13	73.20	2.27
Jan-14	72.61	2.25
Feb-14	72.06	2.02
Mar-14	71.51	2.22
Apr-14	70.95	2.13
May-14	70.40	2.18
Jun-14	69.84	2.10
Jul-14	69.30	2.15
Aug-14	68.74	2.13
Sep-14	68.20	2.05
Oct-14	67.67	2.10
Nov-14	67.14	2.01
Dec-14	66.61	2.06
Jan-15	66.08	2.05
Feb-15	65.58	1.84
Mar-15	65.08	2.02
Apr-15	64.57	1.94
May-15	64.06	1.99
Jun-15	63.56	1.91
Jul-15	63.06	1.95
Aug-15	62.56	1.94
Sep-15	62.06	1.86
Oct-15	61.58	1.91
Nov-15	61.09	1.83
Dec-15	60.61	1.88
Jan-16	59.97	1.86
Feb-16	59.51	1.73
Mar-16	59.05	1.83
Apr-16	58.59	1.76
May-16	58.13	1.80
Jun-16	57.67	1.73
Jul-16	57.22	1.77
Aug-16	56.76	1.76
Sep-16	56.32	1.69
Oct-16	55.88	1.73
Nov-16	55.44	1.66
Dec-16	55.01	1.71
Jan-17	54.72	1.70
Feb-17	54.30	1.52

Mar-17	53.89	1.67
Apr-17	53.47	1.60
May-17	53.05	1.64
Jun-17	52.63	1.58
Jul-17	52.22	1.62
Aug-17	51.80	1.61
Sep-17	51.40	1.54
Oct-17	50.99	1.58
Nov-17	50.59	1.52
Dec-17	50.20	1.56
Jan-18	49.79	1.54
Feb-18	49.42	1.38
Mar-18	49.04	1.52
Apr-18	48.66	1.46
May-18	48.27	1.50
Jun-18	47.90	1.44
Jul-18	47.52	1.47
Aug-18	47.14	1.46
Sep-18	46.77	1.40
Oct-18	46.40	1.44
Nov-18	46.04	1.38
Dec-18	45.68	1.42
Jan-19	45.31	1.40
Feb-19	44.97	1.26
Mar-19	44.63	1.38
Apr-19	44.28	1.33
May-19	43.93	1.36
Jun-19	43.58	1.31
Jul-19	43.24	1.34
Aug-19	42.90	1.33
Sep-19	42.56	1.28
Oct-19	42.23	1.31
Nov-19	41.90	1.26
Dec-19	41.57	1.29
Jan-20	41.12	1.27
Feb-20	40.81	1.18
Mar-20	40.49	1.26
Apr-20	40.17	1.21
May-20	39.86	1.24
Jun-20	39.55	1.19
Jul-20	39.24	1.22
Aug-20	38.93	1.21
Sep-20	38.62	1.16
Oct-20	38.32	1.19
Nov-20	38.02	1.14
Dec-20	37.72	1.17
Jan-21	37.52	1.16
Feb-21	37.24	1.04
Mar-21	36.96	1.15
Apr-21	36.67	1.10
May-21	36.38	1.13
Jun-21	36.09	1.08

Jul-21	35.81	1.11
Aug-21	35.52	1.10
Sep-21	35.24	1.06
Oct-21	34.97	1.08
Nov-21	34.69	1.04
Dec-21	34.42	1.07
Jan-22	34.15	1.06
Feb-22	33.89	0.95
Mar-22	33.63	1.04
Apr-22	33.37	1.00
May-22	33.10	1.03
Jun-22	32.84	0.99
Jul-22	32.59	1.01
Aug-22	32.33	1.00
Sep-22	32.07	0.96
Oct-22	31.82	0.99
Nov-22	31.57	0.95
Dec-22	31.32	0.97
Jan-23	31.07	0.96
Feb-23	30.84	0.86
Mar-23	30.60	0.95
Apr-23	30.36	0.91
May-23	30.12	0.93
Jun-23	29.89	0.90
Jul-23	29.65	0.92
Aug-23	29.42	0.91
Sep-23	29.19	0.88
Oct-23	28.96	0.90
Nov-23	28.73	0.86
Dec-23	28.50	0.88
Jan-24	28.20	0.87
Feb-24	27.98	0.81
Mar-24	27.77	0.86
Apr-24	27.55	0.83
May-24	27.33	0.85
Jun-24	27.12	0.81
Jul-24	26.91	0.83
Aug-24	26.69	0.83
Sep-24	26.48	0.79
Oct-24	26.28	0.81
Nov-24	26.07	0.78
Dec-24	25.87	0.80
Jan-25	25.73	0.80
Feb-25	25.54	0.72
Mar-25	25.34	0.79
Apr-25	25.14	0.75
May-25	24.95	0.77
Jun-25	24.75	0.74
Jul-25	24.56	0.76
Aug-25	24.36	0.76
Sep-25	24.17	0.73
Oct-25	23.98	0.74

Nov-25	23.79	0.71
Dec-25	23.60	0.73
Jan-26	23.42	0.73
Feb-26	23.24	0.65
Mar-26	23.06	0.71
Apr-26	22.88	0.69
May-26	22.70	0.70
Jun-26	22.52	0.68
Jul-26	22.35	0.69
Aug-26	22.17	0.69
Sep-26	21.99	0.66
Oct-26	21.82	0.68
Nov-26	21.65	0.65
Dec-26	21.48	0.67
Jan-27	21.31	0.66
Feb-27	21.15	0.59
Mar-27	20.99	0.65
Apr-27	20.82	0.62
May-27	20.66	0.64
Jun-27	20.50	0.61
Jul-27	20.33	0.63
Aug-27	20.17	0.63
Sep-27	20.01	0.60
Oct-27	19.86	0.62
Nov-27	19.70	0.59
Dec-27	19.55	0.61
Jan-28	19.34	0.60
Feb-28	19.19	0.56
Mar-28	19.04	0.59
Apr-28	18.89	0.57
May-28	18.74	0.58
Jun-28	18.60	0.56
Jul-28	18.45	0.57
Aug-28	18.31	0.57
Sep-28	18.16	0.54
Oct-28	18.02	0.56
Nov-28	17.88	0.54
Dec-28	17.74	0.55
Jan-29	17.65	0.55
Feb-29	17.51	0.49
Mar-29	17.38	0.54
Apr-29	17.24	0.52
May-29	17.11	0.53
Jun-29	16.97	0.51
Jul-29	16.84	0.52
Aug-29	16.71	0.52
Sep-29	16.57	0.5
Oct-29	16.44	0.51
Nov-29	16.31	0.49
Dec-29	16.19	0.5
Jan-30	16.06	0.5
Feb-30	15.94	0.45

Mar-30	15.81	0.49
Apr-30	15.69	0.47
May-30	15.57	0.48
Jun-30	15.45	0.46
Jul-30	15.32	0.48
Aug-30	15.2	0.47
Sep-30	15.08	0.45
Oct-30	14.96	0.46
Nov-30	14.85	0.45
Dec-30	14.73	0.46
Jan-31	14.61	0.45
Feb-31	14.5	0.41
Mar-31	14.39	0.45
Apr-31	14.28	0.43
May-31	14.17	0.44
Jun-31	14.06	0.42
Jul-31	13.94	0.43
Aug-31	13.83	0.43
Sep-31	13.72	0.41
Oct-31	13.62	0.42
Nov-31	13.51	0.41
Dec-31	13.4	0.42
Jan-32	13.26	0.41
Feb-32	13.16	0.38
Mar-32	13.06	0.4
Apr-32	12.96	0.39
May-32	12.85	0.4
Jun-32	12.75	0.38
Jul-32	12.65	0.39
Aug-32	12.55	0.39
Sep-32	12.45	0.37
Oct-32	12.36	0.38
Nov-32	12.26	0.37
Dec-32	12.16	0.38
Jan-33	12.1	0.38
Feb-33	12.01	0.34
Mar-33	11.92	0.37
Apr-33	11.82	0.35
May-33	11.73	0.36
Jun-33	11.64	0.35
Jul-33	11.55	0.36
Aug-33	11.46	0.36
Sep-33	11.37	0.34
Oct-33	11.28	0.35
Nov-33	11.19	0.34
Dec-33	11.1	0.34
Jan-34	11.01	0.34
Feb-34	10.93	0.31
Mar-34	10.84	0.34
Apr-34	10.76	0.32
May-34	10.68	0.33
Jun-34	10.59	0.32

Jul-34	10.51	0.33
Aug-34	10.42	0.32
Sep-34	10.34	0.31
Oct-34	10.26	0.32
Nov-34	10.18	0.31
Dec-34	10.1	0.31
Jan-35	6.71	0.21