				1
Submit 3 Copies To Appropriate District Office	State of N	lew Mexico		Form C-103
District I	Energy, Minerals as	nd Natural Resources	WELL ADINO	May 27, 2004
1625 N. French Dr., Hobbs, NM 88240 District II	0. 00. 00 TO		WELL API NO. 30-045-33819	
1301 W. Grand Ave., Artesia, NM 88210		ATION DIVISION	5. Indicate Type of Lease	e
<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410		St. Francis Dr.	STATE	FEE 🛛
District IV	Santa Fe,	NM 87505	6. State Oil & Gas Lease	No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		A 12 18 14 15 200		
SUNDRY NOTI	ICES AND REPORTS ON	WELLS A	7. Lease Name or Unit A	greement Name
(DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR. USE "APPLIC	SALS TO DRILL OR TO DEEPE CATION FOR PERMIT" (FORM	C-101) FOR SUBSPICED	LUCKY LINDY	
PROPOSALS.)	_	RO BRIENE	Well Number #2	
1. Type of Well: Oil Well	Gas Well 🛛 Other	FOR COMME THE	59! OGRID Number	
2. Name of Operator Manana Gas Inc.		Mai. 9	13931	
	sh Engineering	(C)	10. Pool name or Wildca	
7415 East Main Street, Farmington	ı, NM 87402	CI CACA AN SING	\mathscr{V} AZTEC PICTURED CL	IFFS
4. Well Location		Active	!	
Unit Letter F: 1350'	feet from the NORTH	line and 1640' feet fr	om the West line	
Section 13 Township	30N Range 12W		ounty San Juan	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 5586' GR				
Pit or Below-grade Tank Application □ or Closure □				
Pit type Depth to Groundwater	Distance from nearest fresh w	vater well Distance	from nearest surface water	
Pit Liner Thickness: mil	Below-Grade Tank: Volu	me bbls; Construction	Material	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data				
			•	
	ITENTION TO:		BSEQUENT REPORT	
PERFORM REMEDIAL WORK TEMPORARILY ABANDON	PLUG AND ABANDON	REMEDIAL WO		RING CASING 🔲
PULL OR ALTER CASING	CHANGE PLANS MULTIPLE COMPL	☐ CASING/CEME	RILLING OPNS.□ PANE NT JOB	, а 🗆
. GEE GROVIEVE GROWING		O/ IOI TO/ OZINZ	11 00B	
OTHER:		OTHER:		
13. Describe proposed or comp				
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.				
r			1	
07/18/06 Spud surface hole (8-3/4", RTC, TD44-RR). Drilled to 128'KB and ran 3jts (116.57') of 7", 23#, LS, LT&C				
casing and set at 122'KB. Cemented with 75 sx (89 cu.ft.) of Type 2 cement with 2% CaCl ₂ . and ¼ #/sk celloflake. Circulated 8 bbls of good cement to surface. Hole was staying full.				
Circulated 8 obis of good cemen	t to surface. Hole was st	ayıng tull.		
07/24/06 Nippled up the bradenh	nead and ROP Pressure t	ested the BOP and casin	g to 1000 nsi – held OK	
on 2 noo rappied up the bladein	ioda dila 201. 11033aio t	ested the Bor and easing	g to 1000 psi. Held OK:	
07/26/06 TD well (6 ¼", Varel, EDT14) at 2030'. Ran 51jts (1982.66) of 4 ½", 10.5#, J-55, ST&C production casing.				
Set casing at 1988' KB. Insert F				
metasilicate, 5#/sk gilsonite, and				ilsonite and 1/4#/sk
celloflake. Bumped plug to 1700	Opsi. The float held OK.	Circulated 28 bbls of c	ement to surface.	
I hereby certify that the information	above is true and complete	to the best of my knowled	ge and helief I further certifi	that any pit or halow
grade tank has been/will be constructed or	closed according to NMOCD g	uidelines 🔯, a general permit [or an (attached) alternative OC	D-approved plan .
SIGNATURE Tay (C)	1		DATE 00/11/07	
SIGNATURE / au/ C.	non	TITLE Agent	DATE 09/11/06	
Type or print name Paul C. Thomp				
Type of print name Taure: Thomp	oson, P.E. E-mail ad	dress: paul@walsheng.n	et Telephone No. 505	5-327-4892
For State Use Only	oson, P.E. E-mail ad	dress: paul@walsheng.n	et Telephone No. 505	5-327-4892
		. 0	Telephone No. 509	