District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes
No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank						
Operator: Burlington Resources Telephone:	(505) 326-9841 e-mail address: <u>LH</u> :	asely@br-inc.com				
Address: 3401 East 30th Street, Farmington, New Mexico, 87402						
Facility or well name: Maddox Waller No. 101 API #:	30045272510000 U/L or Qt	r/Qtr <u>N</u> Sec <u>14</u> T <u>32N</u> R <u>11W</u>				
County: San Juan Latitude	36.97991 Longitude -107.96305	NAD: 1927 ⊠ 1983 □				
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐						
Pit	Below-grade tank					
Type: Drilling Production Disposal		and Incidental Oil				
Workover Emergency	Volume: 40 bbl Type of fluid: Produced Water and Incidental Oil Construction material: Fiberglass					
Lined Unlined U						
Liner type: Synthetic Thickness mil Clay	Double-walled, with leak detection? Yes If not, explain why not.					
	No. Tank in place prior to Rule 50.					
Pit Volumebbl	Less than 50 feet	I (20				
Depth to ground water (vertical distance from bottom of pit to seasonal		(20 points)				
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)				
	100 feet or more	(0 points) 10				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0				
	Less than 200 feet	(20 points)				
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 10				
	Ranking Score (Total Points)	20				
	Ranking Score (Total Points)	<u></u>				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if						
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end						
date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth belo	w ground surfaceft. and attach sample	results.				
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.					
Additional Comments:						
The soils tested clean and no soil remediation was required.						
·						
		5				
Thereby cortify that the information above is true and complete to the best	of my knowledge and haliaf I further cortify that the	Salar described at an halour grade tools				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .						
Date: 9/18/6C Printed Name/Title Mr. Ed Hasely Environmental Advisor Signature						
Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature						
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.						
ORPUTY OR & GAS INSPECTOR, DIST. OF Approval:						
Approval: Printed Name/Title Signature						

CLIENT: Burlington	ENVIRONME	TROTEC	S & Philippes		L0047102 W		
	FARMI	U.S. HIGHWAY NGTON, NEW M ONE: (505) 63	577CO 87401		Lun w	0	
FIELD REPOR	T: CLOSU	RE V	ERIFIC	ATION	PAGE No: 1	of 1	
LOCATION: NAME: Malda QUAD/UNIT: N SEC:				7: ST ST: NA	DATE STARTED:		
QTR/FOOTAGE: 798' FSL				**	ENVIRONMENTAL SPECIALIST:	MPM	
EXCAVATION APPROX	NA		REMEDIATIO	ON METHO	D:		
LAND USE:							
FIELD NOTES & REMAR DEPTH TO GROUNDWATER:	2050						
NMOCD RANKING SCORE: 20	NMOCD TPH CLOSUR	E STD:	PPM		CHECK DN		
SOIL AND EXCAVATIO	N DESCRIPTION:					PIT ABANDONED STEEL TANK INSTALLED	
present. No su	TIME SAMPLE I.D.		LD 418.1 CAL		LUTION READING	CALC	
SCALE	0927 3' Below	1	weigiti (g)	20	1 0.0000		
JCALL							
O FT		OVM					
PIT PERIME		RESULT		PIT	PROFILE	3.	
	SAMPL 13'32's 2 3 4 5		HEADSPACE (ppm)			2006	
Mdr 545		AB SAMPI	_ES	<u> </u>	× (18/24)	10.6	
	SAMPLE	ANALYSIS	TIME	X = Sample	point		
TRAVEL NOTES: CALLOUT:			NSITE:				



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-046-080

Sample No.:

1

Date Reported:

8/11/2006

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

8/11/2006

Sample Matrix:

Soil

Date Analyzed:

8/11/2006

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

ND

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Maddox Waller No. 101

1

Analyst

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:

Burlington Resources

Project #:

92115-046-080

Sample ID:

QA/QC

Date Reported:

8/11/2006

Laboratory Number:

01-24-TPH.QA/QC

Date Sampled: Date Analyzed:

1/24/2005

Sample Matrix: Preservative:

Freon-113

Date Extracted:

1/24/2005

Condition:

N/A N/A

Analysis Needed:

TPH

N/A

Calibration

I-Cal Date

C-Cal Date

I-Cal RF:

C-Cal RF:

% Difference Accept. Range

05-22-04

1/24/2005

1,735

1,724

0.6% +/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

5.0

Duplicate Conc. (mg/Kg)

Sample

Duplicate

% Difference Accept. Range

TPH

2,471

2,352

4.8% +

+/- 30%

Spike Conc. (mg/Kg)

Sample

Spike Added

Spike Result

% Recovery Accept Range

TPH

2,471

2,000

5,030

112.5%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis os Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Maddox Waller No. 101

Analyst

Review