District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \)

Type of action: Registration of a pit or below-grade tank [Closure of a pit or below-grade tank 🗷				
Operator: Dugan Production Corp Telephone: (505)325-1821 e-mail address:				
Address: P.O. Box 420, Farmington, New Mexico 87401				
Facility or well name: September No. 15 API #:				
County: <u>San Juan</u> Latitude 36.30412 Longitude 1	07.84263 NAD: 1927 ☐ 1983 ☐ Surface Own	ner Federal 🛮 State 🗔 Private 🗀 Indian 🗀		
	Below-grade tank			
Pit	Below-grade tank Volume:bbl Type of fluid: Construction material:	Or or one		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	2006		
Workover ☐ Emergency ☐	Construction material:	NAME NAME		
Lined Unlined	Double-walled, with leak detection? Yes If not	t, explain why not.		
Liner type: Synthetic Thicknessmil Clay _				
Pit Volumebbl		Com Chin		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)		
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 0		
mgn water elevation of ground water.)	100 feet or more	(0 points)		
7 d 200 C d 200 C d	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points) 0		
water source, or less than 1000 feet from all other water sources.)				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points) 0		
, and provide the	1000 feet or more	(0 points)		
	Ranking Score (Total Points)	0		
f this is a pit closure: (1) attach a diagram of the facility showing the pit's				
our are burying in place) onsite 🛛 offsite 🔲 If offsite, name of facility				
emediation start date and end date. (4) Groundwater encountered: No 🔀 Y	es If yes, show depth below ground surface	ft. and attach sample results. (5)		
attach soil sample results and a diagram of sample locations and excavation				
Additional Comments:				
12' x 12' x 3'± deep unlined production separator pit, center located at	approximately 69 feet North 23° West of wellhead.			
Use backhoe to dig into pit and collect samples. Submit 5-point composite sample to laboratory for testing.				
to the position of the positio				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .				
Date: October 17, 2006 Printed Name/Title Jeffrey C Blagg, Agent Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or				
Your certification and NMOCD approval of this application/closure does	not relieve the operator of liability should the content	s of the nit or tank contaminate ground water or		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval:	/	//		
Printed Name/Title	Signature Branda Kall	Date: OCT 18 2006		
rimed Hame title	Signature_ U f comp ~ []	Date:		

The same of the sa	8	اک	6.30412	× 107.84	263	the same and the same	A STATE OF THE OWNER OF THE	
chient: DUGA) P			NEERING OMFIELD			CATION NO:	
CLIENT: DOGA,			505) 632		, 14141 07 4		CR NO:	14708
FIELD REP	ORT:	PIT CLO	OSURE	VERIFI	CATIO	1		of <u> </u>
LOCATION: NAME:	SEPTER	1 BER	WELL#:	5 TYPE:	SEP	DATE	E STARTED: _	10-4-06
quad/unit: A sec	: 24 TW	P: 24N RNG:	10W PM: 1	M CNTY: SJ	ST: NM			10-4-06
QTR/FOOTAGE: 99	OFNLX	990 FEL	CONTR	ACTOR: DPC-	- TAYLOR		RONMENTAL CIALIST:	JU
EXCAVATION AP	PROX.	NA FT. X	NA FT.	x <u>NA</u> FT.	DEEP. CL	JBIC YAR	DAGE:	<u> </u>
DISPOSAL FACILITY:		N	4	REMEDIA	TION METHO	DD:	CLOSE !	45 (5
LAND USE: BLM	- RANG	٤ ا	LEASE: N	M 5498	3	FORMA	ΓΙΟΝ:	DK
FIELD NOTES & R	EMARKS	PIT LOCA	TED APPROX	IMATELY 6] FT	NZ3W	FROM	WELLHEAD.
DEPTH TO GROUNDWATER	R: <u>>100</u>	NEAREST WA	TER SOURCE:	>1000	_ NEARESTS	URFACE WA	TER:	1000
NMOCD RANKING SCORE:		NMOCD TPH	CLOSURE STD:	5000 pp	М			
SOIL AND EXCA	VATION	DESCRIPTI	ON:		OVM CALIB.			
001271110 27071					TIME: 062			
SOIL TYPE: SAND / SI	LTY SAND	SILT / SILTY C	LAY / CLAY /	GRAVEL / OTHE				
COHESION (ALL OTHERS)					COHESIVE			
CONSISTENCY (NON COH PLASTICITY (CLAYS): NOI					HIGHLY PLAST	ıc		
DENSITY (COHESIVE CLA)	YS & SILTS): 5	SOFT / FIRM / STI	FF / VERY STIFF	/ HARD				
MOISTURE: DRY / SLIGHT DISCOLORATION/STAININ	LY MOIST (M) G OBSERVED	OIST (WET / SATI	urated / supei lanation - B/	R SATURATED ACK FROM	Pi+Base(-3	1) 106	. Gray	6-7
HC ODOR DETECTED: YE	S NO EXPLA	MATION -						
SAMPLE TYPE: GRAB *COMPOSITE * OF PTS. 5 ADDITIONAL COMMENTS: 12 X12 X 3 ± Unlined Pit. USE Backhoe to								
I VODITIONAL COMMENTS:								
ADDITIONAL COMMENTS:			D16	INTO AT	V SAMP			hue to
			DIG Soils		V SAMA			
SCALE	AMP. TIME	SAMP. ID	DIG Soils	LO AT LO LAC ELD 418.1 CALC	♥ SAMP 3. ULATIONS	lo- coll	ect G	my stains
SCALE SA		SAMP. ID	D16 Sqils FIE	LO AT LO LAC ELD 418.1 CALC	♥ SAMP 3. ULATIONS	lo- coll	ect G	
SCALE SA 0 FT	AMP. TIME		D16 Sqils FIE	LO AT LO LAC ELD 418.1 CALC	♥ SAMP 3. ULATIONS	DILUTIO	NREADING	G CALC. (ppm)
SCALE SA	AMP. TIME		DIG SQLS FIE LAB NO.	FOR LAC FOR LAC ELD 418.1 CALC WEIGHT (g)	♥ SAMP B. ULATIONS	DILUTIO	NREADING PROFIL	G CALC. (ppm)
SCALE SA 0 FT	AMP. TIME		DIG SOLLS FIE LAB NO.	TOT LAC FOT LAC ELD 418.1 CALC WEIGHT (g) VM ADING	V SAMP S. ULATIONS mL FREON	DILUTIO	NREADING PROFIL	G CALC. (ppm)
SCALE SA 0 FT	AMP. TIME		EAB NO.	FOR LAC FOR LAC ELD 418.1 CALC WEIGHT (g)	V SAMP S. ULATIONS mL FREON	DILUTIO	NREADING PROFIL	G CALC. (ppm)
SCALE SA O FT T PIT PER	AMP. TIME		EAB NO.	FIELD HEADSPACE	V SAMP S. ULATIONS mL FREON	DILUTIO	NREADING	G CALC. (ppm)
SCALE SA 0 FT	RIMETE		EAB NO. COREA SAMPLE 10 1 @ 2 @ 3 @	FIELD HEADSPACE	V SAMP S. ULATIONS mL FREON	DILUTIO	NREADING PROFIL	G CALC. (ppm)
SCALE SA O FT T A PIT PER	RIMETE	R	DIG SQIIS FIE LAB NO. CO REA SAMPLE 10 1 @ 2 @ 3 @ 4 @ 5 @	WEIGHT (g) VM ADING FIELD HEADSPACE (PPM)	V SAMP S. ULATIONS mL FREON	DILUTIO	NREADING PROFIL	G CALC. (ppm)
SCALE SA O FT T PIT PER	RIMETE	R	EAB NO. COREA SAMPLE 10 1 @ 2 @ 3 @ 4 @	FIELD HEADSPACE	V SAMP S. ULATIONS mL FREON	DILUTIO	NREADING PROFIL	G CALC. (ppm)
SCALE SA O FT T A PIT PER	RIMETE	R	DIG SQIIS FIE LAB NO. CO REA SAMPLE 10 1 @ 2 @ 3 @ 4 @ 5 @	WEIGHT (g) VM ADING FIELD HEADSPACE (PPM)	V SAMP S. ULATIONS mL FREON	DILUTIO	NREADING PROFIL	G CALC. (ppm)
SCALE SA O FT T A PIT PER	RIMETE	R	DIG SQIIS FIE LAB NO. CO REA SAMPLE 10 1 @ 2 @ 3 @ 4 @ 5 @	WEIGHT (g) VM ADING FIELD HEADSPACE (PPM)	V SAMP S. ULATIONS mL FREON	DILUTIO	NREADING PROFIL	G CALC. (ppm)
SCALE SA O FT PIT PER	RIMETE	R	DIG SQIIS FIE LAB NO. C REA SAMPLE 10 20 30 40 50 5-Pe 07	WEIGHT (g) VM ADING FIELD HEADSPACE (PPM)	V SAMP S. ULATIONS mL FREON	DILUTIO	NREADING PROFIL	G CALC. (ppm)
SCALE SA O FT PIT PER	RIMETE	R	SONS FIE LAB NO. CREA SAMPLE 10 1 @ 2 @ 3 @ 4 @ 5 @ 5-Pt @ 7' LAB S SAMPLE A LAB S	TO PAT FOR LACE LO 418.1 CALC WEIGHT (g) VM ADING FIELD HEADSPACE (PPM) OOO AMPLES NALYSIS TIME	V SAMP 3. ULATIONS ML FREON	DILUTIO	NREADING PROFIL	G CALC. (ppm)
SCALE SA O FT PIT PER	RIMETEI	R 12' A'	DIG SQIIS FIE LAB NO. C REA SAMPLE 10 20 30 40 50 5-Pe 07	TOP LANG FIELD HEADSPACE (PPM) AMPLES	V SAMP 3. ULATIONS ML FREON	DILUTIO	NREADING PROFIL	G CALC. (ppm)
SCALE SA O FT T A PIT PER	AMP. TIME RIMETEI - 12	R 12' A'	SONS FIE LAB NO. CREA SAMPLE 10 1 @ 2 @ 3 @ 4 @ 5 @ 5-Pt @ 7	TO PAT FOR LACE LO 418.1 CALC WEIGHT (g) VM ADING FIELD HEADSPACE (PPM) OOO AMPLES NALYSIS TIME	V SAMP 3. ULATIONS ML FREON	DILUTIO	NREADING PROFIL	G CALC. (ppm)
SCALE SA O FT PIT PER	AMP. TIME RIMETE 12	R 12' A RADE; B = BELOW	SONS FIE LAB NO. CREA SAMPLE 10 1 @ 2 @ 3 @ 4 @ 5 @ 5-Pt @ 7	TO PAT FOR LACE LO 418.1 CALC WEIGHT (g) VM ADING FIELD HEADSPACE (PPM) OOO AMPLES NALYSIS TIME	V SAMP 3. ULATIONS ML FREON	DILUTIO	NREADING PROFIL	G CALC. (ppm)



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Sept 15 - Sep	Date Reported:	10-09-06
Laboratory Number:	38744	Date Sampled:	10-04-06
Chain of Custody No:	14708	Date Received:	10-06-06
Sample Matrix:	Soil	Date Extracted:	10-06-06
Preservative:	Cool	Date Analyzed:	10-09-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.4	0.2
Diesel Range (C10 - C28)	5.3	0.1
Total Petroleum Hydrocarbons	5.7	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Various Pit Closures

5-Point @ 7'

Analyst C. Officer

(hristine of Walters Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Sept 15 - Sep	Date Reported:	10-09-06
Laboratory Number:	38744	Date Sampled:	10-04-06
Chain of Custody:	14708	Date Received:	10-06-06
Sample Matrix:	Soil	Date Analyzed:	10-09-06
Preservative:	Cool	Date Extracted:	10-06-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	1.9	1.5
p,m-Xylene	4.4	2.2
o-Xylene	4.0	1.0
Total BTEX	10.3	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Various Pit Closures 5-Point @ 7'

Analyst Review

ENVIROTECH LABS

Chloride

Client: Blagg / Dugan
Sample ID: Sept 15 - Sep
Lab ID#: 38744
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact

Project #:
Date Reported:
Date Sampled:
Date Received:
Date Analyzed:
Chain of Custody:

10-09-06 10-04-06 10-06-06 10-09-06 14708

94034-010

Parameter

Concentration (mg/Kg)

Total Chloride

210

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Various Pit Closures

5-Point @ 7'

Mustine m Walles
Analyst

Adem P. Oplier