Form 3160-3 (April 2004)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0137

Expires March 31, 2007

5. Lease Serial No.

BUREAU OF LAND) MANAGE	MENT	/ L	MDA 701-98-0013,	Fract 2	
	6. 11	6. If Indian, Allottee or Tribe Name				
APPLICATION FOR PERMI	T TO DRIL	L OR DEEPEN		Jicarilla Apache Nat	ion	
	7. ii	Unit or CA Agreement, Nam	e and No.			
1a. Type of Work X DRILL REE	-	ease Name and Well No.				
1b. Type of Well Oil Well X Gas Well Other	one on L	Jicarilla 28-02-06	31			
2. Name of Operator E-mai	ii: lbenally@bi	nep.com	9. A	PI Well No.	3511-	
Black Hills Gas Resources, Inc.	Contact:	Lynn Benally		30-039-12	1342	
3a. Address 350 Indiana Street, Suite 400		3b. Phone No. (include area	code) 10.	Field and Pool, or Explorator	-	
Golden CO 80401		505.634.1111		East Blanco Picture	d Cliffs	
4. Location of Well (Report location clearly and in accordance with any State	,		11.	Sec., T., R., M., or Blk. and S	Survey or Area	
At surface 1,330' FSL 1,330' FWL		NW /4 SW /4	J	Sec. 6 T 28N	R 2W	
Lat: 36° 39' 54.5"	Long: 107	7° 05' 18.5"		Ĺ		
At proposed production zone						
14. Distance in miles and direction from nearest town or post office. *			12.	County or parish	13. State	
Well is located approximately 57 miles east of Bloom	nfield, New M	exico.]	Rio Arriba	New Mexico	
15. Distance from proposed location to nearest Unit= n/a	16. No. of acres	in lease	17. Spacing	Unit dedicated to this well		
property of lease line, ft. (Also nearest Drig, unit line, if any) Lease= ±1.330'	1	10,240.0	180	161.27 =	•	
18. Distance from proposed location to nearest Jicarilla	19. Proposed d	epth	20. BLM/Bi/	BLM/BIA Bond No. on file		
well, drilling, completed or applied for, on this lease, ft. $\pm 3,600$ ' $\frac{28-02-0}{44}$	06	4,000' TVD	NMB	IMB000230		
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	1 '	e date work will start *	23.	Estimated duration		
7,218 ' GR	June	9, 2005	45–60 days drig + completi			
	24. Attac	hments				
The following, completed in accordance with the requirements of	Onshore Oil and	Gas Order No. 1, shall be	e attached t	to this form:		
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National For System Lands, the SUPO shall be filed with the app Forest Service Office). 		on file (see Iten 5. Operator certific	n 20 above cation specific inf	ormation and/or plans as		
25. Signature	Name (Pri	inted/Typed)		Date		
Lady & Schneebeck	Ka	thy L. Schneebeck, 30	03.820.44	80 May 5, 2	2005	
Permit Agent for Black Hills Gas Resou	irces, Inc.) 2 7	
Approved by (Signature) Manlegee	Name (Pri	inted/Typed)		Date 5	66	
Title AT-10	Office	FFO		= M = M = M = M = M = M = M = M = M = M	-	
Application approval does not warrant or certify that the applicant holds legal thereon. Conditions of approval, if any, are attached.	or equitable title to	those rights in the subject leas	se which wou	Id entitle the applicant to con	٠	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section1212, make it a crim fictitious, or fraudulent statements or representations as to any matter within a DRILLING OPERATIONS AUTHORIZED ARE		•-/	o any departr	- 11 CL	States any false,	

SUBJECT TO COMPLIANCE WITH ATTACHED "GENERAL REQUIREMENTS".

This action is subject to technical and procedural review pursuant to 43 CFR 3165.3 and appeal pursuant to 43 CFR 3165.4

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

DISTRICT II 1301 W. Grand Ave., Artesia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Axtec, N.M. 87410

161.27

🕰 acres - SW/4

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102
Revised June 10, 2003
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT IV 1220 South St. Francis Dr., Santa Fe, NM 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

Dedicated Acre	<u></u>	L	19 Joint or	L	14 Consolidation C	L	¹⁵ Order No	L	
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
			11 Botte	om Hole	Location I	f Different Fro	om Surface		
L	6	28-N	2-W	6	1330	SOUTH	1330	WEST	RIO ARRIBA
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
					10 Surface	Location			
013925				BLACK HILLS GAS RESOURCES 7218'					
OGRID No					*Operator	Name			* Elevation
24245 c	7549\$	3522	7	7 JICARILLA 28-02-06					31
Property C			*Property Name *Well Number					Well Number	
<u> 30-03</u>	4-2	1542	724	400		E.	Blanco / P	ictured Cli	ffs

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16				17 OPERATOR CERTIFICATION
SEC. CORNER FD. 2 1/2" BC. G.L.O. 1917 LOT 4	LOT 3	LOT 2	LOT 1	true and complate to the best of my knowledge and belief
χ) Σ Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε	† — — — — — — — — — — — — — — — — — — —			Xardy S. Schmeebeck Signature Kathy L. Schneebeck Printed Name Permit Agent for Black Hills Title May 5, 2005
E LOT 6	LAT. 36'39'54.5"N LONG. 107'05'18.5"		ECEIVED RMINSTON HA	Date of half in ME
LOT 7 SEC. CORNER FD. 2 1/2" BC. G.L.O. 1917	S 89-29-04 E 2661.53' (M)	QTR. CORNER FD. 2 1/2" B.C. G.L.O. 1917	HH 31 Wd 6	Signature and Front of Street

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avehue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505


State of New Mexico Energy Minerals and Natural Resources

For app For offi Form C-144 June 1, 2004 production facilities, submit to CD District Office.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure	
Is pit or below-grade tank covered by a "general plan"? Yes 🛛 No 🗌	
Type of action: Registration of a pit or below-grade tank 🗵 Closure of a pit or below-grade tank 🖺	<u>_</u>

Operator: Black Hills Gas Resources, Inc. Te Address: 300 Indiana St, Suite 400, Golden, CO 80401	olephone: <u>*720-210-1300</u> e-mail a	ddress: lbenally@bhep.com
Facility or well name: <u>Jicarilla 28-02-06 31</u> API #:		Sec 6 T 28N R 2W
County: Rio Arriba Latitude 36° 39' 54.5" Longitude 107° 05'		
Pit	Below-grade tank	
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	
Workover	Construction material:	
Lined N Unlined	Double-walled, with leak detection? Yes If n	ot, explain why not.
Liner type: Synthetic Thickness 12 mil Clay		
Pit Volume ±17,811 bbl		·
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water.)	100 feet or more	(0 points)
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic		
water source, or less than 1000 feet from all other water sources.)	No No	(0 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	Ranking Score (Total Points)	Z0 points
f this is a pit closure: (1) attach a diagram of the facility showing the pit's		
our are burying in place) onsite \(\bigcirc\) offsite \(\bigcirc\) If offsite, name of facility_		
emediation start date and end date. (4) Groundwater encountered: No \square	Yes I If yes, show depth below ground surface	ft, and attach sample results. (5)
attach soil sample results and a diagram of sample locations and excavation	ns	
Additional Comments:		
*Local contact in New Mexico is Lynn Benally at 505-634-1111 Ext. 27		
	· · · · · · · · · · · · · · · · · · ·	
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline Date:05/05/05	of my knowledge and belief. I further certify that es \boxtimes , a general permit \square , or an (attached) alter	t the above-described pit or below-grade tank native OCD-approved plan .
Printed Name/Title Kathy L. Schneebeck / Permit Agent for Black Hills	Gas Resources, Inc. Signature Xa.	dy & Schneebeck
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the content	nts of the pit or tank contaminate ground water or
Approval: Printed Name/Title	Signature	NOV 1 4 2006



WELL PAD CROSS-SECTIONAL DIAGRAM

7190 7180

	COMPANY:_	BLACK	HILLS GAS	S RES	OURCES				
		JICARIL	LA 28-0	2-06	#31				
		1330							
	SEC.: 06	, TWN:	28-N		, RNG:	2-W	, N	MPN	1
	ELEVATION:	7218'		_					,
		·				UNDERGROU	nterprises, in und utilities (to be notifiei i or construc	OR PIPEI	OT LIABLE FOR LINES, NEW MEXICO DURS PRIOR TO
ELEV. A-	-A'		· · · · · · · · · · · · · · · · · · ·	C/I	_			1	
7240									_
7230									
7220									
7210									
7200									
7190									
7180									
ELEV. B	-8'			C/L		,		ı	
7240						_ + -			
7230					- 				:
7220				7					
7210									
7200									,
7190									
7180						二十二		П	
ELEV. C-	-c'			C/L			······································	Æ	Inc. vices 87401 6-6019
7240								GRAM REVISIO BY	
7230								WELL PAD DIAGRAM	aff Enterprises, ng and Oil Fleid Ser (1508 · Farmington, NW 5) 226-1772 · Fax (505) 32 / MEXICO L.S. 14831 DAME, 11/10/04
7220								WELL P.	Enti- and (5068 • 1772 126-1772 EXICO
7210									Daggett Enterprises, Surveying and Oil Fleid Sei P. O. Box 15068 • Farmington, Nia Phone (505) 326-1772 • Fox (505) 33 NEW MEXICO L.S. 14831 OWNER NIASSOFE DATE NIASSOFE
7200								N365PLB	D N G G

Black Hills Gas Resources, Inc. **Jicarilla 28-02-06 31** 1,330' FSL 1,330' FWL (NW/4 SW/4) Sec. 6 T28N R2W

Rio Arriba County, New Mexico Lease: MDA 701-98-0013, Tract 2

DRILLING PROGRAM

This Application for Permit to Drill (APD) was initiated under the NOS process as stated in Onshore Order No. 1 and supporting Bureau of Land Management (BLM) documents. This NOS process included an onsite meeting, which was held on November 17, 2004, as determined by BLM, Bureau of Indian Affairs (BIA) and Jicarilla Oil and Gas Administration (JOGA), and at which time the specific concerns of Black Hills Gas Resources, Inc. (Black Hills), BLM, BIA and JOGA were discussed.

SURFACE FORMATION – San Jose

GROUND ELEVATION – 7,218'

ESTIMATED FORMATION TOPS - (Water, oil, gas and/or other mineral-bearing formations)

San Jose	Surface	Sandstone, shales & siltstones
Nacimiento	2,191'	Sandstone, shales & siltstones
Ojo Alamo	3,143'	Sandstone, shales & siltstones
Kirkland	3,509'	Sandstone, shales & siltstones
Fruitland Coal	3,596'	Sandstone, shales & siltstones
Pictured Cliffs	3,631'	Sandstone, shales & siltstones
Lewis	3,741'	Sandstone, shales & siltstones
TOTAL DEPTH	4,000'	

Estimated depths of anticipated fresh water, oil, or gas:

Tertiary

San Jose	surface	Gas
Nacimiento	2,191'	Gas
Ojo Alamo	3,143'	Gas
Fruitland Coal	3,596'	Gas
Pictured Cliffs	3,631'	Gas

CASING PROGRAM

Depth	Hole Diameter	Casing Diameter	Casing Weight and Grade	Cement
0'-250'	12-1/4"	8-5/8"	J-55 24# ST&C New	To surface (±175 sxs Class B)
0' - T.D.	7-7/8"	5-1/2"	J-55 15.5# LT&C New	TD to surface (±630 sxs lite or 65:35 poz and ±270 sxs 50:50 poz)*

^{*} Actual cement volume to be determined by caliper log.

Yields:

Class B yield = $1.18 \text{ ft}^3/\text{sx}$

65:35 Poz yield = $1.62 \text{ ft}^3/\text{sx}$ 50:50 Poz yield = $1.26 \text{ ft}^3/\text{sx}$

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and protected.

PRESSURE CONTROL

BOPs and choke manifold will be installed and pressure tested before drilling out under surface casing (subsequent pressure test will be performed whenever pressure seals are broken), and then will be checked daily as to mechanical operating condition. BOP's will be pressure tested at least once every 30 days. Ram type preventors and related pressure control equipment will be pressure tested to 1,000 psi. Annular type preventor will be pressure tested to 50% of the rated working pressure, not to exceed 1,000 psi. All casing strings will be pressure tested to 0.22 psi/ft. or 1,000 psi, whichever is greater, not to exceed 70% of internal yield.

BOP to be either double gate rams or an annular preventor as per Onshore Order No. 2.

Statement on Accumulator System and Location of Hydraulic Controls

The drilling rig has not yet been selected for this well. Selection will take place after approval of this application. Manual and/or hydraulic controls will be in compliance with Onshore Order No. 2 for 2M systems.

A remote accumulator will be used. Pressures, capacities, location of remote hydraulic and manual controls will be identified at the time of the BLM supervised BOP test.

MUD PROGRAM

0' - 250' Fresh water – M.W. 8.5 ppg, Vis 30-33
250' - TD Fresh water - Low solids non-dispersed
M.W. 8.5 – 9.2 ppg
Vis – 28 – 50 sec
W.L. 15cc or less

Sufficient mud materials to maintain mud properties, control lost circulation and to contain "kick" will be available at wellsite.

AUXILIARY EQUIPMENT

- A) A Kelly cock will be kept in the drill string at all times
- B) Inside BOP or stab-in valve (available on rig floor)
- C) Mud monitoring will be visually observed

LOGGING, CORING, TESTING PROGRAM

A) Logging: DIL- CNL-FDC-GR - TD - BSC (GR to surface)

Sonic (BSC to TD)

B) Coring:

C) Testing: Possible DST – None anticipated. Drill stem tests may be run on shows of interest

ABNORMAL CONDITIONS

A) Pressures: No abnormal conditions are anticipated

Bottom hole pressure gradient – 0.31 psi/ft

B)

No abnormal conditions are anticipated

C) H₂S: None anticipated

D) Estimated bottomhole pressure: 1,240 psi

ANTICIPATED START DATE

June 9, 2005

COMPLETION

The location pad will be of sufficient size to accommodate all completion activities and equipment. A string of 2-3/8" J-55 4.7#/ft tubing will be run for a flowing string. A Sundry Notice will be submitted with a revised completion program if warranted.

2-M SYSTEM Black Hills Gas Resources, Inc.

ANNULAR PREVENTOR MAY BE SUBSTITUTED FOR DOUBLE GATE PREVENTORS BOP PRESSURE TEST TO 1,000 PSI

