

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

RCUD NOV 3 06
OIL CONS. DIV.
DIST. 3

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: _____
Address: 200 Energy Ct, Farmington, NM 87401
Facility or well name: CAWOW #11 API #: 3004507887 U/L or Qtr/Qtr F Sec 28 T 29 N R13W
County: San Juan Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☒
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank	
Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) <u>0</u>
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) <u>0</u>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points) <u>0</u>
	1000 feet or more	(0 points)
Ranking Score (Total Points)		<u>0</u>

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg



Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. III

Signature Bob Dill

Date: NOV 03 2006

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80926</u> C.D.C. NO: <u>8894</u>																								
FIELD REPORT: CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																								
LOCATION: NAME: <u>CALLOW</u> WELL #: <u>11</u> PIT: <u>DEHY</u>		DATE STARTED: <u>11/17/02</u>																								
QUAD/UNIT: <u>F SEC: 28 TWP: 29N RNG: 13W PM: NM CNTY: SJ ST: NM</u>		DATE FINISHED: _____																								
QTR/FOOTAGE: <u>1520'N/1520'W</u> SE/NE CONTRACTOR: <u>FLINT</u>		ENVIRONMENTAL SPECIALIST: <u>NV</u>																								
EXCAVATION APPROX. <u>10</u> FT. x <u>10</u> FT. x <u>1</u> FT. DEEP. CUBIC YARDAGE: <u>5</u>																										
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>LANDFARMED</u>																										
LAND USE: <u>RANGE - BLM</u> LEASE: <u>NM 0468126</u> FORMATION: <u>DK</u>																										
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>272</u> FT. <u>553W</u> FROM WELL HEAD																										
DEPTH TO GROUNDWATER: <u>>100'</u> NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u>>1000'</u>																										
NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																										
SOIL AND EXCAVATION DESCRIPTION:	OVM CALIB. READ. <u>53.2</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = <u>0.52</u> TIME: <u>7:10</u> PM DATE: <u>11/17/02</u>	CHECK ONE: <input checked="" type="checkbox"/> PIT ABANDONED <input type="checkbox"/> STEEL TANK INSTALLED <input type="checkbox"/> FIBERGLASS TANK INSTALLED																								
SOIL TYPE: <u>SAND</u> / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK (SANDSTONE)</u>																										
SOIL COLOR: <u>DK. YEL. ORANGE TO BLACK</u> BEDROCK - <u>MD. DK. GRAY</u>																										
COHESION (ALL OTHERS): <u>NON COHESIVE</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE																										
CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> / <u>FIRM</u> / DENSE / VERY DENSE																										
PLASTICITY (CLAYS): <u>NON PLASTIC</u> / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC																										
DENSITY (COHESIVE CLAYS & SILTS): <u>SOFT</u> / FIRM / STIFF / VERY STIFF / HARD																										
MOISTURE: DRY / <u>SLIGHTLY MOIST</u> / <u>MOIST</u> / WET / SATURATED / SUPER SATURATED																										
DISCOLORATION/STAINING OBSERVED: <u>YES</u> / NO EXPLANATION - <u>PIT AREA & BEDROCK SURFACE</u>																										
HC ODOR DETECTED: <u>YES</u> / NO EXPLANATION - <u>PIT AREA & OVM SAMPLE</u>																										
SAMPLE TYPE: <u>GRAB</u> / COMPOSITE - # OF PTS. <u>1</u>																										
ADDITIONAL COMMENTS: <u>BEDROCK - VERY HARD, SLIGHTLY FRAGILE.</u>																										
<div style="border: 1px solid black; padding: 2px; display: inline-block;">BEDROCK BOTTOM</div>																										
FIELD 418.1 CALCULATIONS																										
SCALE  0 FT	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMPLE I.D.</th> <th>LAB No:</th> <th>WEIGHT (g)</th> <th>mL. FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. ppm</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>		SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																
SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																			
PIT PERIMETER 	OVM RESULTS	PIT PROFILE																								
	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 2'</td><td>384</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	SAMPLE ID	FIELD HEADSPACE PID (ppm)	1 @ 2'	384	2 @		3 @		4 @		5 @										NOT APPLICABLE				
SAMPLE ID	FIELD HEADSPACE PID (ppm)																									
1 @ 2'	384																									
2 @																										
3 @																										
4 @																										
5 @																										
	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">LAB SAMPLES</th> </tr> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr> <td>1 @ 2'</td> <td>TPH (80158)</td> <td>1345</td> </tr> <tr> <td>"</td> <td>13 TEV (80218)</td> <td>"</td> </tr> <tr> <td colspan="3" style="text-align: center;"><div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">BOTH PASSED</div></td> </tr> </tbody> </table>	LAB SAMPLES			SAMPLE ID	ANALYSIS	TIME	1 @ 2'	TPH (80158)	1345	"	13 TEV (80218)	"	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">BOTH PASSED</div>												
LAB SAMPLES																										
SAMPLE ID	ANALYSIS	TIME																								
1 @ 2'	TPH (80158)	1345																								
"	13 TEV (80218)	"																								
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">BOTH PASSED</div>																										
<p>P.D. = PIT DEPRESSION; B.G. = BELOW GRADE T.H. = TEST HOLE</p>																										
TRAVEL NOTES: CALLOUT: <u>11/17/02 - MORN.</u> ONSITE: <u>11/17/02 - AFTER.</u>																										

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 2'	Date Reported:	01-21-02
Laboratory Number:	21913	Date Sampled:	01-17-02
Chain of Custody No:	8894	Date Received:	01-17-02
Sample Matrix:	Soil	Date Extracted:	01-18-02
Preservative:	Cool	Date Analyzed:	01-21-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	191	0.2
Diesel Range (C10 - C28)	409	0.1
Total Petroleum Hydrocarbons	600	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Callow #11 Dehydrator Pit Grab Sample.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 2'	Date Reported:	01-21-02
Laboratory Number:	21913	Date Sampled:	01-17-02
Chain of Custody:	8894	Date Received:	01-17-02
Sample Matrix:	Soil	Date Analyzed:	01-21-02
Preservative:	Cool	Date Extracted:	01-18-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	138	1.8
Toluene	1,290	1.7
Ethylbenzene	522	1.5
p,m-Xylene	1,310	2.2
o-Xylene	756	1.0
Total BTEX	4,020	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Callow #11 Dehydrator Pit Grab Sample.


Analyst


Review