

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

RCVD OCT25/06  
OIL CONS. DIV.

DIST. 3

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

### Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP America Production Company</u> Telephone: <u>(505)326-9200</u> e-mail address: _____		
Address: <u>200 Energy Ct, Farmington, NM 87401</u>		
Facility or well name: <u>Vandewart A#6</u> API #: <u>3004508085</u> U/L or Qtr/Qtr <u>A</u> Sec <u>24</u> T <u>29N</u> R <u>8W</u>		
County: <u>San Juan</u> Latitude _____ Longitude _____ NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/>		
Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	<b>Below-grade tank</b> Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) <u>0</u>
	100 feet or more	( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	( 0 points) <u>0</u>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points) <u>0</u>
	1000 feet or more	( 0 points)
Ranking Score (Total Points)		<u>0</u>

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 3

Signature Bob Roll

Date: OCT 25 2006

CLIENT: <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80833</u> C.D.C. NO: <u>8496</u>																																																		
FIELD REPORT: CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																																		
LOCATION: NAME: <u>VANDERWANT A</u> WELL #: <u>6</u> PIT: <u>DEHY</u> QUAD/UNIT: <u>A SEC 24 TWP 29N RNG 8W PM NM CNTY: SJ ST: NM</u> QTR/FOOTAGE: <u>NE/4 NE/4</u> CONTRACTOR: <u>FLINT</u>		DATE STARTED: <u>31 JAN 01</u> DATE FINISHED: <u>01 FEB 01</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																																		
EXCAVATION APPROX. <u>12</u> FT. x <u>10</u> FT. x <u>4</u> FT. DEEP. CUBIC YARDAGE: <u>10</u> DISPOSAL FACILITY: <u>ONSITE</u> REMEDIATION METHOD: <u>LF</u> LAND USE: <u>RANGE</u> LEASE: <u>SF-078502</u> FORMATION: <u>MV</u>																																																				
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>100</u> FT. <u>S70°W</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>&gt;100</u> NEAREST WATER SOURCE: <u>&gt;1000</u> NEAREST SURFACE WATER: <u>&gt;1000</u> NMOC RANKING SCORE: <u>0</u> NMOC TPH CLOSURE STD: <u>500</u> PPM SOIL AND EXCAVATION DESCRIPTION:																																																				
		CHECK ONE: <input checked="" type="checkbox"/> PIT ABANDONED <input type="checkbox"/> STEEL TANK INSTALLED <input type="checkbox"/> FIBERGLASS TANK INSTALLED																																																		
PIT EXCAVATED INTO CLAYSTONE BEDROCK. 0'-2' BLUE/GRAY SILTY CLAY, MOIST, PLASTIC. 2'-4' BLUE/GRAY CLAYSTONE BEDROCK. WAS ABLE TO SAMPLE BEDROCK WITH GEOPICK & SAMPLE SPADE. NO STAINING ON A-ARY SAMPLES. MINOR HC ODR.																																																				
<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> <p><u>CLOSED</u></p> <p>SCALE</p> <p>0 FT</p> <p>PIT PERIMETER</p> </div> <div style="width: 40%;"> <p>FIELD 418.1 CALCULATIONS</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>TIME</th> <th>SAMPLE I.D.</th> <th>LAB No:</th> <th>WEIGHT (g)</th> <th>mL. FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. ppm</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> </div> <div style="width: 30%;"> <p><u>Bedrock Bottom</u></p> <p>OVM RESULTS</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>1N@ 4'</td><td>24</td></tr> <tr><td>2E@ 4'</td><td>181</td></tr> <tr><td>3SE 4'</td><td>211</td></tr> <tr><td>4W@ 4'</td><td>190</td></tr> <tr><td>5C@ 4'</td><td>413</td></tr> </tbody> </table> <p>LAB SAMPLES</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>C@ 4'</td><td>8015/8021</td><td>1100</td></tr> </tbody> </table> <p><u>BOTH PASSED</u></p> </div> </div>			TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																									SAMPLE ID	FIELD HEADSPACE PID (ppm)	1N@ 4'	24	2E@ 4'	181	3SE 4'	211	4W@ 4'	190	5C@ 4'	413	SAMPLE ID	ANALYSIS	TIME	C@ 4'	8015/8021	1100
TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																													
SAMPLE ID	FIELD HEADSPACE PID (ppm)																																																			
1N@ 4'	24																																																			
2E@ 4'	181																																																			
3SE 4'	211																																																			
4W@ 4'	190																																																			
5C@ 4'	413																																																			
SAMPLE ID	ANALYSIS	TIME																																																		
C@ 4'	8015/8021	1100																																																		
<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> <p>PIT PROFILE</p> </div> </div>																																																				
TRAVEL NOTES: CALLOUT: <u>31 JAN 01 4:00 P</u> ONSITE: <u>01 FEB 01 10:40 A</u>																																																				

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	04034-010
Sample ID:	Dehy. C @ 4'	Date Reported:	02-05-01
Laboratory Number:	19168	Date Sampled:	02-01-01
Chain of Custody No:	8496	Date Received:	02-02-01
Sample Matrix:	Soil	Date Extracted:	02-05-01
Preservative:	Cool	Date Analyzed:	02-05-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	113	0.2
Diesel Range (C10 - C28)	34.9	0.1
Total Petroleum Hydrocarbons	148	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Vanderwart "A" #6.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	04034-010
Sample ID:	Dehy. C @ 4'	Date Reported:	02-05-01
Laboratory Number:	19168	Date Sampled:	02-01-01
Chain of Custody:	8496	Date Received:	02-02-01
Sample Matrix:	Soil	Date Analyzed:	02-05-01
Preservative:	Cool	Date Extracted:	02-05-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	108	1.8
Toluene	855	1.7
Ethylbenzene	396	1.5
p,m-Xylene	1,510	2.2
o-Xylene	612	1.0
Total BTEX	3,480	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Trifluorotoluene	100 %
	Bromofluorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Vanderwart "A" #6.

  
Analyst

  
Review