District I 1625 N. French Dr., Hobbs, NM 88240 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Printed Name/Title

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No Type of action: Registration of a pit or below-grade tank \(\subseteq\) Closure of a pit or below-grade tank \(\subseteq\) Operator: _Koch Exploration Company, LLC ______ Telephone: _(505) 334-9111 ____e-mail address: _clark23j@kochind.com or johnso4d@kochind.com Address: PO Box 489, Aztec, NM 87410 Facility or well name: __Quinn 340_____ County: San Juan Latitude 36.53.226 Longitude 107.41.598 NAD: 1927 1983 Surface Owner Federal X State Private Indian Below-grade tank Pit Type: Drilling Production Disposal Volume: bbl Type of fluid: PCIM DECAMA Workover X Emergency Construction material: Double-walled, with leak detection? Yes If not, explain why not. Lined X Unlined Liner type: Synthetic

☐ Thickness 12 mil Clay ☐ Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal high X 50 feet or more, but less than 100 feet (10 points) 10 points water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic X No (0 points) 0 points water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) X 1000 feet or more (0 points) 0 points **Ranking Score (Total Points)** 10 points If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite X offsite If offsite, name of facility __. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No X Yes I fyes, show depth below ground surface ft, and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: **CLOSURE** I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ____ a general permit X or an (attached) alternative OCD-approved plan ____ Date: 11/28/06 Printed Name/Title John Clark, District Superintendent Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Date: DEC 0 4 2006 Approval: SEPUTY OIL & GAS INSPECTOR, DIST. 68

Ouinn 340

S20, T31N, R08W, 1120' FNL & 860 FEL San Juan Co., New Mexico API No. 30-045-28353 Lease SF078511

Upon completion of cleanout remaining liquids were removed from pit by truck to an approved disposal facility.

Prior to closing the pit, liner was cut off at mud level. The excess liner was hauled to a licensed disposal.

October 26, 2006 the remaining waste in pit was encapsulated. This was accomplished by covering the remaining waste and liner with earthen materials. Surface area where pit was located was contoured according to BLM requirements, and will be seeded with recommended BLM seed mixture at a later date.

KOCH EXPLORATION COMPANY LLC Quinn 340 S20, T31N, R8W 1120' FNL & 860' FEL - ELEVATION 6539'

170' Laydown **≶**00 BBL Closed Top Tank 500 BBL 20' X 50' Closed Top **Blow Return** Pit Tank 500 BBL Closed Top Tank Separator **Drains** to Reserve 120 BBL 30' Steel Pit w/ Wellhead Expanded Metal top Compressor Separator 30' X 80' **Reserve Pit** 8' deep Gas Meter