

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: _____

Address: 200 Energy Ct. Farmington, NM 87401

Facility or well name: CORNELL B #1E API #: 30045 24135 U/L or Qtr/Qtr B Sec 14 T 29N R 12W

County: San Juan Latitude _____ Longitude _____ NAD: 1927 1983

Surface Owner: Federal State Private Indian

Pit
Type: Drilling Production Disposal
Workover Emergency
Lined Unlined
Liner type: Synthetic Thickness _____ mil Clay
Pit Volume _____ bbl

Below-grade tank
Volume: _____ bbl Type of fluid: _____
Construction material: _____
Double-walled, with leak detection? Yes If no, explain why not.

RCVD DEC 18 '05
OIL CONS. DIV.

DIST. 3

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points)	0
	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	0
	No	(0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	0
	1000 feet or more	(0 points)	
Ranking Score (Total Points)			0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite offsite If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title _____ Signature Bob Bell

Date: DEC 18 2006

300 452 4155

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81146</u>
		COCR NO: <u>10616</u>

FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: 1 of 1

LOCATION: NAME: <u>CORNELL B</u> WELL#: <u>1E</u> TYPE: <u>PROD TANK</u>	DATE STARTED: <u>2-7-03</u>
QUAD/UNIT: <u>B SEC: 14 TWP: 29N RNG: 12W PM: NM CNTY: SJ ST: NM</u>	DATE FINISHED: <u>2-7-03</u>
QTR/FOOTAGE: <u>1120'N/1570'E</u> OWNER: <u>FLINT (BEN)</u>	ENVIRONMENTAL SPECIALIST: <u>JCS</u>

EXCAVATION APPROX. 8 FT. x 8 FT. x 12 FT. DEEP. CUBIC YARDAGE: 27±

DISPOSAL FACILITY: ONSITE REMEDIATION METHOD: LF

LAND USE: RANGE - BLM LEASE: NM 073695 FORMATION: DK

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 171 FT. S67°W FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 131.2 ppm
 OVM CALIB. GAS = 250 ppm RF = 0.52
 TIME: 1305 am/pm DATE: 2-7-03

SOIL TYPE: (SAND) SILTY SAND / SILT / SILTY CLAY / CLAY (GRAVEL) / OTHER ✓ RIVER COBBLE

SOIL COLOR: GRAY/BLACK

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY (SLIGHTLY MOIST) / MOIST / WET / SATURATED / SUPER SATURATED (CLOSED)

DISCOLORATION/STAINING OBSERVED: (YES) NO EXPLANATION - GRAY/BLACK

HC ODOR DETECTED: (YES) NO EXPLANATION - STRONG


SAMPLE TYPE: (GRAB) COMPOSITE - # OF PTS. -

ADDITIONAL COMMENTS: EARTHEN PIT. USE BACKHOE TO DIG TO EQUIP. LIMITS.
NEXT TO 300 BBL TANK - COULD NOT RISK CAVE IN. BACKFILLED
w/ Clean Fill

SCALE 

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)




OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 12'	383
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
① @ 12'	TPH/STEX	13:00

(BOTH PASSED)



D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
 H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: 2-7-03 0945 ONSITE: 2-7-03 1150

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / BP
Sample ID: PROD 1 @ 12'
Laboratory Number: 24788
Chain of Custody No: 10616
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact

Project #: 94034-010
Date Reported: 02-10-03
Date Sampled: 02-07-03
Date Received: 02-07-03
Date Extracted: 02-10-03
Date Analyzed: 02-10-03
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	2,190	0.2
Diesel Range (C10 - C28)	615	0.1
Total Petroleum Hydrocarbons	2,810	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Cornell B 1E.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	PROD 1 @ 12'	Date Reported:	02-10-03
Laboratory Number:	24788	Date Sampled:	02-07-03
Chain of Custody:	10616	Date Received:	02-07-03
Sample Matrix:	Soil	Date Analyzed:	02-10-03
Preservative:	Cool	Date Extracted:	02-10-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	6.3	1.8
Toluene	18.8	1.7
Ethylbenzene	604	1.5
p,m-Xylene	1,500	2.2
o-Xylene	828	1.0
Total BTEX	2,960	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Cornell B 1E.**


Analyst


Review