

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: _____
Address: 200 Energy Ct, Farmington, NM 87401
Facility or well name: CORNELL C #1 API #: 30045 13092 U/L or Qtr/Qtr D Sec 11 T 29 N R 12 W
County: San Juan Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☒
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit
Type: Drilling ☐ Production ☒ Disposal ☐
Workover ☐ Emergency ☐
Lined ☐ Unlined ☐
Liner type: Synthetic ☐ Thickness _____ mil Clay ☐
Pit Volume _____ bbl

Below-grade tank
Volume: _____ bbl Type of fluid: _____
Construction material: _____
Double-walled, with leak detection? Yes ☐ If no, explain why not. _____

RCVD DEC 18 '06
OIL CONS. DIV.
DIST. 3

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points)	0
	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	
	No	(0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	0
	1000 feet or more	(0 points)	
Ranking Score (Total Points)			0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 3

Signature [Signature]

Date: DEC 18 2006

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81151</u> COCR NO: <u>—</u>																																						
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																						
LOCATION: NAME: <u>CORNEU</u> C. WELL #: <u>1</u> TYPE: <u>SEP</u> QUAD/UNIT: <u>D</u> SEC: <u>11</u> TWP: <u>29 N</u> RNG: <u>12 W</u> PM: <u>Nm</u> CNTY: <u>ST</u> ST: <u>NM</u> QTR/FOOTAGE: <u>990' N / 990' W</u> NW/4W CONTRACTOR: <u>FLINT (BEN)</u>		DATE STARTED: <u>2/14/03</u> DATE FINISHED: <u> </u> ENVIRONMENTAL SPECIALIST: <u> </u>																																						
EXCAVATION APPROX. <u>15</u> FT. x <u>20</u> FT. x <u>5</u> FT. DEEP. CUBIC YARDAGE: <u>30</u>																																								
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>LANDFARM</u>																																								
LAND USE: <u>RANGE - BLM</u> LEASE: <u>NM073763</u> FORMATION: <u>DK</u>																																								
FIELD NOTES & REMARKS: <u>PIT LOCATED APPROXIMATELY 102 FT. N55E FROM WELLHEAD.</u> DEPTH TO GROUNDWATER: <u>>100'</u> NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u>>1000'</u> NMOC D RANKING SCORE: <u>0</u> NMOC D TPH CLOSURE STD: <u>5000</u> PPM																																								
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>51.2</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>1:00</u> am/pm DATE: <u>2/14/03</u>																																						
SOIL TYPE: <u>(SAND)</u> / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u> </u> SOIL COLOR: <u>DK. YELL. ORANGE TO BLACK</u> COHESION (ALL OTHERS): <u>(NON COHESIVE)</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>(LOOSE)</u> / <u>(FIRM)</u> / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD CLOSED MOISTURE: DRY / <u>(SLIGHTLY MOIST)</u> / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: <u>(YES)</u> / NO EXPLANATION - <u>EXCAVATED SOIL (MED. GRAY TO BLACK)</u> HC ODOR DETECTED: <u>(YES)</u> / NO EXPLANATION - <u>EXCAVATED SOIL</u> SAMPLE TYPE: <u>(GRAB)</u> / COMPOSITE - # OF PTS. <u>—</u> ADDITIONAL COMMENTS: <u>STEEL TANK TO BE INSTALLED WITHIN PIT AREA. NO TPH ANALYSIS WAS CONDUCTED.</u>																																								
FIELD 418.1 CALCULATIONS																																								
SCALE	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>								SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																								
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																	
0 FT	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p style="text-align: center;">PIT PERIMETER</p> </div> <div style="width: 10%; text-align: center;"> <p>TO SEP. UNIT</p> </div> <div style="width: 45%;"> <p style="text-align: center;">PIT PROFILE</p> </div> </div>																																							
<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> <p style="text-align: center;">OVM READING</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 10'</td><td>0.0</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> </tbody> </table> </div> <div style="width: 30%;"> <p style="text-align: center;">LAB SAMPLES</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td>1458</td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> </div> <div style="width: 30%;"> <p style="text-align: center;">PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM</p> </div> </div>									SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 10'	0.0	2 @		3 @		4 @		5 @		SAMPLE ID	ANALYSIS	TIME			1458														
SAMPLE ID	FIELD HEADSPACE (ppm)																																							
1 @ 10'	0.0																																							
2 @																																								
3 @																																								
4 @																																								
5 @																																								
SAMPLE ID	ANALYSIS	TIME																																						
		1458																																						
TRAVEL NOTES: CALLOUT: <u>2/14/03 - AFTER.</u> ONSITE: <u>2/14/03 - AFTER.</u>																																								

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81151</u> C.O.C. NO: _____
-------------------	---	---

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: <u>CORNELL</u> C WELL #: <u>1</u> PITS: <u>SEP.</u> QUAD/UNIT: <u>D</u> SEC: <u>11</u> TWP: <u>29N</u> RNG: <u>12W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>NW/1W</u> CONTRACTOR: _____	DATE STARTED: <u>3/14/05</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>
--	---

SOIL REMEDIATION: 30	
REMEDIATION SYSTEM: <u>LANDFARM</u>	APPROX. CUBIC YARDAGE: _____
LAND USE: <u>RANGE - BLM</u>	LIFT DEPTH (ft): <u>1-2</u>

FIELD NOTES & REMARKS:	NMOCB RANKING SCORE: <u>0</u>	NMOCB TPH CLOSURE STD: <u>5,000</u> ppm
DEPTH TO GROUNDWATER: <u>>100'</u>	NEAREST WATER SOURCE: <u>>1000'</u>	NEAREST SURFACE WATER: <u>>1000'</u>

SOIL TYPE: (SAND) / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____

SOIL COLOR: OK. YELL. ORANGE TO OK. YELL. BROWN

COHESION (ALL OTHERS): (NON COHESIVE) / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): (LOOSE) / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): (SOFT) / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / (MOIST) / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES / (NO) EXPLANATION - _____

HC ODOR DETECTED: YES / (NO) EXPLANATION - _____

SAMPLING DEPTHS (LANDFARMS): 12-18 (INCHES)

SAMPLE TYPE: GRAB / (COMPOSITE) - # OF PTS. 5


ADDITIONAL COMMENTS: _____

CLOSED

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

SKETCH/SAMPLE LOCATIONS 4N



OVM CALIB. READ. 53.4 ppm
 OVM CALIB. GAS = 100 ppm; RF = 0.52
 TIME: 12:10 am/pm DATE: 3/24/05

OVM RESULTS LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE PID (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	0.0	LF-1	TPH (20158)	13K	ND

P.C. - 2/14/03

SCALE

 0 FT

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	03-28-05
Laboratory Number:	32447	Date Sampled:	03-24-05
Chain of Custody No:	13400	Date Received:	03-25-05
Sample Matrix:	Soil	Date Extracted:	03-25-05
Preservative:	Cool	Date Analyzed:	03-28-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Cornell C #1 - Landfarm 5 Pt. Composite Sample.**


Analyst


Review