District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes M No

Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-gra	de tank 🔀				
Operator: BP America Production Company Telepho	ne; <u>(505)326-9200</u> e-mail address:					
Address: 200 Energy Ct, Farmington, NM 87401						
Facility or well name: ELLIOT EE B #1A API#:3	0045 22194 U/L or Qtr/Qtr 0	Sec _ Z7 T 30 NR 9 W				
County: San Juan Latitude	Longitude	NAD: 1927 🔲 1983 🔀				
Surface Owner: Federal 🛣 State 🗌 Private 🔲 Indian 🔲						
<u>Pit</u>	Below-grade tank	masin TAS				
Type: Drilling Production Disposal	Volume:bbl Type of fluid: RCVD JAN2*C Construction material: GIL CONS. DI					
Workover						
Lined Unlined	Double-walled, with leak detection? Yes If no	explain why not.				
Liner type: Synthetic Thicknessmil Clay _	/ V /					
Pit Volumebbl	/ '	\				
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)				
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)				
	100 feet or more	( 0 points)				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No	( 0 points)				
water source, or less than 1000 feet from all other water sources.)	1 1 200 6					
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)				
	200 feet or more, but less than 1000 feet	(10 points)				
	1000 feet or more	( 0 points)				
	Ranking Score (Total Points)	0				
cour are burying in place) onsite  offsite  forfsite, name of facility emediation start date and end date. (4) Groundwater encountered: No  Attach soil sample results and a diagram of sample locations and excava Additional Comments:  See Attached Documentation	Yes 🔲 If yes, show depth below ground surface	lescription of remedial action taken includingft. and attach sample results.				
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	25 🍕, a general permit 🔲, or an (attached) alterna	he above-described pit or below-grade tank tive OCD-approved plan .				
Date: 11/01/2005  Printed Name/Title Jeffrey C. Blagg, Agent Signat	ure Jeffy C. Sly					
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the contents.	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or				
Approval:  Printed Name/Title	Signature Bel Dell	Date: JAN 0 2 2007				

CLIENT: B	<u> </u>	P.O. BOX		OMFIELD	, INC. ), NM 874	413	CATION NO.	<u> </u>
FIELD RE	PORT:	PIT CL	OSURE	VERIF	CATIC	N PAG	E No:	/_ of _/_
LOCATION: NAM	E: ELLIOTT	€.€. B	WELL#: \	f) TYPE	:: DEHY ·	DATE	STARTED: _	10/28/03
QUAD/UNIT:		· · · · · · · · · · · · · · · · · · ·				DATE	FINISHED:	
QTR/FOOTAGE:			· · · · · · · · · · · · · · · · · · ·			ENVI	RONMENTAL	NU
EXCAVATION						UBIC YARI	DAGE:	NA
DISPOSAL FACILI	TY:	00-21	re	REMEDIA	TION METH	OD:	Croze	92 12
_AND USE:/	_						10N:	MU
FIELD NOTES				(IMATELY 11				
DEPTH TO GROUNDW	ATER: >100							
NMOCD RANKING SCO	ORE: D	NMOCD TPH	CLOSURE STD:	5000 PI	PM .			
SOIL AND EX	CAVATION	DESCRIPT	ION.		OVM CALIB.	READ. = 5	3. 3 ppm	
OOIL / HVD LX	<u> </u>	I DECORUM 1	<del>1011.</del>		OVM CALIB.			10/27/03
SOIL TYPE: SAND				GRAVEL / OTH			. JOATE	
OIL COLOR: OHESION (ALL OTHE		ESIVE / SUGHTLY		HESIVE / HIGHLY	COHESIVE			<u></u> -
ONSISTENCY (NON	COHESIVE SOIL	S): LOOSE / ERM	DENSE / VERY	DENSE				
LASTICITY (CLAYS):(					HIGHLY PLAST	TIC .		
IOISTURE: DRY/SLI								CL02ED)
SCOLORATION/STA	INING OBSERVE	D: YES/(NO) EXP	LANATION -					2003
IC ODOR DETECTED: SAMPLE TYPE: GRAE							<del></del>	
ADDITIONAL COMMEN	TS: <u>// 0</u>	TPH AND	1212 ma	É CONDUC	IED.			
				**************************************				
			FIE	LD 418.1 CALC	ULATIONS	· · · · · · · · · · · · · · · · · · ·		
SCALE	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
0 FT								
-	EDIMETE	D 4						
PITPI	ERIMETE	R ₹N	) 0	VM		PILE	PROFIL	.E
	(9)	N2'		DING				
<b>├</b>	<del>-\'-\</del>	8.6.	SAMPLE	FIELD HEADSPACE (ppm)				
	BERM	-	1 @ 6	0.0				
ान ।					7			
		1	3 @		3			
[#] \		701	3 @ 4 @					
CERA		70	3 @					
CED		7 201	3 @ 4 @			>T A	PPLISA	RLE
יייי		. ~4'	3 @ 4 @		<i>∧</i> •	ST A	PPLICA	g.€
<u></u>	T.	. ~4'	3 @ 4 @		\ \ \	>T A	PPLICA	₿ĿĘ
<u></u>	T.	H.~4' B.P.D.	3 @ 4 @ 5 @	AMPLES	<i>∧</i> •	>T A	PPLICA	β <b>ι</b> ξ
L TO	T.	. ~4'	3 @ 4 @ 5 @	AMPLES		>T A	PPLICA	g-€
	T.	. ~4'	3 @ 4 @ 5 @			>T A	PPLICA	₿┕€
	T.	. ~4'	3 @ 4 @ 5 @	ALYSIS TIME		ST A	PPLICA	BĿ€
UNE HE	B.G. = BELOW G	H.~4 B.P.D.	3 @ 4 @ 5 @ 5 @ 5 @ A MPLE A M	ALYSIS TIME		>T A:	PPLICA	BĿ€
D = PIT DEPRESSION; H = TEST HOLE; ~ = A	B.G. = BELOW GI	H. ~ 4 B.P.D.	LABSASAMPLE AN	NALYSIS TIME				BĿ€
USE HE	B.G. = BELOW GI	H.~4 B.P.D.	LABSASAMPLE AN	NALYSIS TIME				8 ←€