

NORTHWESTERN NEW MEXICO  
(Submit 3 Copies to OCD Aztec Office)

3578

Operator: BLACKWOOD & NICHOLS CO. Location: Unit O, Sec. 28, Twp 31N, Rng 7W.Name of Well/Wells or Pipeline Serviced NEBU 20A 30-045-25359Elevation 6400 Completion Date 9-29-93 Total Depth 390' Land Type\* Surface: F Mineral: SF-079043Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open HoleIf Casing is cemented, show amounts & types used 20 sks Portland Zia I-IIIf Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths &amp; thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No water sample.Depths gas encountered: N/ARECEIVED  
NOV 23 1993Type & amount of coke breeze used: Asbury Graphite Flo-Coke, 92 sxOIL CON. DIV.  
DIST. 3Depths anodes placed: 165' - 340'Depths vent pipes placed: 390' to 4' Above Ground LevelVent pipe perforations: 110' - 390'Remarks: Groundbed located 134' N 65° W of NEBU 20A. WELLHEAD

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

Signed by: James K. AllenTitle: Operations EngineerDate: 11/19/93

# CATHODIC GROUND BED DRILLERS REPORT

1-20 WELL# NER #20A

S 28 T3/N 76

[illegible]

ER Jesse Martin

INSPECTOR Joe Matzrek

# CATHODIC GROUND BED DRILLERS REPORT

1A-20 WELL# NEBU #20A

S 28 T 31

[illegible]

LER 11/

INSPECTOR