## OCD CATHODIC PROTECTION DEEPWELL GROUNDBED REPORT DATA SHEET: NORTHWESTERN NEW MEXICO

OPERATOR: ConocoPhillips CO.

SUBMIT 2 COPIES TO O.C.D. AZTEC OFFICE

FARMINGTON, NM 87401

PHONE: 599-3400

| LOCATION                                | <b>INFORMATION</b> |                      |                       | API Number                              | 30-045-31666       |           |
|---|--------------------|----------------------|-----------------------|---|--------------------|-----------|
| WELL NAME OR PIPELINE SERVED: 32-8 243A |                    |                      | LEGAL LOCATION:       | F-11-31-8                               | INSTALLATION DATE: | 8/26/2003 |
| PPCO. RECTIFIER                         | NO.: FM-809        | ADDITIONAL WELLS:    | F-11-31-8             |   |                    |           |
| TYPE OF LEASE:                          | FEDERA             | LEASE                | NUMBER: SF-           | 079047                                  |                    |           |
| GROUND BI                               | ED INFORMATION     |                      |                       |   |                    |           |
| TOTAL DEPTIL                            | 320 CASING         | DIAMETER: 8-IN       | TYPE OF CASING: PV    | C CASING D                              | EPTH 20 CASING C   | EMENTED:  |
| TOP ANODE DEF                           | PTH: 110 BO        | ITOM ANODE DEPTIL    | 310                   |   |                    |           |
| ANODE DEPTHS:                           | 110,1              | 20,130,220,230,240,2 | 250,260,270,280,290,3 | 00,310                                  |                    |           |
| AMOUNT OF CO                            | KE 3200 LBS        |                      |                       |   |                    |           |
|   |                    |                      |                       |   |                    |           |
| <b>WATER IN</b>                         | <u>FORMATION</u>   |                      |                       |   |                    |           |
| WATER DEPTH                             | [le 100 W          | ATER DEPTH (2)       |                       |   |                    |           |
| GAS DEPTH:                              | CEMENT PI          | UGS:                 |                       |   |                    |           |
|   |                    |                      |                       |   |                    |           |
| OTHER INF                               | ORMATION           |                      |                       |   |                    |           |
| TOP OF VENT P                           |                    | VENT PIPE DEPTIL     | 320                   |   |                    |           |
|   |                    | DDED 3 MORE ANOD     |                       | E TO LOWER                              | THE 45 / 85        | 1077      |
| RE                                      | SISTANCE OF THE    | G.B. INITIAL RESISTA | ANCE WAS 1.44         | _ , , , , , , , , , , , , , , , , , , , | FER                | 131415767 |
|   |                    |                      |                       |   | 200                | 4         |
|   |                    |                      |                       |   | 0:                 |           |
|   |                    |                      |                       |   |                    |           |
|   |                    |                      |                       |   | 100 m              | 1973      |

IF ANY OF THE ABOVE DATA IS UNAVAILABLE, PLEASE INDICATE SO. COPIES OF ALL LOGS, INCLUDING DRILLERS LOGS, WATER ANALYSIS, AND WELL BORE SCHEMATICS SHOULD BE SUBMITTED WHEN AVAILABLE. UNPLUGGED UNABANDONED WELLS ARE TO BE INCLUDED.

\*- LAND TYPE MAY BE SHOWN: F-FEDERAL; I-INDIAN; S-STATE; P-FEE IF FEDERAL OR INDIAN, ADD LEASE NUMBER.