District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 R io Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office.

Form C-144

June 1 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌 Type of action: Registration of a pit or below-grade tank \(\bigcirc \) Closure of a pit or below-grade tank \(\bigcirc \) Telephone: (505)326-9200 e-mail address: Operator: BP America Production Company Address: 200 Energy Ct, Farmington, NM 87401 API#:30045 07764 U/Lor Ott/Ott M Sec 27 T 29 NR 8 W Facility or well name: HUGHES County: San Juan Latitude Longitude NAD: 1927 🗌 1983 🔀 Surface Owner: Federal State Private Indian Below-grade tank Pit Type: Drilling Production Disposal Volume: bbl Type of fluid: Workover Emergency Construction material: Lined [] Unlined [] Double-walled, with leak detection? You Liner type: Synthetic Thickness Pit Volume _____bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) \bigcirc high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic Nο (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite \(\square\) offsite \(\square\) If offsite, name of facility_ . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗹 Yes 🔲 If yes, show depth below ground surface_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: KCV0 FEB6'07 See Attached Documentation OIL CONS. DIU DIST. 3 I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations Approval _____FEB 0 6 2007 DOTT OR & GAS INSPECTOR, DIST. &6 Printed Name/Title

a

OF

500450 1167 **BLAGG ENGINEERING, INC.** LOCATION NO: BIZ9 P.O. BOX 87, BLOOMFIELD, NM 87413 CLIENT: COCR NO: (505) 632-1199 FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: DEHL LOCATION: NAME: HUGHES WELL #: TYPE: DATE STARTED: DATE FINISHED: QUAD/UNIT: M SEC: 27 TWP: Z9 N RNG: &W PM: NM CNTY: SJ ST: NM **ENVIRONMENTAL** SWISW CONTRACTOR: L+L (BRIAN) QTR/FOOTAGE: 990 5 490 W SPECIALIST: EXCAVATION APPROX. 12 FT. x 12 FT. x 2 FT. DEEP. CUBIC YARDAGE: NA DISPOSAL FACILITY: ____ REMEDIATION METHOD: CLUSE LANDUSE: KANGE-Bum SF 078049 _ LEASE: FORMATION: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 5 FT. 57W FROM WELLHEAD. DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: 71000 O NMOCD TPH CLOSURE STD: 5000 PPM NMOCD RANKING SCORE: OVM CALIB. READ. = 53.3 ppm SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. GAS = 100 ppm TIME: 0905 am/pm DATE: SOIL TYPE: (SAND) SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER SOIL COLOR: DARK DRANGE TAN COHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY COHESIVE) COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / SLIGHTLY MOIST MOIST / WET / SATURATED / SUPER SATURATED CLOJED DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION -HC ODOR DETECTED: (YES) NO EXPLANATION - MINOR SAMPLE TYPE: (GRAB COMPOSITE - # OF PTS. SMALL EARTHEN PIT. NO VISUS DDITIONAL COMMENTS: MYMIL ODOR @ 5 **FIELD 418.1 CALCULATIONS** SCALE SAMP. TIME SAMP. ID LAB NO. WEIGHT (g) mL FREON DILUTION READING CALC. (ppm)

			1	ł	1				
O _{ft} FT	****								•
N PIT PI	ERIMETE	R					PIT F	ROFIL	E
	17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 -	PD A TH	SAMPLE 1D 5 2 @ 3 @ 4 @ 5 @ LAB	SAMPLES ANALYSIS TO H	m) • 3	2-1		12'-	3/5'
TRAVEL NOTES:	 	9/30/03		ONSI	ΤΕ: <u>(</u>	0/1/03	C	840	
	-	- , - ,				, , , , , , , , , , , , , , , , , , , 			



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy 1 @ 5'	Date Reported:	10-06-03
Laboratory Number:	26769	Date Sampled:	10-01-03
Chain of Custody No:	11415	Date Received:	10-01-03
Sample Matrix:	Soil	Date Extracted:	10-03-03
Preservative:	Cool	Date Analyzed:	10-03-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	61.5	0.2	
Diesel Range (C10 - C28)	15.5	0.1	
Total Petroleum Hydrocarbons	77.0	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Hughes C #3.

Mistine Mibiters
Analyst

Jami C. Ross