

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: _____
Address: 200 Energy Ct. Farmington, NM 87401
Facility or well name: HUGHES C #5A API #: 30045 22886 U/L or Qtr/Qtr I Sec 28 T 29 R 8 W
County: San Juan Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☒
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank
Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume: _____ bbl Type of fluid: <u>Oil</u> Construction material: <u>Steel</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If no, explain why not: _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) <u>0</u> 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) <u>0</u>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) <u>0</u> 1000 feet or more (0 points)
Ranking Score (Total Points) <u>0</u>	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility: _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

RCUD FEB 6 '07
OIL CONS. DIV.
DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 3

Signature Brandon R. [Signature]

Date: FEB 06 2007

CLIENT:

BP

BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199

LOCATION NO: 81247

COCR NO: 11101

FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: HUGHES C WELL #: SA TYPE: SEP/DEHY

DATE STARTED: 7/10/03

DATE FINISHED: 7/10/03

QUAD/UNIT: I SEC: 28 TWP: 29N RING: 8W PM: NM CNTY: SJ ST: NM

ENVIRONMENTAL SPECIALIST: JCB

QTR/FOOTAGE: 1825'S/790'E NESE CONTRACTOR: SIERA (CALVIN)

EXCAVATION APPROX. 15 FT. x 15 FT. x 5 FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - BUM LEASE: #SF 078049 FORMATION: MV

FIELD NOTES & REMARKS:

PIT LOCATED APPROXIMATELY 123 FT. S 17° E FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 53.1 ppm

OVM CALIB. GAS = 100 ppm RF = 0.52

TIME: 0845 am/pm DATE: 7-10-03

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK SANDSTONE

SOIL COLOR:

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES/NO EXPLANATION - MINOR

HC ODOR DETECTED: YES/NO EXPLANATION - MINOR

SAMPLE TYPE: GRAB/COMPOSITE - # OF PTS.

ADDITIONAL COMMENTS: PIT EXCAVATED INTO BEDROCK SANDSTONE W/ STEEL TANK


BEDROCK
BOTTOMINSTALLED. USED BACKHOE TO REMOVE TANK + SAMPLE
BEDROCK SURFACE.

CLOSED

SCALE

0 1 FT

N

PIT PERIMETER**FIELD 418.1 CALCULATIONS**

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

PIT PROFILE**OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 5'	2.6
2 @	
3 @	
4 @	
5 @	

NOT APPLICABLE

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
1 @ 5'	TPH	0930

PASSED

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES:

CALLOUT: 7/9/03 1600 ONSITE: 7/10/03 0915

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Sep/Dehy #1 @ 5'	Date Reported:	07-11-03
Laboratory Number:	26057	Date Sampled:	07-10-03
Chain of Custody No:	11101	Date Received:	07-10-03
Sample Matrix:	Soil	Date Extracted:	07-11-03
Preservative:	Cool	Date Analyzed:	07-11-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Hughes C #5A.**


Analyst


Review

CLIENT:

BP

BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199

LOCATION NO:

B1247

C.O.C. NO:

13923

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: HUGHES C WELL# 5A PITS: DEHY.DATE STARTED: 7/26/05

DATE FINISHED: _____

QUAD/UNIT: I SEC: 28 TWP: 29N RNG: 8W PM: NM CNTY: SJ ST: NMQTR/FOOTAGE: NE/SE CONTRACTOR: _____ENVIRONMENTAL SPECIALIST: NV

SOIL REMEDIATION:

40

REMEDICATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE: _____


LAND USE: RANGELIFT DEPTH (ft): 1

FIELD NOTES & REMARKS:

DEPTH TO GROUNDWATER: >100'NEAREST SURFACE WATER: >1,000'NEAREST WATER SOURCE: >1,000'NMOC D RANKING SCORE: 2NMOC D TPH CLOSURE STD: 5,000 PPMSOIL TYPE: SAND / (SILTY SAND) / SILT / (SILTY CLAY) / CLAY / GRAVEL / OTHER _____SOIL COLOR: OK. YELL. ORANGE TO MED. GRAYCOHESION (ALL OTHERS): NON COHESIVE / (SLIGHTLY COHESIVE) / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): (LOOSE) / FIRM / DENSE / VERY DENSEPLASTICITY (CLAYS): NON PLASTIC / (SLIGHTLY PLASTIC) / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTICDENSITY (COHESIVE CLAYS & SILTS): SOFT / (FIRM) / STIFF / VERY STIFF / HARDMOISTURE: DRY / SLIGHTLY MOIST / (MOIST) / WET / SATURATED / SUPER SATURATEDCLOSEDDISCOLORATION/STAINING OBSERVED: (YES) / NO EXPLANATION - SAMPLE PTS. ①, ②, ③, & ⑤ (LT. TO MED. GRAY)HC ODOR DETECTED: (YES) / NO EXPLANATION - DISCOLORED PORTION ONLY - SLIGHTLYSAMPLING DEPTHS (LANDFARMS): 6-8 (INCHES)SAMPLE TYPE: GRAB / (COMPOSITE) # OF PTS. 5

ADDITIONAL COMMENTS: _____

SKETCH/SAMPLE LOCATIONS



OVM CALIB. READ. = 53.8 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 10:15 am/pm DATE: 7/25/05

OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	36.1	LF-1	TPH (85158)	1130	2,240

P.C. - 7/10/03

SCALE



0 FT

TRAVEL NOTES: CALLOUT: N/AONSITE: 7/26/05

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	07-30-05
Laboratory Number:	33870	Date Sampled:	07-26-05
Chain of Custody No:	13923	Date Received:	07-27-05
Sample Matrix:	Soil	Date Extracted:	07-28-05
Preservative:	Cool	Date Analyzed:	07-30-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	50.0	0.2
Diesel Range (C10 - C28)	2,190	0.1
Total Petroleum Hydrocarbons	2,240	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Hughes C #5A.**


Analyst


Review