

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Burlington Resources</u>		Telephone: <u>(505) 326-9841</u>	e-mail address: <u>LHasely@br-inc.com</u>
Address: <u>3401 East 30<sup>th</sup> Street, Farmington, New Mexico, 87402</u>			
Facility or well name: <u>Hartman Com No. 5</u>	API #: <u>3004526816</u>	U/L or Qtr/Qtr <u>L</u> Sec <u>23</u> T <u>30N</u> R <u>11W</u>	
County: <u>San Juan</u>	Latitude <u>36.7953</u>	Longitude <u>-107.96663</u>	NAD: 1927 <input checked="" type="checkbox"/> 1983 <input type="checkbox"/>
Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input checked="" type="checkbox"/> Indian <input type="checkbox"/>			<b>RCVD FEB6'07</b> <b>OIL CONS. DIV.</b> <b>DIST. 3</b>
<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	<b>Below-grade tank</b> Volume: <u>60</u> bbl Type of fluid: <u>Produced Water and Incidental Oil</u> Construction material: <u>Steel</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. <u>No. Tank in place prior to Rule 50.</u>		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)	10
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)	30
<b>Ranking Score (Total Points)</b>			30

**If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
The soils tested clean and no soil remediation was required.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 1/15/07

Printed Name/Title Mr. Ed Hasely, Environmental Advisor

Signature 

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

**PUTY OIL & GAS INSPECTOR, DIST. 3**  
Approval:

Printed Name/Title \_\_\_\_\_

Signature 

Date: FEB 06 2007

# ENVIROTECH INC.

ENVIRONMENTAL SCIENTISTS & ENGINEERS  
4700 U.S. HIGHWAY 84-3014  
FARMINGTON, NEW MEXICO 87401  
PHONE: (505) 683-0815

## FIELD REPORT CLOSURE VERIFICATION

PAGE NO: 1 of 1

LOCATION: NAME: Hartman Com WELL #: 5 PIT: Sep  
QUAD/UNIT: L SEC: 23 TWP: 30N RNG: 11W PMNMPM CNTY: SS ST: NM  
QTR/FOOTAGE: 177S FSL 84SFWL CONTRACTOR: L & R

DATE STARTED: 12/13/06  
DATE FINISHED: 12/13/06  
ENVIRONMENTAL SPECIALIST: GWC

EXCAVATION APPROX 0 FT. x 0 FT. x 0 FT. DEEP. CUBIC YARDAGE: 0  
DISPOSAL FACILITY: N/A REMEDIATION METHOD: N/A  
LAND USE: API LEASE: 30-048-26816 FORMATION:

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 60 FT. 335' FROM WELLHEAD.

DEPTH TO GROUNDWATER: > 40 4100 NEAREST WATER SOURCE: > 1,000 NEAREST SURFACE WATER: < 200

NMCD RANKING SCORE: 30 NMCD TPH CLOSURE STD: 100 PPM

### SOIL AND EXCAVATION DESCRIPTION:

Soil tested clean, no soil remediation required

CHECK ONE:  
☐ PIT ABANDONED  
☒ STEEL TANK INSTALLED

### FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
1145	Discrete Bottom		5.0	20	4	0.44	98.9


SCALE

0 FT

### PIT PERIMETER

### OVM RESULTS


### PIT PROFILE



SAMPLE ID	FIELD HEADSPACE PID (ppm)
1	
2	
3	
4	
5	

### LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME



TRAVEL NOTES.

CALLOUT: \_\_\_\_\_ ONSITE: \_\_\_\_\_

36.7953 -107.96663

EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS  
QUALITY ASSURANCE REPORT

Client:	Burlington Resources	Project #:	92115-046-044
Sample ID:	QA/QC	Date Reported:	12/13/2006
Laboratory Number:	01-24-TPH.QA/QC	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	12/13/2006
Preservative:	N/A	Date Extracted:	12/13/2006
Condition:	N/A	Analysis Needed:	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
	05-22-04	12/13/2006	1,713	1,667	2.7%	+/- 10%

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	5.0


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
TPH	2,440	2,323	4.8%	+/- 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	2,440	2,000	4,970	111.9%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Hartman Com #5

  
Analyst

  
Review

EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS

Client:	Burlington Resources	Project #:	92115-046-044
Sample No.:	1	Date Reported:	12/13/2006
Sample ID:	Discrete, 3' Below BG Tank	Date Sampled:	12/13/2006
Sample Matrix:	Soil	Date Analyzed:	12/13/2006
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----------	--------------------------	--------------------------


Total Petroleum Hydrocarbons	98.7	5.0
------------------------------	------	-----

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Hartman Com No. 5

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review