1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office


Form C-144


June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is nit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \)

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank		
Operator: Dugan Production Corp. Telephone:	(505)325-1821 e-mail address: paul	sikora-û duganproduction.com
Address: P. O. Box 420, Farmington, NM 87499-0420		
Facility or well name: Herry Monster #3 SWD API #: 30-045-33217 U/L or Qtr/Qtr F Sec 11 T 24N R 11W		
County: San Juan Latitude 36.33008 Longitude 107.97504 NAD: 1927 🛛 1983 🗌 Surface Owner Federal 🖾 State 🗍 Private 🗍 Indian 🗍		
RCVD FEB7'07		
Pit	Below-grade tank	OIL CONS. DIV.
Type: Drilling M Production Disposal	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material: DIST. 3	
Lined ☐ Unlined 🛭	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic ☑ Thicknessmil Clay ☐		
Pit Volume <u>6417</u> bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points) 0
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) 0
	Ranking Score (Total Points)	0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you		
are burying in place) onsite 🛛 offsite 🗌 If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavations.		
The drilling/reserve pit at the Herry Monster #3 SWD closure. The pits dimensions are approx. 6' deep x 100' wide x 120' length with an average 3' slope and its center is approx.		
W 47' of wellhead. See attached. Until a general permit is prepared and approved, Dugan Production Corp. intends to follow NMOCD guidelines modified only as necessary to		
comply with stipulations imposed by the Bureau of Land Management.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general pocmit ☐, or an (attached) alternative OCD-approved plan ☒. Date:May 1, 2006		
Printed Name/Title Paul Sikora, Production Foreman Signature		
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	relieve the operator of liability should the contents of operator of its responsibility for compliance with any	the pit or tank contaminate ground water or other federal, state, or local laws and/or
Approval: 2274TV CA & GAS INSPECTOR, DIST. (F	Signature Brancher Fanel	FEB 0 7 2007

Herry Monster \$35wD Lease Name





Not to scale