



Job Number:
 Company: Devon Energy
 Lease/Well: NEBU 429 A
 Location: Rio Arriba Cnty Sec. 8-30N-7W
 Rig Name:
 RKB:
 G.L. or M.S.L.:

State/Country: NM
 Declination:
 Grid:
 File name: C:\DATA\CUST06\SURVEYS\TEMP\06273.SVY
 Date/Time: 29-Nov-06 / 07:50
 Curve Name: As Drilled

30-039-29886

Inwell Inc.

RCVD FEB20'07
 OIL CONS. DIV.
 DIST. 3

WINSERVE SURVEY CALCULATIONS
 Minimum Curvature Method
 Vertical Section Plane 218.93
 Vertical Section Referenced to Wellhead
 Rectangular Coordinates Referenced to Wellhead

sec 8 surface 675/s 2235/E
 BHL 985/N 1709/W sec 17

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	Vertical Section FT	N-S FT	E-W FT	CLOSURE Distance FT	Direction Deg	Dogleg Severity Deg/100
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
304.00	.60	306.20	303.99	.08	.94	-1.28	1.59	306.20	.20
395.00	3.60	228.80	394.93	2.91	-.66	-3.82	3.88	260.18	3.87
484.00	9.30	219.80	483.33	12.87	-8.03	-10.53	13.24	232.66	6.48
577.00	13.50	218.80	574.48	31.24	-22.27	-22.15	31.41	224.84	4.52
672.00	17.20	222.80	666.08	56.36	-41.23	-38.65	56.51	223.15	4.05
766.00	21.60	220.80	754.72	87.53	-64.53	-59.40	87.71	222.63	4.73
858.00	25.00	220.30	839.20	123.90	-92.19	-83.05	124.08	222.02	3.70
951.00	28.40	220.80	922.27	165.66	-123.93	-110.22	165.85	221.65	3.66
1043.00	33.90	220.30	1000.98	213.22	-160.08	-141.13	213.41	221.40	5.98
1136.00	38.30	219.80	1076.10	267.99	-202.03	-176.37	268.18	221.12	4.74
1228.00	43.40	218.80	1145.67	328.14	-248.59	-214.45	328.31	220.78	5.59
1323.00	48.00	218.50	1212.00	396.11	-301.68	-256.90	396.25	220.42	4.85
1417.00	51.60	219.40	1272.67	467.90	-357.50	-302.04	468.01	220.19	3.90
1507.00	56.60	219.80	1325.42	540.77	-413.65	-348.50	540.89	220.11	5.57
1600.00	60.50	218.40	1373.94	620.09	-475.22	-398.51	620.19	219.98	4.39
1694.00	60.40	217.40	1420.30	701.85	-539.74	-448.74	701.92	219.74	.93
1787.00	58.10	217.60	1467.85	781.74	-603.15	-497.39	781.78	219.51	2.48
1881.00	58.60	219.10	1517.17	861.75	-665.90	-547.04	861.78	219.40	1.46
1972.00	60.50	219.10	1563.29	940.20	-726.77	-596.51	940.23	219.38	2.09
2158.00	61.40	218.80	1653.60	1102.80	-853.23	-698.73	1102.82	219.31	.50
2252.00	60.00	217.90	1699.61	1184.76	-917.51	-749.59	1184.78	219.25	1.71
2347.00	59.70	219.80	1747.32	1266.91	-981.48	-801.12	1266.92	219.22	1.76
2441.00	59.60	218.80	1794.82	1348.02	-1044.25	-852.50	1348.04	219.23	.92
2535.00	60.50	218.10	1841.75	1429.46	-1108.04	-903.14	1429.48	219.18	1.15

8

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	Vertical Section FT	N-S FT	E-W FT	C L O S U R E		Dogleg Severity Deg/100
							Distance FT	Direction Deg	
2628.00	59.20	216.90	1888.46	1509.85	-1171.83	-952.10	1509.86	219.09	1.79
2723.00	57.90	218.60	1938.03	1590.87	-1235.91	-1001.70	1590.88	219.02	2.05
2817.00	55.10	218.90	1989.91	1669.25	-1297.04	-1050.76	1669.25	219.01	2.99
2912.00	50.50	219.50	2047.33	1744.90	-1355.67	-1098.56	1744.90	219.02	4.87
3006.00	45.40	219.80	2110.27	1814.67	-1409.40	-1143.08	1814.67	219.04	5.43
3096.00	40.00	220.40	2176.39	1875.67	-1456.08	-1182.37	1875.68	219.08	6.02
3189.00	35.40	220.30	2249.95	1932.51	-1499.41	-1219.18	1932.52	219.11	4.95
3283.00	30.50	219.20	2328.81	1983.61	-1538.68	-1251.89	1983.63	219.13	5.25
3377.00	27.00	216.80	2411.21	2028.81	-1574.27	-1279.76	2028.82	219.11	3.92
3471.00	22.40	218.30	2496.59	2068.06	-1605.43	-1303.65	2068.07	219.08	4.94
3565.00	16.90	217.40	2585.08	2099.65	-1630.35	-1323.06	2099.66	219.06	5.86
3658.00	12.30	215.20	2675.05	2123.06	-1649.20	-1336.99	2123.06	219.03	4.98
3681.00	11.10	216.80	2697.57	2127.72	-1652.97	-1339.73	2127.72	219.02	5.40
Projected to Bit									
3730.00	8.54	216.80	2745.85	2136.07	-1659.66	-1344.74	2136.07	219.02	5.22

Company: Devon Energy
Lease/Well: NEBU 429 A
Location: Rio Arriba Cnty Sec. 8-30N-7W
State/Country: NM

