

2A = 30-045-22754
250 = 30-045-26915

3547

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit P Sec. 21 Twp 31 Rng 9

Name of Well/Wells or Pipeline Serviced SUNRAY G #2A, #250

cps 2090w

Elevation 8178' Completion Date 2/3/89 Total Depth 360' Land Type *N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 85' & 100' NO SAMPLE

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: 315', 305', 295', 285', 275', 265', 255', 220', 195', 185'

Depths vent pipes placed: 347'

Vent pipe perforations: 280'

Remarks: gb #2

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

D. CRASS

DRILLING CO.

Drill No. 3

DRILLER'S WELL LOG

S. P. No. SUNRAY #250 Date 2-3-89Client Meridian Oil Co. Prospect _____County SAN JUAN State New Mex.If hole is a redrill or if moved from original staked position show distance
and direction moved: _____

FROM	TO	FORMATION — COLOR — HARDNESS
0	90	SANDstone
90	100	shale
100	110	SAND ✓
110	340	shale

Mud _____ Brm _____ Lime _____

Rock Bit Number _____ Make _____

Remarks: Water @ 85' & 100'Driller Ronnie Brown